R3850-2.3

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Northeastern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

- Length of Stay by Psychiatric Diagnosis, United States, 1986
- Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
- Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
- Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
- Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 165

Appendix 2: Teaching Intensity Program Calculation 166

Appendix 3: State Inclusions and Hospital Counts by Region 167

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 168

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 175

Appendix 6: Patient Characteristic Definitions Used in Graphs 182

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
<100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
<100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74+ YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs

TRANSFERRED BY PAYOR



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY

TRANSFERRED BY PAYOR



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74+ YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*
PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*
PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	12.5	160	2	2	7	14	34	43	43	5	9.0	42	2	2	9	12	19	19	19
75 +	42	14.0	217	1	1	10	19	46	68	99 +	17	9.5	29	2	4	9	14	20	68	99 +
ALL AGES	52	13.7	204	1	2	8	19	43	54	99 +	22	9.4	30	2	3	9	14	19	48	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	17	16.7	357	2	3	9	21	42	63	74	6	10.3	20	6	6	10	13	17	17	17
75 +	71	13.5	165	2	3	10	20	39	94	99 +	42	12.7	191	2	3	9	19	76	99 +	99 +
ALL AGES	88	14.1	201	2	3	10	20	39	77	99 +	48	12.4	169	2	4	9	18	54	99 +	99 +
SUBTOTAL	**140**	**14.0**	**199**	**2**	**2**	**10**	**20**	**42**	**75**	**99 +**	**70**	**11.5**	**125**	**2**	**3**	**9**	**17**	**30**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	17.0	309	4	4	23	68	99 +	99 +	99 +	1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +	6	14.5	99	6	6	14	29	87	99 +	99 +	5	13.4	163	5	5	8	16	36	36	36
ALL AGES	9	15.3	142	4	5	14	36	99 +	99 +	99 +	6	11.8	146	4	4	8	29	87	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	5.8	2	4	4	6	7	7	7	7	1	53.0		53	53	53	53	53	53	53
75 +	19	16.8	299	2	4	10	19	48	61	64	6	25.7	567	3	3	18	47	60	61	61
ALL AGES	24	14.5	255	3	4	9	14	37	59	64	7	29.6	579	3	4	27	51	59	61	61
SUBTOTAL	**33**	**14.7**	**220**	**4**	**4**	**9**	**20**	**57**	**91**	**99 +**	**13**	**21.4**	**435**	**3**	**4**	**9**	**47**	**65**	**92**	**99 +**
GRAND TOTAL	**173**	**14.1**	**203**	**2**	**3**	**9**	**20**	**43**	**75**	**99 +**	**83**	**13.0**	**183**	**2**	**3**	**9**	**18**	**51**	**99 +**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	27	15.7	454	2	3	6	27	51	93	99 +	27	12.5	242	2	3	6	14	28	49	73
75 +	52	20.4	514	2	4	13	23	63	89	99 +	21	11.2	295	1	2	9	15	86	99 +	99 +
ALL AGES	80	18.6	489	2	3	9	23	56	91	99 +	48	12.0	258	1	3	7	15	37	83	99 +
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	3	21.7	327	1	1	29	33	35	35	35										
55-74	35	14.8	167	2	4	12	21	55	99 +	99 +	21	8.5	40	2	3	6	15	39	99 +	99 +
75 +	72	14.1	166	2	3	10	19	36	55	99 +	50	12.0	110	2	3	10	15	42	92	99 +
ALL AGES	110	14.6	166	2	3	11	20	44	56	99 +	71	11.0	90	2	3	9	15	40	99 +	99 +
SUBTOTAL	**190**	**16.3**	**303**	**2**	**3**	**11**	**22**	**51**	**89**	**99 +**	**119**	**11.4**	**157**	**2**	**3**	**9**	**15**	**40**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	11	16.8	82	7	7	15	25	30	32	32	2	15.0	2	14	14	15	16	16	16	16
75 +	5	18.0	88	10	10	16	21	34	34	34	5	7.4	43	2	2	7	10	18	18	18
ALL AGES	16	17.2	77	7	8	15	23	32	33	34	7	9.6	42	2	2	8	15	18	18	18
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	6	13.3	77	2	3	16	24	85	99 +	99 +	2	10.5	13	8	8	10	13	13	13	13
75 +	10	11.1	60	3	3	9	16	24	25	25	6	9.2	42	5	5	6	10	21	22	22
ALL AGES	17	11.7	60	2	3	9	17	26	70	99 +	8	9.5	33	5	5	7	11	19	22	22
SUBTOTAL	**33**	**14.4**	**73**	**3**	**5**	**14**	**17**	**29**	**34**	**99 +**	**15**	**9.5**	**35**	**2**	**2**	**8**	**14**	**18**	**21**	**22**
GRAND TOTAL	**223**	**16.0**	**279**	**2**	**3**	**11**	**22**	**43**	**85**	**99 +**	**134**	**11.2**	**143**	**2**	**3**	**9**	**15**	**31**	**90**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	19	24.4	183	5	6	24	35	44	45	46	4	17.3	461	3	3	12	62	99+	99+	99+
75 +	33	20.5	362	2	3	17	24	64	99	99+	12	17.2	191	3	5	16	22	65	93	99+
ALL AGES	52	21.9	297	3	5	19	33	44	91	99+	16	17.2	233	3	4	15	24	87	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	25	19.7	351	2	4	17	29	49	91	99+	7	16.9	123	7	8	14	32	81	99+	99+
75 +	91	19.0	256	3	3	15	29	40	88	99+	19	20.1	428	3	4	11	22	54	71	78
ALL AGES	117	19.1	273	3	4	15	29	41	89	99+	26	19.2	341	4	4	11	26	59	81	99+
SUBTOTAL	**169**	**20.0**	**278**	**3**	**4**	**16**	**29**	**44**	**90**	**99+**	**42**	**18.5**	**292**	**3**	**4**	**15**	**25**	**63**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	17.5	286	4	4	13	30	40	40	40										
75 +	11	20.3	176	8	8	11	31	39	44	45										
ALL AGES	15	19.5	191	4	5	11	31	40	44	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	11	28.6	505	5	9	24	57	99+	99+	99+										
75 +	24	19.6	167	3	5	18	27	38	46	50										
ALL AGES	35	22.4	281	4	5	19	35	50	92	99+										
SUBTOTAL	**50**	**21.6**	**248**	**4**	**5**	**19**	**34**	**49**	**75**	**99+**										
GRAND TOTAL	**219**	**20.3**	**273**	**3**	**4**	**17**	**29**	**45**	**89**	**99+**	**42**	**18.5**	**292**	**3**	**4**	**15**	**25**	**63**	**99+**	**99+**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	9	20.8	437	1	3	15	25	56	70	70	5	12.2	3	10	10	12	14	14	14	14
75 +	36	13.1	191	1	3	9	17	41	59	99 +	23	14.3	85	4	6	11	21	30	32	34
ALL AGES	45	14.6	242	1	3	10	18	44	64	99 +	28	14.0	68	4	6	11	16	29	31	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	14	24.6	355	2	3	22	40	55	57	57	7	10.4	89	2	3	6	12	26	30	30
75 +	79	19.6	467	3	5	11	22	51	86	99 +	49	12.8	224	3	4	9	15	45	98	99 +
ALL AGES	93	20.4	447	3	5	12	24	54	82	99 +	56	12.5	206	2	3	8	15	40	94	99 +
SUBTOTAL	**138**	**18.5**	**386**	**2**	**4**	**11**	**22**	**51**	**69**	**99 +**	**84**	**13.0**	**159**	**3**	**4**	**10**	**15**	**31**	**53**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	23.3	88	15	15	21	31	35	35	35	2	17.5	85	11	11	17	24	24	24	24
75 +	7	25.7	1148	2	3	10	74	96	99 +	99 +	2	16.5	25	13	13	16	20	20	20	20
ALL AGES	11	24.8	718	2	3	15	48	90	99	99 +	4	17.0	37	11	11	16	22	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	15.3	88	9	9	11	22	26	26	26	1	4.0		4	4	4	4	4	4	4
75 +	9	12.9	39	6	7	12	14	23	28	28	6	13.8	250	1	1	6	28	38	39	33
ALL AGES	12	13.5	46	6	8	11	14	27	28	28	7	12.4	222	1	1	6	23	37	39	39
SUBTOTAL	**23**	**18.9**	**383**	**3**	**5**	**12**	**26**	**64**	**90**	**99 +**	**11**	**14.1**	**149**	**1**	**1**	**11**	**23**	**32**	**38**	**39**
GRAND TOTAL	**161**	**18.5**	**385**	**3**	**4**	**11**	**22**	**53**	**75**	**99 +**	**95**	**13.1**	**157**	**2**	**4**	**10**	**16**	**31**	**46**	**99 +**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	7.0	2	6	6	7	8	8	8	8										
55-74	12	17.7	216	4	5	13	17	48	49	49	9	11.9	142	2	3	7	13	33	39	39
75 +	33	17.2	220	2	4	12	27	42	60	99 +	17	16.2	290	1	3	10	22	62	88	99 +
ALL AGES	47	16.9	209	3	4	12	22	45	55	99 +	26	14.7	236	2	3	9	21	40	75	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	14	22.2	227	9	9	20	28	66	91	99 +	8	12.1	96	4	4	11	20	74	99 +	99 +
75 +	64	13.7	185	2	3	9	17	38	62	99 +	23	18.8	154	5	6	17	27	95	99 +	99 +
ALL AGES	79	15.1	199	2	4	10	23	39	67	99 +	31	17.1	144	4	5	16	27	99 +	99 +	99 +
SUBTOTAL	**126**	**15.8**	**201**	**3**	**4**	**10**	**23**	**40**	**61**	**99 +**	**57**	**16.0**	**184**	**3**	**5**	**13**	**23**	**59**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	5.3	18	1	1	4	8	11	11	11	3	11.0	16	7	7	11	14	15	15	15
75 +	5	27.6	1446	6	6	11	38	95	95	95										
ALL AGES	9	17.7	867	1	2	7	13	65	95	95	3	11.0	16	7	7	11	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	7	24.9	479	4	4	15	42	58	61	61	1	8.0		8	8	8	8	8	8	8
75 +	6	8.8	29	1	1	9	14	15	15	15	5	25.0	440	7	7	14	38	59	59	59
ALL AGES	13	17.5	320	1	3	10	20	48	59	61	6	22.2	398	7	7	14	31	56	59	59
SUBTOTAL	**22**	**17.5**	**516**	**1**	**2**	**10**	**15**	**50**	**75**	**95**	**9**	**18.4**	**287**	**7**	**7**	**14**	**19**	**48**	**59**	**59**
GRAND TOTAL	**148**	**16.0**	**247**	**2**	**4**	**10**	**22**	**42**	**61**	**99 +**	**66**	**16.3**	**195**	**3**	**5**	**14**	**23**	**56**	**99 +**	**99 +**

SENILE PSYCHOSIS NEC (290.8)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**2**	**10.0**	**32**	**6**	**6**	**10**	**14**	**14**	**14**	**14**										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES											1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	15.0		15	15	15	15	15	15	15
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES											2	18.0	18	15	15	18	21	21	21	21
SUBTOTAL											**3**	**15.7**	**24**	**11**	**11**	**15**	**19**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											3	15.7	24	11	11	15	19	21	21	21

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
25-34	11	4.6	6	2	2	4	6	8	10	10	11	2.8	3	1	1	2	4	5	6	6
35-54	38	5.5	12	1	2	4	7	11	12	13	25	5.2	10	2	3	4	7	9	11	15
55-74	17	13.9	350	2	3	8	15	24	62	82	14	8.1	16	3	3	8	12	13	14	14
75 +	2	12.5	113	5	5	12	20	20	20	20	1	10.0		10	10	10	10	10	10	10
ALL AGES	69	7.6	106	1	2	5	9	14	20	71	52	5.6	13	2	2	4	8	11	13	15
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	2	6.0	2	5	5	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	7	5.6	5	3	3	5	7	9	9	9	4	5.0	22	2	2	3	8	12	12	12
55-74	4	6.5	16	1	1	7	9	10	10	10	2	4.5	25	1	1	4	8	8	8	8
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	14	6.6	12	1	3	6	9	10	14	15	7	4.4	17	1	1	3	7	11	12	12
SUBTOTAL	**83**	**7.4**	**90**	**1**	**2**	**5**	**9**	**13**	**17**	**63**	**59**	**5.5**	**13**	**1**	**2**	**4**	**8**	**11**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20											1	6.0		6	6	6	6	6	6	6
21-24	1	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
25-34	30	7.6	118	1	2	5	7	12	27	59	18	5.9	26	1	2	5	6	8	18	25
35-54	117	7.0	35	2	2	5	8	14	17	33	62	5.8	27	1	2	4	7	11	15	28
55-74	57	7.7	20	2	3	6	11	15	17	19	18	6.6	21	1	2	5	8	14	18	19
75 +	3	19.3	364	1	1	18	34	39	39	39	2	15.5	41	11	11	15	20	20	20	20
ALL AGES	208	7.5	47	2	3	6	9	15	18	43	102	6.1	27	1	2	5	7	12	17	27
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	7	5.3	4	3	3	5	7	8	8	8	2	7.0		7	7	7	7	7	7	7
35-54	19	11.3	179	3	3	7	11	26	47	59	18	4.6	9	1	2	4	6	8	11	13
55-74	27	6.3	26	1	2	5	8	12	19	22	9	15.9	401	2	2	5	27	50	58	58
75 +	7	7.4	18	2	2	8	10	13	14	14										
ALL AGES	61	7.8	73	2	2	6	9	14	20	56	29	8.2	149	2	2	5	7	20	39	58
SUBTOTAL	**269**	**7.5**	**54**	**2**	**3**	**6**	**9**	**14**	**18**	**47**	**131**	**6.6**	**53**	**1**	**2**	**5**	**7**	**13**	**20**	**42**
GRAND TOTAL	**352**	**7.5**	**62**	**2**	**2**	**6**	**9**	**14**	**18**	**49**	**190**	**6.2**	**42**	**1**	**2**	**5**	**7**	**12**	**16**	**34**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	17.0		17	17	17	17	17	17	17										
55-74	4	20.5	467	5	5	12	34	52	52	52	4	6.5	20	1	1	7	10	11	11	11
75 +											2	8.0	2	7	7	8	9	9	9	9
ALL AGES	6	17.3	320	5	5	12	17	48	52	52	6	7.0	13	1	1	8	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	3	14.7	148	4	4	12	24	28	28	28										
75 +																				
ALL AGES	4	15.8	102	4	4	15	23	28	28	28										
SUBTOTAL	**10**	**16.7**	**212**	**4**	**4**	**14**	**19**	**40**	**52**	**52**	**6**	**7.0**	**13**	**1**	**1**	**8**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	5	25.4	868	5	5	20	75	97	99 +	99 +										
55-74	7	19.4	447	2	2	14	28	55	61	61										
75 +	1	52.0		52	52	52	52	52	52	52										
ALL AGES	13	24.2	592	2	3	17	52	77	95	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	7.6	20	4	4	5	12	13	13	13	2	17.0		17	17	17	17	17	17	17
75 +	1	11.0		11	11	11	11	11	11	11	1	52.0		52	52	52	52	52	52	52
ALL AGES	6	8.2	18	4	4	8	12	13	13	13	3	28.7	405	17	17	17	43	52	52	52
SUBTOTAL	**19**	**19.2**	**456**	**2**	**3**	**11**	**30**	**68**	**87**	**99 +**	**3**	**28.7**	**405**	**17**	**17**	**17**	**43**	**52**	**52**	**52**
GRAND TOTAL	**29**	**18.3**	**364**	**3**	**4**	**12**	**28**	**57**	**75**	**99 +**	**9**	**14.2**	**228**	**1**	**3**	**9**	**17**	**38**	**52**	**52**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	4	21.8	111	8	8	23	30	32	32	32												
55-74	9	21.6	57	8	11	22	29	66	99 +	99 +	2	13.0	50	8	8	13	18	18	18	18		
75 +	3	6.7	12	3	3	8	55	99 +	99 +	99 +												
ALL AGES	16	18.8	93	5	7	21	29	80	99 +	99 +	2	13.0	50	8	8	59	99 +	99 +	99 +	99 +		
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34											1	1.0		1	1	1	1	1	1	1		
35-54																						
55-74	2	13.0	162	4	4	13	22	22	22	22	4	11.5	35	7	7	9	15	20	20	20		
75 +	1	11.0		11	11	11	11	11	11	11	2	21.0	18	18	18	21	24	24	24	24		
ALL AGES	3	12.3	84	4	4	11	19	22	22	22	7	12.7	68	1	2	11	19	23	24	24		
SUBTOTAL	**19**	**17.8**	**92**	**4**	**6**	**21**	**28**	**60**	**99 +**	**99 +**	**9**	**12.8**	**56**	**1**	**5**	**18**	**23**	**99 +**	**99 +**	**99 +**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	2.0		2	2	2	2	2	2	2												
18-20																						
21-24																						
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1		
35-54	5	11.6	89	5	5	7	15	28	28	28												
55-74	20	17.7	346	3	3	10	21	51	66	66	4	10.0	22	5	5	10	14	14	14	14		
75 +	3	17.0	397	5	5	6	31	40	40	40												
ALL AGES	30	15.5	287	2	3	7	20	38	66	66	5	8.2	33	1	1	7	14	14	14	14		
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	1	3.0		3	3	3	3	3	3	3												
25-34	1	31.0		31	31	31	31	31	31	31												
35-54	2	45.5	13	43	43	45	48	48	48	48												
55-74	3	24.7	988	6	6	61	99 +	99 +	99 +	99 +	2	27.0	968	5	5	27	49	49	49	49		
75 +	3	41.3	116	30	30	43	49	51	51	51	3	14.3	83	5	5	15	21	23	23	23		
ALL AGES	10	32.3	427	3	5	43	56	99 +	99 +	99 +	5	19.4	331	5	5	15	29	49	49	49		
SUBTOTAL	**40**	**19.7**	**366**	**2**	**3**	**11**	**36**	**62**	**80**	**99 +**	**10**	**13.8**	**196**	**1**	**3**	**10**	**15**	**36**	**49**	**49**		
GRAND TOTAL	**59**	**19.1**	**275**	**3**	**3**	**17**	**31**	**62**	**99 +**	**99 +**	**19**	**13.3**	**124**	**1**	**3**	**14**	**21**	**69**	**99 +**	**99 +**		

ALCOHOL HALLUCINOSIS (291.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	4	8.5	70	3	3	5	13	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74	2	13.5	221	3	3	13	24	24	24	24	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	7	10.3	77	3	3	5	18	23	24	24	3	3.3	3	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	6.5	13	4	4	6	9	9	9	9	2	6.5	1	6	6	6	7	7	7	7
55-74	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	5.3	11	3	3	4	8	9	9	9	4	4.8	4	2	2	5	6	7	7	7
SUBTOTAL	**10**	**8.8**	**60**	**3**	**3**	**5**	**11**	**22**	**24**	**24**	**7**	**4.1**	**4**	**2**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	10	8.0	44	2	2	6	9	18	25	25	1	3.0		3	3	3	3	3	3	3
35-54	15	6.2	17	1	1	5	9	12	14	15	8	5.4	3	3	3	5	7	8	8	8
55-74	3	7.0	1	6	6	7	8	8	8	8	2	15.0	18	12	12	15	18	18	18	18
75 +											2	14.5	265	3	3	14	26	26	26	26
ALL AGES	30	7.1	23	1	2	6	9	12	15	25	13	8.1	47	3	3	5	9	20	25	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	9	9.6	47	3	3	7	12	21	24	24	1	5.0		5	5	5	5	5	5	5
55-74	4	13.0	67	2	2	14	19	21	21	21	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	15	9.5	53	2	2	7	16	21	23	24	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**45**	**7.9**	**33**	**1**	**2**	**7**	**10**	**17**	**22**	**25**	**15**	**7.7**	**42**	**3**	**3**	**5**	**8**	**18**	**24**	**26**
GRAND TOTAL	**55**	**8.1**	**37**	**2**	**2**	**6**	**11**	**17**	**23**	**25**	**22**	**6.6**	**32**	**2**	**3**	**5**	**7**	**14**	**21**	**26**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	98	1	1	8	15	15	15	15										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	5	5.2	31	1	1	3	7	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**6**	**4.5**	**28**	**1**	**1**	**3**	**4**	**14**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	6	8.0	154	1	1	3	6	30	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**6**	**8.0**	**154**	**1**	**1**	**3**	**6**	**30**	**33**	**33**										
GRAND TOTAL	**12**	**6.3**	**85**	**1**	**1**	**3**	**5**	**20**	**31**	**33**										

ALCOHOLIC JEALOUSY (291.5)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	14.5	41	10	10	14	19	19	19	19										
55-74																				
75 +																				
ALL AGES	2	14.5	41	10	10	14	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.5**	**41**	**10**	**10**	**14**	**19**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	30.0	1879	3	3	7	62	80	80	80										
55-74																				
75 +																				
ALL AGES	3	30.0	1879	3	3	7	62	80	80	80										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**30.0**	**1879**	**3**	**3**	**7**	**62**	**80**	**80**	**80**										
GRAND TOTAL	**5**	**23.8**	**1022**	**3**	**3**	**10**	**34**	**80**	**80**	**80**										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	3.7	5	1	1	5	5	5	5	5										
21-24	20	5.4	3	2	3	5	6	7	9	11	2	3.0	2	2	2	3	4	4	4	4
25-34	159	4.6	1	2	3	5	5	5	5	6	17	5.3	9	1	1	6	7	9	10	11
35-54	354	4.9	7	2	4	5	5	5	6	10	57	4.4	6	1	1	4	6	7	9	10
55-74	97	5.8	27	2	3	5	5	7	11	38	35	5.7	17	1	1	5	7	11	16	18
75 +	11	13.6	393	3	4	6	12	42	69	71	1	7.0		7	7	7	7	7	7	7
ALL AGES	646	5.2	15	2	3	5	5	5	7	17	112	4.9	11	1	1	4	7	9	10	17
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	9	5.4	7	3	3	5	5	9	12	12										
25-34	33	5.1	8	2	3	5	5	6	9	18	6	5.5	9	2	2	5	7	10	10	10
35-54	58	4.5	1	1	2	5	5	5	5	7	13	4.8	6	2	2	4	6	8	10	10
55-74	30	5.6	17	2	2	5	5	9	17	21	18	6.1	16	1	2	6	6	10	16	19
75 +	2	6.0	2	5	5	6	7	7	7	7										
ALL AGES	133	5.0	7	2	3	5	5	5	7	19	38	5.4	12	1	2	5	7	9	11	19
SUBTOTAL	**779**	**5.1**	**14**	**2**	**3**	**5**	**5**	**5**	**7**	**18**	**150**	**5.1**	**10**	**1**	**1**	**5**	**7**	**9**	**10**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	5.0		5	5	5	5	5	5	5	3	6.3	6	5	5	5	8	9	9	9
21-24	18	6.4	11	3	5	5	6	13	14	14	15	4.1	4	1	1	5	5	6	7	8
25-34	357	5.4	12	2	3	5	5	6	11	24	164	4.7	1	2	3	5	5	5	6	9
35-54	804	5.5	8	3	4	5	5	7	10	15	534	5.0	3	3	4	5	5	6	7	12
55-74	158	6.1	18	2	3	5	6	11	13	29	149	5.6	9	3	4	5	5	7	10	20
75 +	9	5.4	26	1	1	4	6	14	18	18	4	11.3	134	2	2	7	19	28	28	28
ALL AGES	1350	5.5	11	2	4	5	5	7	11	19	869	5.1	4	2	4	5	5	6	7	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	3	8.0	27	5	5	5	12	14	14	14										
21-24	14	4.2	2	1	2	5	5	5	5	5	[illegible]	5.0		5	5	5	5	5	5	5
25-34	91	5.4	6	3	4	5	5	7	12	15	36	4.7	1	3	3	5	5	5	6	7
35-54	154	6.4	20	3	4	5	5	13	16	25	110	4.9	2	2	3	5	5	6	8	9
55-74	43	7.4	33	1	3	5	9	15	20	30	32	5.3	3	3	4	5	5	8	10	10
75 +	6	5.7	4	3	3	5	7	9	9	9	4	8.5	27	3	3	8	12	15	15	15
ALL AGES	311	6.1	18	2	3	5	5	12	15	24	183	5.0	2	2	3	5	5	7	8	10
SUBTOTAL	**1661**	**5.6**	**12**	**2**	**4**	**5**	**5**	**8**	**12**	**21**	**1052**	**5.1**	**4**	**2**	**4**	**5**	**5**	**6**	**7**	**15**
GRAND TOTAL	**2440**	**5.5**	**12**	**2**	**3**	**5**	**5**	**7**	**11**	**21**	**1202**	**5.1**	**5**	**2**	**3**	**5**	**5**	**6**	**8**	**16**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	2	6.0	50	1	1	5	11	11	11	11										
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16	3	11.7	43	6	6	10	17	19	19	19
75 +																				
ALL AGES	4	7.3	55	1	1	6	13	16	16	16	3	11.7	43	6	6	10	17	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**6.2**	**48**	**1**	**1**	**2**	**12**	**16**	**16**	**16**	**3**	**11.7**	**43**	**6**	**6**	**10**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	2	4.5	1	4	4	4	5	5	5	5										
75 +																				
ALL AGES	3	5.3	3	4	4	5	6	7	7	7										
SUBTOTAL	**5**	**5.6**	**6**	**3**	**3**	**5**	**7**	**9**	**9**	**9**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**10**	**5.9**	**24**	**1**	**1**	**4**	**9**	**13**	**16**	**16**	**4**	**9.0**	**58**	**1**	**1**	**8**	**14**	**19**	**19**	**19**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES											PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	4.0		4	4	4	4	4	4	4												
13-17	1	1.0		1	1	1	1	1	1	1												
18-20	1	1.0		1	1	1	1	1	1	1		1	5.0		5	5	5	5	5	5	5
21-24	2	5.0	18	2	2	5	8	8	8	8		2	4.5	5	3	3	4	6	6	6	6
25-34	5	3.0	3	1	1	3	4	5	5	5		8	5.0	7	1	1	6	7	8	8	8
35-54	4	3.0	5	1	1	2	4	6	6	6		11	5.5	8	2	2	5	8	9	10	10
55-74	4	5.3	9	1	1	6	7	8	8	8		2	10.0	162	1	1	10	19	19	19	19
75 +	3	3.7	1	3	3	3	5	5	5	5												
ALL AGES	21	3.6	5	1	1	3	5	7	8	8		24	5.6	15	1	1	5	7	9	13	19
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	2	1.0		1	1	1	1	1	1	1												
25-34	7	5.0	22	1	1	3	7	13	14	14		3	5.7	16	2	2	5	9	10	10	10
35-54	6	6.2	16	2	2	5	6	13	14	14		8	5.1	16	1	1	4	9	11	11	11
55-74	5	8.6	12	4	4	8	12	12	12	12		4	7.5	47	2	2	5	12	17	17	17
75 +	1	3.0		3	3	3	3	3	3	3		4	5.3	14	3	3	4	7	11	11	11
ALL AGES	21	5.7	18	1	1	5	8	13	14	14		19	5.7	20	1	1	4	9	11	14	17
SUBTOTAL	**42**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**13**	**14**		**43**	**5.7**	**16**	**1**	**1**	**5**	**8**	**10**	**13**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17												8	6.5	1	5	5	6	7	8	9	9
18-20	3	5.0	9	2	2	5	7	8	8	8		6	5.7	1	5	5	5	6	8	8	8
21-24	1	10.0		10	10	10	10	10	10	10		17	6.8	5	3	4	7	8	10	11	11
25-34	17	9.7	123	2	2	6	12	16	37	49		73	8.1	19	3	4	7	9	16	16	22
35-54	11	5.8	28	1	1	5	8	13	19	19		29	7.2	6	4	5	7	8	11	11	14
55-74	6	7.0	24	2	2	5	12	14	14	14		1	3.0		3	3	3	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6												
ALL AGES	39	7.7	67	1	2	6	10	14	18	49		134	7.5	13	3	4	7	8	13	16	19
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20												4	7.0	5	5	5	6	8	10	10	10
21-24	2	3.5	1	3	3	3	4	4	4	4		8	5.9	5	4	4	5	7	9	10	10
25-34	13	6.4	21	1	2	6	8	14	16	16		33	9.7	50	1	4	8	12	18	25	35
35-54	11	14.5	88	1	2	15	19	29	30	30		11	7.2	20	1	2	7	9	14	17	17
55-74	10	10.8	69	2	3	8	17	24	26	26		7	7.3	16	2	2	7	10	13	13	13
75 +	2	9.0	18	6	6	9	12	12	12	12		2	24.5	481	9	9	24	40	40	40	40
ALL AGES	38	9.9	60	1	2	8	15	22	27	30		65	8.8	49	2	3	7	10	17	21	39
SUBTOTAL	**77**	**8.8**	**64**	**1**	**2**	**6**	**11**	**18**	**25**	**44**		**199**	**7.9**	**25**	**2**	**4**	**7**	**9**	**14**	**17**	**31**
GRAND TOTAL	**119**	**7.3**	**50**	**1**	**1**	**5**	**9**	**15**	**20**	**36**		**242**	**7.5**	**24**	**2**	**3**	**7**	**8**	**13**	**16**	**27**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	5	9.4	97	1	1	8	13	26	26	26	1	1.0		1	1	1	1	1	1	1
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	3	30.3	579	4	4	36	47	51	51	51	3	7.0	52	1	1	5	12	15	15	15
75 +	5	9.0	19	5	5	7	11	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	18	11.8	179	1	1	7	16	33	45	51	5	4.8	35	1	1	2	7	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0		4	4	4	4	4	4	4										
18-20	2	4.5	25	1	1	4	8	8	8	8										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	5.7	52	1	1	2	11	14	14	14										
35-54	3	8.7	16	4	4	10	11	12	12	12										
55-74	8	15.1	149	4	4	16	24	77	99 +	99 +	6	13.7	287	2	2	8	14	44	47	47
75 +	10	4.6	3	2	2	5	6	7	7	7	6	4.8	7	2	2	4	6	9	9	9
ALL AGES	29	7.9	66	1	2	5	12	17	42	99 +	12	9.3	154	2	2	5	10	24	44	47
SUBTOTAL	**47**	**9.4**	**110**	**1**	**1**	**6**	**12**	**24**	**43**	**99 +**	**17**	**7.9**	**121**	**1**	**1**	**4**	**9**	**15**	**36**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.0	288	1	1	13	25	25	25	25										
18-20	2	27.5	613	10	10	27	45	45	45	45	1	3.0		3	3	3	3	3	3	3
21-24	5	20.6	1148	2	2	5	28	81	81	81										
25-34	8	9.5	106	1	1	6	16	26	27	27	1	2.0		2	2	2	2	2	2	2
35-54	6	6.0	46	1	1	4	7	18	19	19										
55-74	2	2.0		2	2	2	2	2	2	2										
75 +	2	7.5	41	3	3	7	12	12	12	12	2	7.0	8	5	5	7	9	9	9	9
ALL AGES	27	11.7	302	1	1	5	12	27	50	81	4	4.8	9	2	2	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	4	17.5	310	2	2	13	30	42	42	42										
35-54	3	10.0	28	4	4	12	13	14	14	14	2	7.0	18	4	4	7	10	10	10	10
55-74	2	11.0	72	5	5	11	17	17	17	17	1	11.0		11	11	11	11	11	11	11
75 +	3	6.3	6	5	5	5	8	9	9	9										
ALL AGES	13	11.6	109	2	4	9	15	23	38	42	3	8.3	15	4	4	10	11	11	11	11
SUBTOTAL	**40**	**11.7**	**234**	**1**	**1**	**6**	**13**	**26**	**43**	**81**	**7**	**6.3**	**13**	**2**	**2**	**5**	**10**	**11**	**11**	**11**
GRAND TOTAL	**87**	**10.4**	**167**	**1**	**1**	**6**	**13**	**26**	**43**	**93**	**24**	**7.5**	**87**	**1**	**2**	**5**	**10**	**14**	**25**	**47**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	27.0		27	27	27	27	27	27	27										
35-54																				
55-74																				
75 +																				
ALL AGES	2	14.0	338	1	1	13	27	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.0**	**338**	**1**	**1**	**13**	**27**	**27**	**27**	**27**										
GRAND TOTAL	**4**	**8.5**	**154**	**1**	**1**	**3**	**15**	**27**	**27**	**27**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	8.0		8	8	8	8	8	8	8										
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	3	5.0		5	5	5	5	5	5	5										
35-54	3	2.3	3	1	1	2	3	4	4	4										
55-74	16	7.0	38	2	2	5	9	20	21	21	8	8.5	105	2	2	7	8	25	33	33
75 +	8	9.1	39	2	2	8	15	17	18	18	8	7.5	31	2	2	6	10	16	18	18
ALL AGES	35	7.4	36	2	2	5	10	18	21	22	16	8.0	64	2	2	7	8	17	28	33
B. FEMALE																				
0-12 YRS.																				
13-17	3	17.7	601	3	3	4	35	46	46	46										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	2.0	2	1	1	2	3	4	4	4										
35-54	10	7.3	17	1	1	8	11	12	12	12										
55-74	17	11.6	383	1	1	5	15	21	62	83	11	8.9	63	2	2	7	11	20	28	29
75 +	30	9.2	54	1	2	7	11	21	27	29	13	6.0	15	1	1	6	9	11	12	12
ALL AGES	66	9.3	149	1	1	6	11	18	27	77	24	7.3	38	1	2	6	11	12	18	29
SUBTOTAL	**101**	**8.6**	**110**	**1**	**2**	**6**	**10**	**18**	**23**	**64**	**40**	**7.6**	**47**	**1**	**2**	**7**	**10**	**13**	**23**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-20	1	22.0		22	22	22	22	22	22	22										
21-24	5	8.2	4	6	6	8	9	11	11	11	1	2.0		2	2	2	2	2	2	2
25-34	8	7.0	24	2	2	6	9	15	17	17										
35-54	2	16.5	221	6	6	16	27	27	27	27	2	9.5	13	7	7	9	12	12	12	12
55-74	10	11.1	63	1	2	8	17	23	24	24	1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +	2	6.5	25	3	3	6	10	10	10	10	3	6.7	4	5	5	6	8	9	9	9
ALL AGES	30	9.4	50	1	2	7	11	22	24	27	8	5.8	12	1	1	6	10	65	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.0	98	16	16	23	30	30	30	30										
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	5	12.0	70	3	3	11	17	25	25	25	2	7.5	41	3	3	7	12	12	12	12
55-74	16	7.4	72	1	2	5	6	20	28	32	4	8.5	36	3	3	7	12	17	17	17
75 +	16	11.6	174	2	3	6	11	38	45	47	7	7.9	29	5	5	6	7	17	20	20
ALL AGES	41	10.1	118	2	2	5	12	27	36	47	14	7.5	29	1	3	6	7	17	19	20
SUBTOTAL	**71**	**9.8**	**88**	**2**	**2**	**6**	**12**	**23**	**30**	**46**	**22**	**6.9**	**22**	**1**	**2**	**6**	**9**	**18**	**48**	**99 +**
GRAND TOTAL	**172**	**9.1**	**101**	**1**	**2**	**6**	**11**	**21**	**27**	**47**	**62**	**7.3**	**38**	**1**	**2**	**7**	**10**	**15**	**23**	**91**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	8.0	1	7	7	8	9	9	9	9										
25-34	2	2.0	2	1	1	1	3	3	3	3										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	4	7.8	23	5	5	6	10	15	15	15	1	13.0		13	13	13	13	13	13	13
ALL AGES	11	9.9	184	1	1	6	9	29	47	49	2	8.5	41	4	4	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	4	11.3	87	4	4	8	17	25	25	25	2	3.5	1	3	3	3	4	4	4	4
75 +	3	6.7	9	4	4	6	9	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	8	8.4	52	2	3	6	9	20	25	25	4	2.5	2	1	1	2	3	4	4	4
SUBTOTAL	**19**	**9.3**	**122**	**1**	**1**	**6**	**9**	**21**	**38**	**49**	**6**	**4.5**	**19**	**1**	**1**	**3**	**4**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	4	17.0	193	5	5	13	25	37	37	37										
25-34	5	20.8	281	2	2	22	33	43	43	43										
35-54	2	13.0	200	3	3	13	23	23	23	23										
55-74	2	6.5	1	6	6	6	7	7	7	7										
75 +																				
ALL AGES	15	15.4	163	2	3	10	23	37	41	43										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	5	11.2	28	7	7	11	13	20	20	20										
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	8	9.9	19	7	7	8	11	17	20	20	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**23**	**13.5**	**117**	**3**	**5**	**10**	**18**	**31**	**39**	**43**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**42**	**11.6**	**121**	**1**	**3**	**7**	**12**	**26**	**39**	**49**	**7**	**4.9**	**16**	**1**	**1**	**4**	**6**	**12**	**13**	**13**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47	2	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	3	6.3	9	3	3	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	9	15.1	683	2	2	6	11	56	84	84	1	6.0		6	6	6	6	6	6	6
55-74	17	6.2	26	1	2	4	8	12	18	21	12	8.7	103	1	2	5	10	24	35	37
75 +	24	11.9	163	1	2	6	15	31	40	51	25	14.8	350	2	3	9	16	46	88	99+
ALL AGES	54	11.0	218	1	2	6	11	26	45	83	41	11.9	254	1	2	7	13	37	62	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	2	31.0	512	15	15	31	47	47	47	47	2	4.5	13	2	2	4	7	7	7	7
35-54	4	6.0	29	3	3	4	9	14	14	14	1	4.0		4	4	4	4	4	4	4
55-74	37	11.0	191	1	3	7	12	20	42	72	22	7.0	31	1	2	5	9	16	19	20
75 +	52	9.7	125	1	3	6	10	30	38	99	33	12.0	195	2	2	7	14	24	50	65
ALL AGES	97	10.4	155	1	3	6	11	27	43	87	58	9.7	128	2	2	7	10	18	31	64
SUBTOTAL	**151**	**10.6**	**177**	**1**	**2**	**6**	**11**	**27**	**45**	**84**	**99**	**10.6**	**180**	**2**	**2**	**7**	**12**	**24**	**42**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	11.3	102	2	2	10	19	22	22	22										
35-54	6	5.7	33	1	1	4	6	16	17	17	1	8.0		8	8	8	8	8	8	8
55-74	7	8.3	47	2	2	7	11	20	22	22	4	13.0	115	6	6	8	19	29	29	29
75 +	17	11.0	74	2	3	9	13	20	32	38	7	13.3	139	6	6	7	21	33	35	35
ALL AGES	33	9.5	62	2	2	7	12	21	22	38	12	12.8	108	6	6	8	17	31	34	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	40.0		40	40	40	40	40	40	40										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74	8	10.3	110	2	3	6	13	29	33	33	4	29.3	1758	5	5	10	52	92	92	92
75 +	26	12.2	249	4	4	7	12	39	81	99+	12	7.9	23	1	2	6	12	15	15	15
ALL AGES	37	12.2	218	3	4	7	12	38	64	99+	18	12.1	417	2	3	6	13	15	61	92
SUBTOTAL	**70**	**10.9**	**145**	**2**	**3**	**7**	**12**	**24**	**40**	**95**	**30**	**12.4**	**285**	**3**	**3**	**7**	**13**	**27**	**35**	**92**
GRAND TOTAL	**221**	**10.7**	**166**	**2**	**2**	**7**	**12**	**26**	**41**	**88**	**129**	**11.0**	**203**	**2**	**2**	**7**	**12**	**26**	**38**	**94**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	5.5	25	2	2	5	9	9	9	9	1	82.0		82	82	82	82	82	82	82
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	7.0	19	2	2	9	10	10	10	10	1	82.0		82	82	82	82	82	82	82
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	3	15.3	136	2	2	21	22	23	23	23	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	8.2	115	1	1	2	21	23	23	23	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**7.8**	**77**	**1**	**1**	**2**	**13**	**22**	**23**	**23**	**2**	**41.5**	**3281**	**1**	**1**	**41**	**82**	**82**	**82**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74											1	8.0		8	8	8	8	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**2**	**11.0**	**98**	**4**	**4**	**11**	**18**	**18**	**18**	**18**	**2**	**7.5**	**1**	**7**	**7**	**7**	**8**	**8**	**8**	**8**
GRAND TOTAL	**11**	**8.4**	**73**	**1**	**1**	**4**	**16**	**22**	**23**	**23**	**4**	**24.5**	**1479**	**1**	**1**	**7**	**45**	**82**	**82**	**82**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	67.0		67	67	67	67	67	67	67											
18-20	2	10.0		10	10	10	10	10	10	10											
21-24	5	36.4	194	22	22	33	50	52	52	52											
25-34	10	14.1	147	4	5	12	14	31	47	47											
35-54	15	29.0	508	4	9	25	35	59	78	84											
55-74	23	23.2	372	3	5	20	31	50	64	86											
75 +	17	15.5	115	1	2	15	25	28	33	35											
ALL AGES	73	22.5	343	2	4	18	29	50	59	86											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	2	39.0	8	37	37	39	41	41	41	41											
25-34	9	19.1	173	2	3	19	29	35	38	38	2	3.5	13	1	1	3	6	6	6	6
35-54	15	17.1	260	2	2	14	19	46	57	61											
55-74	24	27.3	325	5	6	26	42	75	99 +	99 +											
75 +	20	20.8	127	3	8	18	32	39	69	99 +	3	35.0	823	2	2	49	53	54	54	54
ALL AGES	70	22.5	242	3	5	20	34	46	74	99 +	5	22.4	712	1	1	6	50	54	54	54
SUBTOTAL	**143**	**22.5**	**291**	**2**	**5**	**19**	**32**	**49**	**64**	**99 +**	**5**	**22.4**	**712**	**1**	**1**	**27**	**54**	**95**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	2	21.0	800	1	1	21	41	41	41	41											
25-34	9	22.4	197	5	6	23	28	42	51	51											
35-54	10	20.8	209	4	6	18	24	43	56	56											
55-74	14	10.6	47	1	3	9	15	21	24	25											
75 +	4	18.0	330	6	6	10	28	45	45	45											
ALL AGES	40	16.9	180	2	4	13	23	35	48	56	1	1.0		1	1	1	1	1	1	1
B. FEMALE																					
0-12 YRS.	1	20.0		20	20	20	20	20	20	20											
13-17	2	9.5	5	8	8	9	11	11	11	11											
18-20																					
21-24	3	30.0	381	11	11	29	45	50	50	50											
25-34	7	31.0	523	6	6	24	53	60	61	61											
35-54	6	18.0	190	5	5	11	35	36	36	36	1	15.0		15	15	15	15	15	15	15
55-74	15	22.9	123	8	10	24	32	42	83	99 +	3	11.0	28	7	7	9	15	17	17	17
75 +	6	24.7	584	4	4	18	33	65	69	69											
ALL AGES	40	23.7	269	5	6	20	33	52	65	99 +	4	12.0	23	7	7	12	16	17	17	17
SUBTOTAL	**80**	**20.3**	**234**	**4**	**5**	**17**	**28**	**45**	**56**	**90**	**5**	**9.8**	**41**	**1**	**1**	**9**	**15**	**17**	**17**	**17**
GRAND TOTAL	**223**	**21.7**	**271**	**3**	**5**	**18**	**30**	**47**	**61**	**99 +**	**10**	**16.1**	**379**	**1**	**1**	**9**	**41**	**72**	**98**	**99 +**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	4	9.3	62	2	2	14	38	99 +	99 +	99 +	1	13.0		13	13	56	99 +	99 +	99 +	99 +
75 +	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	8.3	41	2	2	7	17	84	99 +	99 +	3	5.0	48	1	1	7	56	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											1	3.0		3	3	3	3	3	3	3
55-74	12	10.4	108	3	4	8	10	21	39	42	1	7.0		7	7	7	7	7	7	7
75 +	10	6.3	23	1	1	5	11	13	14	14	3	4.0	27	1	1	1	8	10	10	10
ALL AGES	22	8.5	71	1	2	7	11	13	25	42	6	4.0	14	1	1	2	7	10	10	10
SUBTOTAL	**28**	**8.5**	**62**	**1**	**2**	**7**	**11**	**16**	**45**	**99 +**	**9**	**4.3**	**21**	**1**	**1**	**2**	**10**	**56**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	21.0		21	21	21	21	21	21	21	1	9.0		9	9	9	9	9	9	9
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	9.5	68	3	3	7	15	21	21	21	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	2	11.5	5	10	10	11	13	13	13	13										
75 +	1	62.0		62	62	62	62	62	62	62										
ALL AGES	5	20.2	558	4	4	12	25	62	62	62										
SUBTOTAL	**9**	**15.4**	**338**	**3**	**3**	**10**	**15**	**46**	**62**	**62**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**37**	**10.2**	**130**	**2**	**3**	**8**	**12**	**20**	**54**	**99 +**	**10**	**4.8**	**21**	**1**	**1**	**3**	**10**	**48**	**96**	**99 +**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	2	43.0	3200	3	3	43	83	83	83	83
75 +											1	34.0		34	34	34	34	34	34	34
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	40.0	1627	3	3	34	71	83	83	83
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
75 +	3	3.0	3	2	2	2	4	5	5	5										
ALL AGES	5	3.2	2	2	2	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**6**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**	**5**	**4**	**31.5**	**1374**	**3**	**3**	**20**	**58**	**83**	**83**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	2	14.0	288	2	2	14	26	26	26	26										
SUBTOTAL	**3**	**10.0**	**192**	**2**	**2**	**2**	**20**	**26**	**26**	**26**										
GRAND TOTAL	**9**	**5.4**	**61**	**2**	**2**	**3**	**4**	**18**	**26**	**26**	**4**	**31.5**	**1374**	**3**	**3**	**20**	**58**	**83**	**83**	**83**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	31.0	1084	11	11	13	55	69	69	69										
55-74	6	17.5	212	7	7	10	39	88	99 +	99 +	2	7.5	25	4	4	7	11	11	11	11
75 +	3	5.7	17	1	1	7	8	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	12	17.9	385	2	6	10	32	75	95	99 +	3	6.7	14	4	4	5	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	8	10.3	85	1	1	7	18	23	25	25	1	21.0		21	21	21	21	21	21	21
75 +	7	11.3	63	1	1	9	15	24	26	26										
ALL AGES	17	10.4	64	1	1	9	16	24	26	26	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**29**	**13.5**	**202**	**1**	**2**	**10**	**17**	**35**	**69**	**99 +**	**4**	**10.3**	**60**	**4**	**4**	**8**	**16**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	2	20.0		20	20	20	20	20	20	20	1	5.0		5	5	5	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	21.3	7	20	20	20	23	24	24	24	2	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**4**	**17.5**	**62**	**6**	**6**	**20**	**22**	**24**	**24**	**24**	**2**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**33**	**14.0**	**184**	**1**	**2**	**10**	**20**	**30**	**64**	**99 +**	**6**	**8.5**	**44**	**4**	**4**	**5**	**11**	**20**	**21**	**21**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	20.0		20	20	20	20	20	20	20										
25-34	5	17.2	13	12	12	19	20	20	20	20										
35-54	4	6.8	43	2	2	5	11	16	16	16										
55-74	7	10.4	49	2	2	11	16	19	20	20	1	2.0		2	2	2	2	2	2	2
75 +	4	15.8	279	1	1	14	30	34	34	34	1	1.0		1	1	1	1	1	1	1
ALL AGES	21	12.8	85	1	2	15	20	23	30	34	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	34.8	884	15	15	23	54	78	78	78										
35-54	2	5.0	18	2	2	5	8	8	8	8										
55-74	11	17.4	361	1	2	10	29	46	61	62										
75 +	6	8.0	76	1	1	5	9	23	25	25										
ALL AGES	23	16.9	395	1	2	9	23	41	68	78										
SUBTOTAL	**44**	**14.9**	**247**	**1**	**2**	**11**	**20**	**33**	**44**	**78**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24	1	21.0		21	21	21	21	21	21	21										
25-34	2	36.5	145	28	28	36	45	45	45	45										
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74	2	6.0	50	1	1	6	11	11	11	11										
75 +											1	30.0		30	30	30	30	30	30	30
ALL AGES	8	14.8	239	1	2	8	24	40	45	45	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	2	16.5	113	9	9	16	24	24	24	24										
SUBTOTAL	**10**	**15.1**	**200**	**1**	**2**	**10**	**24**	**36**	**45**	**45**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
GRAND TOTAL	**54**	**15.0**	**233**	**1**	**2**	**11**	**20**	**33**	**43**	**77**	**3**	**11.0**	**271**	**1**	**1**	**2**	**23**	**30**	**30**	**30**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	1	26.0		26	26	26	26	26	26	26										
25-34	4	21.0	42	14	14	21	26	27	27	27										
35-54	2	14.0	200	4	4	14	24	24	24	24										
55-74	10	11.1	43	1	3	10	15	21	23	23										
75 +	9	19.4	416	3	3	13	26	54	62	62	5	7.6	13	5	5	6	9	14	14	14
ALL AGES	27	16.3	177	3	4	14	22	27	46	62	5	7.6	13	5	5	6	9	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	17.0	8	15	15	17	19	19	19	19										
55-74	8	16.8	424	1	1	9	18	53	65	65	3	35.0	556	9	9	41	51	55	55	55
75 +	21	21.7	354	4	6	17	27	70	84	99 +	2	19.5	221	9	9	19	30	30	30	30
ALL AGES	32	19.8	335	3	5	14	24	66	73	99 +	5	28.8	405	9	9	30	44	55	55	55
SUBTOTAL	**59**	**18.2**	**261**	**3**	**4**	**14**	**23**	**42**	**66**	**97**	**10**	**18.2**	**311**	**5**	**5**	**9**	**30**	**48**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34	3	14.7	41	8	8	15	19	21	21	21										
35-54	4	12.0	119	1	1	10	19	27	27	27										
55-74	6	14.2	96	3	3	12	19	30	31	31										
75 +	2	16.0	338	3	3	16	29	29	29	29										
ALL AGES	16	14.3	89	2	3	12	20	29	30	31										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	28.4	448	1	1	27	42	58	58	58										
75 +	4	15.0	99	5	5	15	23	25	25	25										
ALL AGES	9	22.4	313	1	2	22	29	50	58	58										
SUBTOTAL	**25**	**17.2**	**176**	**1**	**3**	**15**	**25**	**31**	**42**	**58**										
GRAND TOTAL	**84**	**17.9**	**234**	**2**	**4**	**14**	**24**	**37**	**63**	**91**	10	18.2	311	5	5	9	30	48	55	55

SIMPLE SCHIZOPHRENIA (295.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
75 +	2	12.5	1	12	12	12	13	13	13	13	2	40.5	925	19	19	40	62	62	62	62
ALL AGES	3	9.0	37	2	2	12	13	13	13	13	3	28.3	909	4	4	19	51	62	62	62
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	6.0		6	6	6	6	6	6	6
55-74	6	18.2	174	2	3	17	26	37	38	38	1	22.0		22	22	22	22	22	22	22
75 +	8	26.4	384	6	8	28	63	99 +	99 +	99 +	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	17	21.5	251	4	7	21	37	85	99 +	99 +	4	9.8	79	1	1	8	16	22	22	22
SUBTOTAL	**20**	**19.7**	**233**	**2**	**5**	**15**	**36**	**74**	**99 +**	**99 +**	**7**	**17.7**	**441**	**1**	**2**	**10**	**21**	**54**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	27.0		27	27	27	27	27	27	27	1	9.0		9	9	9	9	9	9	9
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	3	12.0	169	4	4	5	21	27	27	27	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +	5	11.6	71	1	1	17	19	92	99 +	99 +	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	11.5	57	1	2	16	19	84	99 +	99 +	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**9**	**11.7**	**77**	**1**	**2**	**13**	**19**	**63**	**99 +**	**99 +**	**2**	**8.0**	**2**	**7**	**7**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**29**	**17.2**	**195**	**2**	**3**	**15**	**26**	**74**	**99 +**	**99 +**	**9**	**15.6**	**348**	**1**	**2**	**9**	**20**	**46**	**62**	**62**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	43.0		43	43	43	43	43	43	43										
18-20																				
21-24	5	12.8	133	3	3	8	22	30	30	30										
25-34	15	17.4	162	2	3	14	29	35	38	39										
35-54	5	22.8	348	2	2	17	35	51	51	51										
55-74																				
75 +																				
ALL AGES	26	18.5	204	2	3	16	30	39	45	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	7	17.0	146	1	1	25	27	28	28	28										
35-54	5	44.8	1014	10	10	36	70	90	90	90										
55-74	3	17.0	12	15	15	15	20	21	21	21										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	15	26.3	536	1	4	25	28	63	83	90	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**41**	**21.4**	**327**	**2**	**3**	**19**	**29**	**41**	**56**	**90**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	14.3	3	13	13	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	9.0	72	3	3	9	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	72	3	3	9	15	15	15	15										
SUBTOTAL	**5**	**12.2**	**27**	**3**	**3**	**15**	**15**	**15**	**15**	**15**										
GRAND TOTAL	**46**	**20.4**	**302**	**2**	**3**	**15**	**29**	**39**	**53**	**90**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**

CATATONIC SCHIZOPHRENIA (295.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24																				
25-34	5	19.6	275	1	1	30	32	34	34	34	1	5.0		5	5	5	5	5	5	5
35-54	10	12.0	120	2	3	7	15	29	39	39	1	14.0		14	14	14	14	14	14	14
55-74	2	22.0	800	2	2	22	42	42	42	42	1	7.0		7	7	7	7	7	7	7
75 +	2	22.5	41	18	18	22	27	27	27	27	1	2.0		2	2	2	2	2	2	2
ALL AGES	20	16.2	178	1	2	15	28	36	40	42	4	7.0	26	2	2	6	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	27.0	1152	3	3	27	51	51	51	51										
21-24	7	9.9	31	2	3	9	12	19	20	20	1	8.0		8	8	8	8	8	8	8
25-34	7	20.9	143	2	4	19	28	38	40	40	3	1.0		1	1	1	1	1	1	1
35-54	8	29.1	176	13	15	26	36	50	54	54	2	3.5	5	2	2	3	5	5	5	5
55-74	8	13.6	79	2	5	10	24	72	99 +	99 +	1	8.0		8	8	8	8	8	8	8
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	34	18.1	191	2	2	18	28	40	53	99 +	7	3.7	11	1	1	2	7	8	8	8
SUBTOTAL	**54**	**17.4**	**183**	**2**	**2**	**15**	**28**	**40**	**49**	**98**	**11**	**4.9**	**17**	**1**	**1**	**5**	**8**	**11**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-20																				
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	8.0		8	8	8	8	8	8	8	1	9.0		9	9	9	9	9	9	9
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	12.0	87	1	1	12	19	22	22	22	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	43.3	927	18	18	35	66	77	77	77	1	22.0		22	22	22	22	22	22	22
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	5	26.4	370	4	4	25	34	57	57	57	4	11.3	133	2	2	8	20	27	27	27
55-74	6	10.2	86	2	2	6	22	22	22	22	1	6.0		6	6	6	6	6	6	6
75 +	2	8.5	13	6	6	8	11	11	11	11										
ALL AGES	17	20.8	404	2	3	18	25	53	70	77	6	12.2	108	2	2	13	26	85	99 +	99 +
SUBTOTAL	**21**	**19.1**	**350**	**1**	**3**	**17**	**23**	**44**	**66**	**77**	**8**	**10.5**	**91**	**2**	**2**	**9**	**23**	**71**	**99 +**	**99 +**
GRAND TOTAL	**75**	**17.8**	**229**	**2**	**2**	**16**	**25**	**40**	**53**	**94**	**19**	**7.3**	**52**	**1**	**1**	**6**	**11**	**24**	**63**	**99 +**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	15	27.7	614	2	3	22	54	73	92	99 +										
18-20	40	24.3	256	3	4	21	34	44	55	70										
21-24	105	20.6	336	1	4	16	29	48	60	82	2	17.0	288	5	5	17	29	29	29	29
25-34	396	18.6	222	3	4	15	25	40	47	99 +	2	14.0	288	2	2	14	26	26	26	26
35-54	238	19.4	211	3	4	17	26	38	47	76	14	7.4	45	1	1	5	13	17	19	20
55-74	38	19.9	143	3	6	17	28	38	50	99 +	5	21.0	603	5	5	11	29	64	64	64
75 +	9	23.0	263	4	6	21	29	49	57	57										
ALL AGES	841	19.6	240	3	4	16	27	41	55	90	23	11.8	196	1	1	7	16	27	41	64
B. FEMALE																				
0-12 YRS.																				
13-17	5	17.8	391	3	3	6	33	48	48	48										
18-20	19	17.5	199	2	3	13	27	40	46	50										
21-24	44	24.7	305	3	5	24	34	42	54	91	1	3.0		3	3	3	3	3	3	3
25-34	201	19.0	214	2	4	17	27	40	54	94	3	9.0	129	1	1	4	17	22	22	22
35-54	279	18.9	190	3	5	16	25	39	47	80	7	8.0	136	1	1	4	7	29	34	34
55-74	161	20.0	228	2	5	17	26	38	50	80	14	14.4	103	2	3	13	19	29	38	40
75 +	23	19.5	98	6	9	19	26	36	58	99 +	4	14.8	47	8	8	13	20	24	24	24
ALL AGES	732	19.5	210	3	4	17	27	39	50	85	29	12.0	102	1	2	10	17	26	34	40
SUBTOTAL	**1573**	**19.6**	**224**	**3**	**4**	**16**	**27**	**40**	**53**	**88**	**52**	**11.9**	**141**	**1**	**1**	**9**	**17**	**27**	**33**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	22.3	687	6	6	11	38	61	61	61										
18-20	17	21.1	343	1	2	19	32	64	89	99 +										
21-24	32	19.2	307	5	5	12	25	45	61	71										
25-34	113	20.2	314	2	4	15	27	39	55	89	1	5.0		5	5	5	5	5	5	5
35-54	89	19.1	238	3	5	14	26	46	54	91										
55-74	10	21.2	244	3	6	17	25	48	52	52										
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	265	19.8	288	3	4	14	27	44	58	90	2	14.5	181	5	5	14	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-20	5	18.4	17	14	14	20	22	22	22	22										
21-24	16	16.5	332	1	2	9	21	53	56	57										
25-34	61	21.7	236	5	7	18	30	40	54	73	1	5.0		5	5	5	5	5	5	5
35-54	77	23.3	319	4	6	19	30	47	71	96	1	5.0		5	5	5	5	5	5	5
55-74	45	26.0	291	5	8	21	41	59	67	99 +										
75 +	6	28.7	181	6	8	31	35	45	46	46	2	10.0	128	2	2	10	18	18	18	18
ALL AGES	211	23.0	284	5	6	19	32	51	61	99 +	4	7.5	51	2	2	5	12	18	18	18
SUBTOTAL	**476**	**21.2**	**289**	**3**	**5**	**16**	**29**	**46**	**60**	**97**	**6**	**9.8**	**81**	**2**	**2**	**5**	**18**	**23**	**24**	**24**
GRAND TOTAL	**2049**	**20.0**	**238**	**3**	**4**	**16**	**28**	**41**	**55**	**90**	**58**	**11.7**	**133**	**1**	**1**	**8**	**17**	**25**	**32**	**62**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	29.6	746	3	4	21	46	73	83	83										
18-20	13	22.3	260	1	3	17	37	45	48	49										
21-24	17	17.0	168	3	5	10	24	31	44	51	1	1.0		1	1	1	1	1	1	1
25-34	8	19.4	492	1	1	15	24	56	69	69										
35-54	7	25.1	125	12	13	22	31	43	45	45	1	7.0		7	7	7	7	7	7	7
55-74	2	14.0	50	9	9	14	19	19	19	19	1	32.0		32	32	32	32	32	32	32
75 +																				
ALL AGES	55	21.4	302	2	3	19	27	45	51	82	3	13.3	272	1	1	7	26	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	7	33.4	983	4	7	27	70	99 +	99 +	99 +	1	12.0		12	12	12	12	12	12	12
18-20	3	30.7	253	15	15	30	43	47	47	47										
21-24	6	18.5	302	4	4	16	43	90	99 +	99 +										
25-34	18	19.6	211	1	2	18	29	41	45	47										
35-54	7	14.6	79	2	3	14	22	26	27	27	2	9.5	13	7	7	9	12	12	12	12
55-74	5	23.4	170	9	9	18	34	42	42	42	1	16.0		16	16	16	16	16	16	16
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	47	21.6	318	2	4	18	30	47	99	99 +	4	11.8	12	7	7	12	14	16	16	16
SUBTOTAL	**102**	**21.5**	**306**	**2**	**4**	**18**	**29**	**47**	**57**	**99 +**	**7**	**12.4**	**98**	**1**	**1**	**12**	**15**	**29**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	53.7	512	35	35	47	71	79	79	79										
18-20	2	13.5	1	13	13	13	14	14	14	14										
21-24	2	25.5	5	24	24	25	27	27	27	27										
25-34	3	45.7	598	22	22	44	64	71	71	71										
35-54	2	10.0	2	9	9	10	11	11	11	11										
55-74	2	17.0	32	13	13	17	21	21	21	21										
75 +																				
ALL AGES	14	30.7	494	9	11	23	44	72	77	79										
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.3	124	4	4	13	23	26	26	26										
18-20	2	18.0	128	10	10	18	26	26	26	26										
21-24	6	13.2	101	2	3	12	13	30	32	32										
25-34	4	10.0	27	6	6	9	14	17	17	17										
35-54	5	17.0	249	7	7	11	20	45	45	45										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	21	14.0	105	3	5	11	14	29	38	45										
SUBTOTAL	**35**	**20.7**	**318**	**4**	**6**	**13**	**26**	**45**	**65**	**79**										
GRAND TOTAL	**137**	**21.3**	**307**	**2**	**4**	**17**	**28**	**46**	**61**	**99 +**	**7**	**12.4**	**98**	**1**	**1**	**12**	**15**	**29**	**32**	**32**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17											1	54.0		54	54	54	54	54	54	54
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	2	18.0	50	13	13	18	23	23	23	23										
75 +																				
ALL AGES	3	13.0	100	3	3	13	20	23	23	23	1	54.0		54	54	54	54	54	54	54
SUBTOTAL	**4**	**16.8**	**121**	**3**	**3**	**18**	**25**	**28**	**28**	**28**	**1**	**54.0**		**54**	**54**	**54**	**54**	**54**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	3	9.0	57	1	1	10	14	16	16	16										
SUBTOTAL	**3**	**9.0**	**57**	**1**	**1**	**10**	**14**	**16**	**16**	**16**										
GRAND TOTAL	**7**	**13.4**	**99**	**1**	**1**	**13**	**21**	**27**	**28**	**28**	**1**	**54.0**		**54**	**54**	**54**	**54**	**54**	**54**	**54**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	578	1	1	18	35	35	35	35										
18-20	9	15.2	170	3	3	12	21	37	42	42										
21-24	54	19.1	230	3	5	16	24	43	50	70										
25-34	159	18.9	310	2	4	14	24	41	68	96										
35-54	117	17.3	208	1	3	14	24	35	43	75	1	1.0		1	1	1	1	1	1	1
55-74	33	19.5	250	5	6	13	24	36	57	77	5	14.0	31	6	6	15	19	19	19	19
75 +	3	13.7	23	8	8	16	17	17	17	17										
ALL AGES	377	18.4	253	2	4	14	24	37	50	81	6	11.8	54	1	1	13	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	5	13.0	129	1	1	10	21	30	30	30										
18-20	9	23.1	220	7	10	16	28	46	57	57										
21-24	38	20.6	331	2	3	14	30	54	69	99 +										
25-34	112	17.9	268	1	3	14	22	38	50	79	4	9.0	41	4	4	7	13	18	18	18
35-54	168	18.1	182	2	5	15	25	38	46	94	3	10.7	71	2	2	11	17	19	19	19
55-74	128	19.2	168	2	5	16	27	41	48	99 +	8	11.3	39	5	5	10	13	22	25	25
75 +	8	16.5	95	5	5	17	28	73	99 +	99 +	2	13.0		13	13	13	13	13	13	13
ALL AGES	468	18.6	207	2	3	15	26	40	50	99 +	17	10.8	36	3	4	10	14	19	23	25
SUBTOTAL	**845**	**18.5**	**228**	**2**	**4**	**15**	**25**	**39**	**50**	**91**	**23**	**11.1**	**38**	**1**	**4**	**11**	**15**	**19**	**21**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	16.5	41	12	12	16	21	21	21	21										
18-20	5	16.2	127	5	5	12	26	31	31	31										
21-24	10	12.5	93	2	4	14	16	62	97	99 +										
25-34	63	18.8	211	1	4	15	26	36	42	78	1	4.0		4	4	4	4	4	4	4
35-54	39	20.4	293	4	6	15	24	44	56	85	1	1.0		1	1	1	1	1	1	1
55-74	17	21.1	294	2	3	16	26	45	61	69										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	136	18.9	231	2	4	15	25	40	48	87	3	6.3	47	1	1	4	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	4	27.0	690	3	3	20	44	64	64	64										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	8	26.6	446	2	3	24	41	56	61	61										
25-34	39	16.7	317	1	1	14	19	39	50	92										
35-54	43	18.2	148	2	6	16	24	34	43	57	1	1.0		1	1	1	1	1	1	1
55-74	25	19.8	132	4	5	22	27	33	39	50	3	12.7	45	5	5	15	17	18	18	18
75 +	5	17.4	110	10	10	13	23	35	35	35	1	91.0		91	91	91	91	91	91	91
ALL AGES	125	18.7	229	1	3	15	25	37	48	71	5	26.0	1369	1	1	15	36	91	91	91
SUBTOTAL	**261**	**18.8**	**229**	**2**	**4**	**15**	**25**	**38**	**48**	**85**	**8**	**18.6**	**900**	**1**	**1**	**9**	**16**	**69**	**91**	**91**
GRAND TOTAL	**1106**	**18.6**	**227**	**2**	**4**	**15**	**25**	**39**	**49**	**87**	**31**	**13.0**	**250**	**1**	**2**	**11**	**15**	**19**	**25**	**91**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	7	29.0	420	5	8	42	99 +	99 +	99 +	99 +										
18-20	19	25.6	572	1	3	17	30	56	79	96										
21-24	54	15.7	109	3	6	13	21	37	39	97	1	4.0		4	4	4	4	4	4	4
25-34	152	19.8	268	3	5	15	24	41	52	93										
35-54	107	19.8	230	1	3	15	29	41	48	71	3	12.3	32	7	7	12	16	18	18	18
55-74	41	20.8	214	4	6	17	29	53	76	99 +	1	19.0		19	19	19	19	19	19	19
75 +	2	30.0	242	19	19	30	41	41	41	41	5	22.4	139	13	13	19	25	43	43	43
ALL AGES	383	19.9	246	2	5	16	27	42	53	99 +	10	17.2	111	4	5	18	19	31	43	43
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	2	44.5	1513	17	17	44	72	72	72	72										
18-20	11	29.7	628	1	2	31	53	61	65	65	1	9.0		9	9	9	9	9	9	9
21-24	42	23.5	279	4	5	18	33	50	62	69	1	43.0		43	43	43	43	43	43	43
25-34	175	21.3	213	3	6	19	30	42	48	86	1	25.0		25	25	25	25	25	25	25
35-54	307	19.3	206	3	5	16	23	35	45	74	3	15.3	158	1	1	21	23	24	24	24
55-74	115	23.5	219	5	8	20	30	45	59	65	15	13.4	32	3	7	14	19	20	21	21
75 +	7	28.0	199	13	13	27	38	49	51	51	5	30.6	510	10	10	21	44	67	67	67
ALL AGES	660	21.2	230	3	6	18	28	42	53	72	26	18.3	189	2	7	17	21	36	48	67
SUBTOTAL	**1043**	**20.7**	**237**	**3**	**5**	**17**	**28**	**42**	**53**	**91**	**36**	**18.0**	**164**	**3**	**7**	**18**	**20**	**36**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	43.0	1291	18	18	29	67	95	95	95										
18-20	14	25.3	407	2	4	22	26	64	68	69										
21-24	25	24.4	423	5	7	17	34	50	63	95										
25-34	65	15.4	190	2	4	12	20	27	48	76	2	15.5	41	11	11	15	20	20	20	20
35-54	46	23.7	326	3	5	18	33	53	70	99 +	2	3.5	13	1	1	3	6	6	6	6
55-74	8	32.5	772	6	8	26	38	80	94	94										
75 +																				
ALL AGES	162	21.5	358	3	4	16	27	49	65	95	4	9.5	66	1	1	8	15	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	2	25.0	8	23	23	25	27	27	27	27										
18-20	2	33.0	50	28	28	33	38	38	38	38										
21-24	25	23.8	394	6	9	19	27	42	67	99										
25-34	98	22.1	243	4	6	17	30	46	52	70	1	5.0		5	5	5	5	5	5	5
35-54	122	23.8	362	4	5	18	32	48	64	88	2	21.0	8	19	19	21	23	23	23	23
55-74	59	24.1	269	6	8	22	31	44	50	94	2	11.0	18	8	8	11	14	14	14	14
75 +	3	6.0	75	1	1	1	12	16	16	16	1	16.0		16	16	16	16	16	16	16
ALL AGES	311	23.2	304	4	6	19	31	45	56	89	6	14.2	44	5	5	15	19	23	23	23
SUBTOTAL	**473**	**22.6**	**323**	**3**	**6**	**18**	**29**	**47**	**57**	**95**	**10**	**12.3**	**53**	**1**	**3**	**12**	**19**	**21**	**23**	**23**
GRAND TOTAL	**1516**	**21.3**	**264**	**3**	**5**	**17**	**28**	**43**	**55**	**94**	**46**	**16.8**	**142**	**2**	**5**	**16**	**20**	**25**	**43**	**67**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.0	18	1	1	4	7	7	7	7										
21-24	3	24.0	228	10	10	22	35	40	40	40										
25-34	7	13.7	305	1	1	10	12	44	52	52										
35-54	5	5.2	34	1	1	3	8	15	15	15	4	1.8	2	1	1	1	2	4	4	4
55-74	3	12.3	66	4	4	13	18	20	20	20										
75 +																				
ALL AGES	20	12.0	176	1	1	9	14	31	46	52	4	1.8	2	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29										
21-24	5	11.6	73	4	4	9	15	26	26	26										
25-34	6	18.2	103	9	9	15	18	36	38	38	1	4.0		4	4	4	4	4	4	4
35-54	11	18.5	275	5	6	15	21	39	63	65	4	7.8	47	3	3	5	12	18	18	18
55-74	3	18.3	134	7	7	18	27	30	30	30	6	18.2	650	4	4	8	12	64	70	70
75 +																				
ALL AGES	26	17.5	165	5	6	15	22	30	43	65	11	13.1	375	3	3	7	11	39	67	70
SUBTOTAL	**46**	**15.1**	**174**	**1**	**2**	**13**	**19**	**30**	**42**	**65**	**15**	**10.1**	**295**	**1**	**1**	**4**	**8**	**18**	**57**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	3	15.0	28	9	9	17	18	19	19	19										
25-34	7	12.0	54	3	4	9	18	22	23	23										
35-54	3	6.0	16	2	2	6	9	10	10	10	1	17.0		17	17	17	17	17	17	17
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	15	11.3	52	2	2	9	18	21	22	23	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	2	26.5	61	21	21	26	32	32	32	32										
25-34	5	21.8	158	2	2	25	31	34	34	34										
35-54	4	32.0	255	19	19	27	42	55	55	55	1	5.0		5	5	5	5	5	5	5
55-74	1	27.0		27	27	27	27	27	27	27	1	4.0		4	4	4	4	4	4	4
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	15	22.9	180	3	5	24	30	34	50	55	2	4.5	1	4	4	4	5	5	5	5
SUBTOTAL	**30**	**17.1**	**147**	**2**	**3**	**17**	**24**	**31**	**34**	**55**	**3**	**8.7**	**51**	**4**	**4**	**5**	**14**	**17**	**17**	**17**
GRAND TOTAL	**76**	**15.9**	**162**	**1**	**2**	**14**	**21**	**30**	**39**	**62**	**18**	**9.8**	**250**	**1**	**1**	**5**	**8**	**18**	**49**	**70**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	16	24.1	673	1	1	13	41	68	73	75											
18-20	27	25.9	281	3	6	25	39	56	68	99+											
21-24	39	24.3	420	1	3	21	35	64	73	99+											
25-34	104	19.4	246	1	3	16	27	37	51	79		4	15.5	97	1	1	19	21	23	23	23
35-54	74	15.6	257	1	2	11	19	33	47	88											
55-74	19	25.3	613	7	7	19	39	94	99+	99+											
75 +	1	19.0		19	19	19	19	19	19	19											
ALL AGES	280	20.4	330	1	2	16	28	48	66	99+		4	15.5	97	1	1	19	21	23	23	23
B. FEMALE																					
0-12 YRS.	1	22.0		22	22	22	22	22	22	22											
13-17	5	24.8	180	12	12	23	30	47	47	47											
18-20	11	12.5	70	1	2	13	18	24	30	30											
21-24	29	15.7	150	2	3	11	26	29	31	55		1	1.0		1	1	1	1	1	1	1
25-34	69	19.2	275	1	3	14	27	46	54	95		3	3.3	17	1	1	1	6	8	8	8
35-54	93	18.2	338	1	2	14	24	42	53	96		2	6.0	50	1	1	5	11	11	11	11
55-74	41	21.1	333	1	4	18	27	47	78	99+		3	4.7	16	1	1	4	8	9	9	9
75 +	4	13.0	54	7	7	11	18	23	23	23											
ALL AGES	253	18.5	277	1	3	14	25	42	53	97		9	4.1	17	1	1	1	8	10	11	11
SUBTOTAL	**533**	**19.5**	**305**	**1**	**3**	**15**	**27**	**44**	**62**	**99+**		**13**	**7.6**	**66**	**1**	**1**	**4**	**13**	**20**	**22**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4											
13-17	4	9.5	35	4	4	9	14	16	16	16											
18-20	6	18.5	91	6	8	19	31	87	99+	99+											
21-24	17	17.4	251	1	1	12	28	40	53	59											
25-34	31	20.7	385	1	2	11	31	48	65	73		1	2.0		2	2	2	2	2	2	2
35-54	26	21.7	290	2	3	18	27	55	58	59											
55-74	9	15.6	100	3	4	12	25	30	32	32											
75 +																					
ALL AGES	94	19.1	271	1	3	14	28	42	59	88		1	2.0		2	2	2	2	2	2	2
B. FEMALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1											
13-17	6	20.5	568	1	1	12	31	61	64	64											
18-20	3	25.7	28	22	22	23	30	32	32	32											
21-24	7	19.6	418	1	1	19	38	49	50	50											
25-34	21	20.9	468	2	3	13	23	59	70	78		2	11.5	221	1	1	11	22	22	22	22
35-54	36	17.1	147	1	2	16	26	30	41	50		1	2.0		2	2	2	2	2	2	2
55-74	16	16.8	167	4	5	12	22	40	46	48		1	7.0		7	7	7	7	7	7	7
75 +	1	65.0		65	65	65	65	65	65	65											
ALL AGES	91	19.0	280	1	2	14	25	45	56	73		4	8.0	94	1	1	4	14	22	22	22
SUBTOTAL	**185**	**19.0**	**276**	**1**	**2**	**14**	**27**	**43**	**58**	**76**		**5**	**6.8**	**78**	**1**	**1**	**2**	**11**	**22**	**22**	**22**
GRAND TOTAL	**718**	**19.4**	**296**	**1**	**3**	**14**	**27**	**44**	**60**	**98**		**18**	**7.4**	**64**	**1**	**1**	**3**	**11**	**21**	**23**	**23**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	2.0	2	1	1	1	3	3	3	3
18-20	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
21-24	2	10.0	32	6	6	10	14	14	14	14										
25-34	5	16.4	265	1	1	8	31	39	39	39										
35-54	5	11.4	48	2	2	11	16	21	21	21										
55-74	6	10.7	91	2	2	7	17	26	27	27	1	2.0		2	2	2	2	2	2	2
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	20	13.5	108	1	2	10	21	27	33	39	4	1.8	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	16.0	91	2	2	19	22	23	23	23										
25-34	4	15.5	14	12	12	15	18	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	13	10.3	84	1	2	8	14	26	30	31	1	7.0		7	7	7	7	7	7	7
55-74	16	17.8	75	5	6	19	23	30	34	35	1	19.0		19	19	19	19	19	19	19
75 +	3	9.0	61	4	4	5	15	18	18	18	2	12.0	50	7	7	12	17	17	17	17
ALL AGES	40	14.3	79	2	3	13	20	25	31	35	5	10.2	57	1	1	7	17	19	19	19
SUBTOTAL	**60**	**14.0**	**88**	**2**	**2**	**13**	**21**	**26**	**31**	**39**	**9**	**6.4**	**49**	**1**	**1**	**3**	**10**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	2.5	1	2	2	2	3	3	3	3										
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	22.5	481	7	7	22	38	38	38	38										
35-54	4	12.0	13	8	8	12	15	16	16	16										
55-74																				
75 +																				
ALL AGES	9	12.2	116	2	2	10	14	29	38	38										
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	4	20.5	376	5	5	14	34	48	48	48										
35-54	9	12.2	19	6	7	12	16	18	18	18										
55-74	2	22.0		22	22	22	22	22	22	22										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	18	15.8	100	5	6	15	20	23	38	48										
SUBTOTAL	**27**	**14.6**	**104**	**3**	**5**	**12**	**19**	**23**	**39**	**48**										
GRAND TOTAL	**87**	**14.2**	**91**	**2**	**3**	**13**	**20**	**26**	**32**	**45**	**9**	**6.4**	**49**	**1**	**1**	**3**	**10**	**18**	**19**	**19**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	6.0	50	1	1	6	11	11	11	11										
25-34	3	24.3	103	13	13	28	31	32	32	32										
35-54	3	10.3	61	4	4	8	16	19	19	19										
55-74	9	17.9	78	2	6	19	26	28	28	28										
75 +	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	18	15.9	94	1	3	13	26	28	31	32	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	25.0		25	25	25	25	25	25	25										
25-34	6	20.8	403	7	7	10	30	55	58	58	3	8.0	67	1	1	6	14	17	17	17
35-54	17	16.2	161	1	1	15	22	33	41	45										
55-74	8	22.6	235	2	3	25	31	43	48	48										
75 +	3	17.7	341	6	6	8	31	39	39	39										
ALL AGES	35	18.9	209	1	3	15	29	39	47	58	3	8.0	67	1	1	6	14	17	17	17
SUBTOTAL	**53**	**17.9**	**169**	**1**	**3**	**15**	**28**	**33**	**44**	**58**	**4**	**6.8**	**50**	**1**	**1**	**4**	**11**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	16.5	25	13	13	16	20	20	20	20										
75 +																				
ALL AGES	6	9.3	56	1	1	9	14	19	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	47.0		47	47	47	47	47	47	47										
21-24	1	24.0		24	24	24	24	24	24	24										
25-34	4	7.5	4	5	5	7	9	10	10	10	1	8.0		8	8	8	8	8	8	8
35-54	1	20.0		20	20	20	20	20	20	20										
55-74	4	8.5	50	1	1	9	14	15	15	15										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	12	15.3	172	1	3	12	22	34	45	47	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**18**	**13.3**	**136**	**1**	**2**	**11**	**20**	**27**	**40**	**47**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**71**	**16.7**	**164**	**1**	**2**	**14**	**25**	**32**	**45**	**56**	**5**	**7.0**	**39**	**1**	**1**	**6**	**10**	**17**	**17**	**17**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	10	29.6	100	8	17	28	34	43	46	46		1	48.0		48	48	48	48	48	48	48
13-17	42	21.4	377	2	3	19	31	52	91	99+		2	2.5	1	2	2	2	3	3	3	3
18-20	14	16.0	350	1	3	15	23	97	99+	99+		3	13.3	94	3	3	15	20	22	22	22
21-24	27	11.0	45	1	3	9	15	20	24	27		1	29.0		29	29	29	29	29	29	29
25-34	89	13.6	197	1	2	9	16	30	41	71		3	4.3	11	2	2	3	7	8	8	8
35-54	179	16.3	145	2	3	15	21	31	38	66		14	6.3	14	1	2	5	9	11	13	14
55-74	229	19.4	184	2	4	17	26	38	46	69		22	5.7	20	2	2	4	7	13	17	17
75 +	82	18.4	182	2	4	16	25	41	55	99+		10	9.4	83	3	3	6	12	24	33	33
ALL AGES	672	17.6	189	2	3	15	24	36	46	96		56	7.9	72	2	2	5	9	17	27	47
B. FEMALE																						
0-12 YRS.	3	17.7	183	5	5	16	28	32	32	32											
13-17	67	22.5	384	2	2	18	34	57	73	99+		3	1.7		1	1	2	2	2	2	2
18-20	34	19.0	191	2	3	14	30	37	45	50		3	18.0	111	7	7	19	26	28	28	28
21-24	55	17.0	207	2	3	14	21	35	52	65		2	2.5	5	1	1	2	4	4	4	4
25-34	241	15.3	165	2	3	12	20	32	38	60		17	8.7	93	1	1	5	14	26	30	31
35-54	383	16.5	156	3	4	14	23	34	44	62		26	9.2	87	1	2	6	11	16	37	39
55-74	514	20.1	195	4	5	18	27	39	50	82		48	10.0	84	2	2	7	12	21	28	52
75 +	240	21.8	287	3	5	17	28	50	60	89		20	9.1	19	2	3	9	12	14	17	19
ALL AGES	1537	18.7	208	3	4	15	25	39	50	83		119	9.3	75	1	2	7	12	20	28	43
SUBTOTAL	**2209**	**18.3**	**205**	**2**	**4**	**15**	**25**	**38**	**50**	**85**		**175**	**8.9**	**73**	**1**	**2**	**6**	**11**	**19**	**28**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	8.5	25	5	5	8	12	12	12	12		1	46.0		46	46	46	46	46	46	46
13-17	38	27.2	767	2	3	17	35	77	92	94		1	75.0		75	75	75	75	75	75	75
18-20	33	20.4	564	2	3	16	24	84	94	99+		1	86.0		86	86	86	86	86	86	86
21-24	61	17.4	285	2	3	13	22	37	58	77		7	10.3	171	2	2	7	10	33	39	39
25-34	158	15.1	142	2	4	12	21	29	37	55		6	4.0	3	2	2	4	6	6	6	6
35-54	204	16.1	170	2	4	12	22	32	40	68		12	7.2	13	2	2	7	9	11	15	16
55-74	108	21.9	272	4	5	19	29	43	67	92		2	9.0	98	2	2	9	16	16	16	16
75 +	39	17.5	112	4	6	14	25	29	37	52											
ALL AGES	643	17.9	250	2	4	14	24	35	50	87		30	13.6	431	2	2	7	9	42	75	86
B. FEMALE																						
0-12 YRS.	1	74.0		74	74	74	74	74	74	74		1	69.0		69	69	69	69	69	69	69
13-17	59	26.4	579	3	4	16	43	70	99	99+		5	27.4	585	1	1	40	53	95	99+	99+
18-20	36	16.5	130	2	4	16	26	35	42	99+		3	8.3	141	1	1	2	17	22	22	22
21-24	71	18.5	281	2	2	14	26	43	57	96											
25-34	220	19.0	216	2	4	16	26	37	47	87		15	3.9	12	1	1	3	5	8	12	14
35-54	282	16.3	142	3	4	14	23	32	40	93		15	6.7	38	1	1	4	11	17	19	20
55-74	200	21.7	229	4	6	18	28	41	52	76		19	9.3	93	1	2	5	9	27	31	33
75 +	97	21.9	220	2	7	20	31	41	53	87		7	15.3	378	1	2	7	15	50	58	58
ALL AGES	966	19.4	232	2	4	16	28	39	54	99+		65	10.3	207	1	1	5	13	33	54	95
SUBTOTAL	**1609**	**18.8**	**240**	**2**	**4**	**15**	**26**	**37**	**52**	**96**		**95**	**11.4**	**275**	**1**	**1**	**6**	**11**	**38**	**56**	**94**
GRAND TOTAL	**3818**	**18.5**	**220**	**2**	**4**	**15**	**25**	**38**	**50**	**91**		**270**	**9.7**	**146**	**1**	**2**	**6**	**11**	**22**	**36**	**74**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	10.0	49	4	4	8	15	20	21	21										
18-20	11	13.6	89	2	3	11	19	29	31	31										
21-24	21	19.3	289	3	4	15	26	35	58	77	2	1.0		1	1	1	1	1	1	1
25-34	73	16.5	203	1	1	14	24	35	45	69	3	6.7	30	3	3	4	11	13	13	13
35-54	179	18.8	209	3	4	15	26	37	47	74	8	6.1	5	2	3	6	8	9	9	9
55-74	266	22.1	264	4	5	18	30	46	57	77	9	9.2	84	1	1	4	14	24	26	26
75 +	87	22.5	220	5	6	21	30	43	53	63	7	15.6	77	8	8	13	18	31	34	34
ALL AGES	643	20.3	234	3	5	17	27	40	53	76	29	9.1	62	1	1	7	12	21	26	34
B. FEMALE																				
0-12 YRS.																				
13-17	22	11.6	183	1	2	6	15	31	47	54	1	19.0		19	19	19	19	19	19	19
18-20	22	13.1	181	1	1	7	17	34	46	51	1	4.0		4	4	4	4	4	4	4
21-24	49	15.0	166	2	3	11	21	28	42	65	3	4.0	7	1	1	5	6	6	6	6
25-34	188	16.5	220	3	4	12	23	33	41	81	8	5.1	26	1	1	3	5	14	17	17
35-54	436	16.7	148	3	4	14	22	30	39	70	13	7.8	53	1	1	7	11	19	24	25
55-74	713	23.6	232	3	7	21	32	43	56	97	32	14.5	165	2	3	9	19	39	39	51
75 +	338	24.9	254	5	9	21	33	48	61	99 +	25	12.6	74	2	3	10	19	27	29	30
ALL AGES	1768	20.9	224	3	5	18	28	40	52	84	83	11.5	108	1	2	8	18	26	33	47
SUBTOTAL	**2411**	**20.7**	**229**	**3**	**5**	**18**	**28**	**40**	**52**	**80**	**112**	**10.9**	**96**	**1**	**2**	**8**	**15**	**25**	**30**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	20.3	348	9	9	12	31	48	48	48	1	3.0		3	3	3	3	3	3	3
18-20	22	15.4	165	1	2	14	22	41	68	99 +										
21-24	26	14.4	85	3	5	13	17	25	32	46	1	3.0		3	3	3	3	3	3	3
25-34	104	18.2	174	3	5	16	24	31	38	77	2	7.5	5	6	6	7	9	9	9	9
35-54	150	16.9	191	2	4	13	21	31	49	63	5	3.2	3	1	1	3	5	5	5	5
55-74	111	21.3	242	3	5	20	30	40	69	99 +	4	6.3		5	5	6	7	7	7	7
75 +	36	23.8	276	3	6	20	32	51	55	72	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	453	18.6	205	3	5	15	25	37	51	97	15	5.0	5	1	2	5	7	8	9	9
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	23	26.3	578	2	4	21	55	75	99 +	99 +	2	35.0	2312	1	1	35	69	69	69	69
18-20	23	20.4	362	3	4	13	31	55	59	63	3	5.3	17	1	1	6	8	9	9	9
21-24	71	18.5	210	4	6	14	24	51	58	99 +	2	4.0	8	2	2	4	6	6	6	6
25-34	219	16.9	195	2	3	14	24	36	45	81	6	4.8	10	1	1	4	6	10	10	10
35-54	369	20.4	263	3	4	17	28	41	55	89	17	9.6	34	3	4	9	12	15	23	27
55-74	268	25.2	265	5	8	23	34	46	58	99 +	18	8.1	48	1	2	5	14	19	23	25
75 +	100	24.2	238	4	6	24	36	44	52	91	8	8.0	8	2	4	8	9	11	12	12
ALL AGES	1074	21.2	263	3	5	18	29	44	57	99 +	56	8.9	97	1	2	7	10	15	23	66
SUBTOTAL	**1527**	**20.5**	**244**	**3**	**5**	**17**	**28**	**42**	**56**	**99 +**	**71**	**8.1**	**79**	**1**	**2**	**6**	**9**	**14**	**20**	**60**
GRAND TOTAL	**3938**	**20.6**	**235**	**3**	**5**	**17**	**28**	**41**	**54**	**85**	**183**	**9.8**	**91**	**1**	**2**	**7**	**12**	**21**	**28**	**47**

BIPOLAR AFFECTIVE, MANIC (296.4)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	19.6	137	6	7	17	25	38	42	42										
18-20	17	23.4	396	1	1	20	46	53	56	57										
21-24	37	24.6	307	3	8	19	37	43	62	81										
25-34	94	19.2	196	3	6	16	23	37	55	90	3	9.7	55	2	2	10	15	17	17	17
35-54	115	15.9	116	3	4	14	21	32	41	72	1	9.0		9	9	9	9	9	9	9
55-74	68	17.9	159	3	3	16	25	35	38	62	3	28.7	139	15	15	34	36	37	37	37
75 +	8	17.1	9	14	14	18	19	21	21	21	1	57.0		57	57	57	57	57	57	57
ALL AGES	347	18.6	182	3	4	16	24	38	46	77	8	22.6	341	2	4	16	35	51	57	57
B. FEMALE																				
0-12 YRS.																				
13-17	3	32.7	1101	12	12	15	57	71	71	71										
18-20	29	17.1	169	2	4	14	22	40	45	49										
21-24	30	20.5	234	4	4	17	26	47	51	61										
25-34	127	19.5	212	3	5	17	26	36	52	76	1	10.0		10	10	10	10	10	10	10
35-54	272	18.8	160	3	6	16	25	36	43	55	6	10.3	274	1	1	2	12	40	43	43
55-74	187	20.1	188	4	6	17	27	37	47	88	2	11.0	2	10	10	11	12	12	12	12
75 +	24	23.4	204	9	10	20	28	40	53	73										
ALL AGES	672	19.5	187	3	6	16	26	37	46	71	9	10.4	172	1	1	10	12	31	43	43
SUBTOTAL	**1019**	**19.2**	**185**	**3**	**5**	**16**	**25**	**37**	**46**	**73**	**17**	**16.2**	**273**	**1**	**1**	**10**	**21**	**42**	**52**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	29.0	200	19	19	29	39	39	39	39										
18-20	7	23.9	331	3	4	18	41	50	51	51										
21-24	14	25.9	324	2	4	26	31	41	67	75										
25-34	31	18.6	160	3	6	15	28	38	42	49										
35-54	28	18.8	272	1	4	12	30	44	52	65	1	7.0		7	7	7	7	7	7	7
55-74	22	20.6	214	4	9	16	27	40	53	63	1	9.0		9	9	9	9	9	9	9
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	105	20.5	231	3	5	16	29	42	49	69	2	8.0	2	7	7	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	5	18.2	112	7	7	15	26	34	34	34										
21-24	11	25.3	305	7	9	16	40	54	55	55										
25-34	35	23.4	235	4	10	19	29	48	62	69										
35-54	38	19.9	171	3	4	17	26	41	44	59	2	21.0	32	17	17	21	25	25	25	25
55-74	38	21.3	260	4	6	18	31	36	55	82										
75 +	4	14.0	231	1	1	9	23	36	36	36										
ALL AGES	131	21.5	219	3	7	18	28	40	53	71	2	21.0	32	17	17	21	25	25	25	25
SUBTOTAL	**236**	**21.0**	**226**	**3**	**5**	**17**	**29**	**41**	**51**	**70**	**4**	**14.5**	**68**	**7**	**7**	**13**	**21**	**25**	**25**	**25**
GRAND TOTAL	**1255**	**19.5**	**195**	**3**	**5**	**16**	**26**	**38**	**47**	**73**	**21**	**15.9**	**228**	**1**	**2**	**10**	**19**	**39**	**49**	**57**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	57.0		57	57	57	57	57	57	57										
18-20	6	10.0	96	1	1	6	14	27	28	28										
21-24	13	13.7	56	2	6	13	21	24	25	25										
25-34	36	15.7	112	2	4	14	21	27	42	44	2	7.0	2	6	6	7	8	8	8	8
35-54	52	16.4	201	2	4	12	24	34	48	67										
55-74	34	17.0	180	2	4	16	23	38	59	99 +										
75 +	7	14.6	217	3	3	10	34	83	99 +	99 +	2	16.5	145	8	8	16	25	25	25	25
ALL AGES	150	16.0	166	2	4	13	23	35	44	99	4	11.8	77	6	6	8	17	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	4	9.8	31	4	4	9	14	16	16	16										
18-20	6	17.8	146	4	4	18	29	32	32	32										
21-24	13	12.5	45	4	6	9	19	22	24	24										
25-34	62	15.7	123	3	3	12	22	28	41	52	2	12.0	72	6	6	12	18	18	18	18
35-54	129	17.3	145	3	4	15	23	34	37	57	5	6.0	8	3	3	6	8	10	10	10
55-74	132	21.0	185	4	6	20	30	38	46	63	5	10.6	44	3	3	9	17	18	18	18
75 +	19	17.6	281	3	4	13	19	51	57	59	3	17.7	135	5	5	20	26	28	28	28
ALL AGES	365	18.2	160	3	4	15	25	36	44	58	15	10.7	57	3	3	7	18	20	26	28
SUBTOTAL	**515**	**17.5**	**164**	**3**	**4**	**14**	**24**	**36**	**44**	**64**	**19**	**10.9**	**58**	**3**	**4**	**8**	**18**	**23**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.3	260	2	2	27	31	32	32	32	1	59.0		59	59	59	59	59	59	59
18-20	4	24.8	108	11	11	27	33	33	33	33										
21-24	10	19.9	610	2	2	10	18	63	79	79										
25-34	22	15.5	305	1	1	11	19	64	79	99 +	1	12.0		12	12	12	12	12	12	12
35-54	35	19.8	173	5	7	17	24	36	53	62										
55-74	14	13.9	39	5	7	13	20	23	24	24										
75 +	4	21.8	268	6	6	19	35	42	42	42										
ALL AGES	92	18.2	228	2	3	15	23	36	61	91	2	35.5	1105	12	12	35	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.8	437	1	1	11	31	48	48	48										
18-20	3	9.0	25	4	4	9	13	14	14	14										
21-24	7	11.7	65	1	1	12	19	21	21	21										
25-34	41	14.5	92	3	4	13	20	26	31	48	2	8.5	61	3	3	8	14	14	14	14
35-54	48	20.1	189	4	6	17	25	35	50	64	3	4.7	14	2	2	3	7	9	9	9
55-74	32	24.3	121	7	9	26	33	37	42	50	1	3.0		3	3	3	3	3	3	3
75 +	2	36.5	5	35	35	38	84	99 +	99 +	99 +										
ALL AGES	137	18.9	156	3	5	17	27	36	47	69	6	5.7	23	2	2	3	9	13	14	14
SUBTOTAL	**229**	**18.6**	**185**	**2**	**5**	**16**	**25**	**36**	**48**	**83**	**8**	**13.1**	**366**	**2**	**2**	**6**	**13**	**45**	**59**	**59**
GRAND TOTAL	**744**	**17.9**	**168**	**3**	**4**	**15**	**24**	**36**	**44**	**67**	**27**	**11.6**	**139**	**3**	**3**	**8**	**16**	**24**	**33**	**59**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	35.0	834	6	6	29	52	75	75	75										
18-20	4	10.3	46	4	4	8	14	20	20	20										
21-24	6	11.5	19	7	7	10	14	18	19	19										
25-34	15	17.5	283	2	5	13	20	35	60	69	5	13.6	84	5	5	9	23	24	24	24
35-54	33	16.7	208	2	4	10	24	43	48	53	2	20.0	288	8	8	20	32	32	32	32
55-74	19	22.4	352	3	5	20	27	52	63	72										
75 +	4	25.8	227	5	5	28	36	41	41	41										
ALL AGES	85	18.8	267	3	5	13	26	43	52	74	7	15.4	115	5	5	9	24	30	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	5	10.2	73	4	4	8	13	25	25	25	1	6.0		6	6	6	6	6	6	6
18-20	6	23.7	514	9	9	17	20	64	69	69										
21-24	11	16.5	257	3	5	10	19	40	58	60										
25-34	51	16.6	193	4	4	13	20	34	47	71	1	7.0		7	7	7	7	7	7	7
35-54	84	18.3	205	3	5	15	24	32	45	78	8	15.6	68	7	7	12	23	27	28	28
55-74	69	21.1	168	4	6	19	31	39	42	94	2	28.0	72	22	22	28	34	34	34	34
75 +	13	24.9	60	15	16	22	31	33	40	41										
ALL AGES	239	19.0	193	4	5	16	26	38	45	72	12	16.2	91	6	7	12	24	30	33	34
SUBTOTAL	**324**	**18.9**	**213**	**4**	**5**	**15**	**26**	**39**	**50**	**73**	**19**	**15.9**	**94**	**5**	**6**	**11**	**24**	**30**	**33**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.0	32	17	17	21	25	25	25	25										
18-20											1	11.0		11	11	11	11	11	11	11
21-24	6	24.7	389	9	9	13	47	52	53	53										
25-34	21	20.4	198	4	7	19	25	41	54	55	1	1.0		1	1	1	1	1	1	1
35-54	25	18.0	91	2	4	19	25	30	31	32										
55-74	11	20.6	159	4	6	18	28	41	45	45										
75 +	1	73.0		73	73	73	73	73	73	73										
ALL AGES	66	20.7	197	4	6	19	26	37	53	70	2	6.0	50	1	1	6	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	67	99 +	99 +	99 +	99 +										
18-20	4	10.8	70	2	2	11	18	18	18	18										
21-24	6	27.7	170	11	12	26	29	49	51	51										
25-34	27	15.1	68	5	6	13	20	28	31	32										
35-54	31	20.6	249	2	6	17	26	41	56	73	1	15.0		15	15	15	15	15	15	15
55-74	21	24.6	190	6	8	21	33	45	54	56										
75 +	4	18.3	204	5	5	15	28	38	38	38										
ALL AGES	94	20.0	180	4	6	18	27	38	52	88	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**160**	**20.3**	**185**	**4**	**6**	**18**	**27**	**38**	**53**	**73**	**3**	**9.0**	**52**	**1**	**1**	**11**	**14**	**15**	**15**	**15**
GRAND TOTAL	**484**	**19.4**	**203**	**4**	**5**	**16**	**26**	**38**	**52**	**73**	**22**	**15.0**	**90**	**3**	**6**	**11**	**23**	**29**	**33**	**34**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-20	6	19.5	542	1	1	7	43	54	55	55										
21-24	12	17.7	135	4	5	15	25	33	43	45										
25-34	32	15.2	257	2	3	10	18	28	56	77										
35-54	35	15.6	108	3	4	14	21	29	34	45	1	16.0		16	16	16	16	16	16	16
55-74	21	15.5	66	3	6	14	22	25	30	36	1	5.0		5	5	5	5	5	5	5
75 +	6	13.3	157	4	4	9	13	35	38	38										
ALL AGES	113	15.7	163	3	4	13	21	29	42	65	2	10.5	61	5	5	10	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	7	15.1	90	1	3	16	20	29	31	31										
18-20	6	13.8	57	6	6	12	16	26	27	27										
21-24	1	25.0		25	25	25	25	25	25	25										
25-34	43	14.4	97	1	3	12	21	27	35	41	1	2.0		2	2	2	2	2	2	2
35-54	66	15.0	116	3	4	12	21	30	34	57										
55-74	54	15.8	82	3	6	14	22	29	32	42	4	10.3	27	6	6	8	13	18	18	18
75 +	9	23.4	201	8	8	20	28	45	55	55	2	16.0	288	4	4	16	28	28	28	28
ALL AGES	186	15.5	104	2	5	13	21	29	33	50	7	10.7	85	2	2	8	16	26	28	28
SUBTOTAL	**299**	**15.6**	**125**	**3**	**4**	**13**	**21**	**29**	**36**	**57**	**9**	**10.7**	**70**	**2**	**3**	**8**	**16**	**24**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34	1	61.0		61	61	61	61	61	61	61
18-20	3	10.0	25	5	5	10	14	15	15	15										
21-24	2	39.0	1352	13	13	39	65	65	65	65										
25-34	24	17.9	168	3	5	18	23	29	40	64										
35-54	26	15.8	206	1	2	12	17	40	47	65	2	12.5	5	11	11	12	14	14	14	14
55-74	5	16.4	195	1	1	19	25	36	36	36	1	19.0		19	19	19	19	19	19	19
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	62	17.8	216	1	4	15	22	37	51	65	4	26.3	544	11	11	16	40	61	61	61
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.8	16	1	1	5	8	11	11	11										
18-20	6	22.3	449	1	2	18	30	57	60	60										
21-24	8	29.5	702	3	3	22	48	70	70	70										
25-34	23	20.1	225	4	5	20	25	34	54	68										
35-54	33	18.4	154	4	5	15	25	32	47	54	1	7.0		7	7	7	7	7	7	7
55-74	24	20.6	356	5	6	16	24	39	59	94										
75 +	4	12.8	42	5	5	13	18	20	20	20	1	56.0		56	56	56	56	56	56	56
ALL AGES	102	19.7	269	3	5	16	25	39	56	82	2	31.5	1201	7	7	31	56	56	56	56
SUBTOTAL	**164**	**19.0**	**248**	**3**	**5**	**15**	**24**	**39**	**56**	**70**	**6**	**28.0**	**576**	**7**	**7**	**16**	**56**	**60**	**61**	**61**
GRAND TOTAL	**463**	**16.8**	**171**	**3**	**4**	**14**	**22**	**30**	**41**	**68**	**15**	**17.6**	**323**	**2**	**4**	**11**	**19**	**56**	**60**	**61**

MANIC-DEPRESSIVE NEC/NOS (296.8)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.5	221	14	14	24	35	35	35	35										
13-17	3	8.0	36	2	2	8	12	14	14	14										
18-20	7	14.1	164	1	1	17	21	32	35	35										
21-24	5	13.4	129	1	1	14	21	29	29	29										
25-34	14	10.4	48	1	2	10	14	20	24	25	3	4.0	19	1	1	2	7	9	9	9
35-54	20	15.0	361	2	3	10	14	30	62	88	2	2.0	2	1	1	2	3	3	3	3
55-74	25	16.2	235	2	3	10	23	31	52	66	4	4.3	4	1	1	5	6	6	6	6
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	77	14.2	207	1	2	11	19	30	36	82	9	3.7	7	1	1	4	6	54	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	7.5	25	4	4	7	11	11	11	11										
13-17	2	10.0	2	9	9	10	11	11	11	11										
18-20	8	9.4	70	2	2	7	11	24	28	28										
21-24	12	11.6	91	2	3	8	15	28	32	33										
25-34	34	12.9	189	1	2	10	16	25	30	76	1	4.0		4	4	4	4	4	4	4
35-54	60	14.3	174	2	3	9	21	31	39	63	6	2.8	3	1	1	2	5	5	5	5
55-74	69	15.9	118	2	3	13	22	34	38	42	2	15.0	32	11	11	15	19	19	19	19
75 +	14	10.6	63	1	2	9	15	19	28	31	2	9.5	13	7	7	9	12	12	12	12
ALL AGES	201	13.9	138	2	2	11	20	29	36	60	11	6.4	30	1	1	5	10	15	19	19
SUBTOTAL	**278**	**14.0**	**156**	**2**	**2**	**11**	**19**	**30**	**36**	**65**	**20**	**5.2**	**21**	**1**	**1**	**5**	**7**	**15**	**55**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	12.3	199	1	1	7	20	33	33	33										
18-20	6	23.8	370	6	6	16	37	54	56	56										
21-24	8	18.1	45	9	9	18	24	26	26	26										
25-34	39	10.7	66	1	2	10	14	18	23	46	1	2.0		2	2	2	2	2	2	2
35-54	33	22.2	348	4	6	14	33	56	62	65										
55-74	11	24.5	257	2	6	20	30	52	53	53										
75 +																				
ALL AGES	101	17.4	223	2	4	13	21	41	54	63	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	61.0		61	61	61	61	61	61	61
13-17	5	7.8	41	1	1	7	12	17	17	17										
18-20	14	19.4	382	2	4	14	29	38	69	78										
21-24	18	17.2	471	3	3	9	17	57	75	79										
25-34	45	16.2	263	1	2	13	21	28	43	93										
35-54	47	17.6	328	2	3	12	22	50	92	99 +	1	6.0		6	6	6	6	6	6	6
55-74	19	18.4	128	5	7	16	22	37	41	43	1	3.0		3	3	3	3	3	3	3
75 +	6	15.2	69	5	5	13	22	27	28	28	4	10.8	66	6	6	7	15	23	23	23
ALL AGES	155	16.9	281	2	3	12	21	35	65	99	7	16.1	436	3	4	6	19	53	61	61
SUBTOTAL	**256**	**17.1**	**257**	**2**	**3**	**13**	**21**	**38**	**56**	**93**	**8**	**14.4**	**397**	**2**	**2**	**6**	**15**	**50**	**61**	**61**
GRAND TOTAL	**534**	**15.5**	**206**	**2**	**3**	**12**	**21**	**33**	**43**	**80**	**28**	**7.8**	**136**	**1**	**1**	**5**	**8**	**21**	**63**	**99 +**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	2	18.0	512	2	2	18	34	34	34	34										
18-20	2	26.5	545	10	10	26	43	43	43	43										
21-24	1	41.0		41	41	41	41	41	41	41										
25-34	3	14.3	58	10	10	10	20	23	23	23	1	8.0		8	8	8	8	8	8	8
35-54	9	20.8	317	5	5	8	34	48	48	48										
55-74	10	18.6	134	6	6	17	24	35	46	46										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	28	20.6	213	5	6	17	31	45	47	48	2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.5	25	21	21	24	28	28	28	28										
18-20	1	53.0		53	53	53	53	53	53	53										
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	6	15.7	13	11	11	16	19	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	9	19.2	246	4	4	17	25	46	50	50	3	3.7	8	2	2	2	6	7	7	7
55-74	12	13.6	127	2	3	11	15	32	41	42	1	48.0		48	48	48	48	48	48	48
75 +	4	26.0	505	8	8	19	42	57	57	57										
ALL AGES	36	17.8	209	2	4	13	21	42	52	57	5	12.0	411	1	1	2	17	48	48	48
SUBTOTAL	**64**	**19.0**	**210**	**2**	**4**	**13**	**28**	**43**	**49**	**56**	**7**	**10.7**	**279**	**1**	**1**	**7**	**8**	**40**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17											1	2.0		2	2	2	2	2	2	2
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	28.0		28	28	28	28	28	26	28										
25-34	7	9.7	128	1	1	6	13	29	33	33										
35-54	6	16.8	188	6	6	10	27	39	40	40	1	4.0		4	4	4	4	4	4	4
55-74	2	20.5	61	15	15	20	26	26	26	26										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	16	14.9	146	1	2	10	26	32	38	40	5	9.0	213	1	1	3	12	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24	2	18.0	72	12	12	18	24	24	24	24										
25-34	10	19.4	461	3	5	11	21	52	77	77	1	4.0		4	4	4	4	4	4	4
35-54	4	28.5	366	5	5	31	44	46	46	46										
55-74	8	13.5	108	5	6	11	14	31	38	38										
75 +																				
ALL AGES	25	18.4	282	4	5	12	22	42	54	77	1	4.0		4	4	52	99 +	99 +	99 +	99 +
SUBTOTAL	**41**	**17.0**	**229**	**2**	**4**	**12**	**24**	**39**	**44**	**77**	**6**	**8.2**	**174**	**1**	**1**	**4**	**27**	**87**	**99 +**	**99 +**
GRAND TOTAL	**105**	**18.2**	**217**	**2**	**4**	**12**	**26**	**42**	**47**	**66**	**13**	**9.5**	**214**	**1**	**1**	**4**	**8**	**53**	**90**	**99 +**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	42.0		42	42	42	42	42	42	42										
55-74																				
75 +	1	60.0		60	60	60	60	60	60	60										
ALL AGES	2	51.0	162	42	42	51	60	60	60	60										
SUBTOTAL	**3**	**36.7**	**694**	**8**	**8**	**42**	**55**	**60**	**60**	**60**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES											1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**4**	**28.5**	**732**	**4**	**4**	**25**	**51**	**60**	**60**	**60**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	18.0	288	6	6	18	30	30	30	30										
21-24	1	32.0		32	32	32	32	32	32	32										
25-34	2	9.0	128	1	1	8	17	17	17	17										
35-54	6	13.2	39	5	5	13	19	21	21	21										
55-74	3	22.0	19	17	17	24	25	25	25	25										
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	16	15.0	95	1	3	15	22	29	31	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	6	16.3	103	4	4	16	22	31	32	32										
35-54	9	15.6	55	6	6	13	21	26	28	28										
55-74	20	15.7	134	1	3	13	22	35	39	42	2	3.5	5	2	2	3	5	5	5	5
75 +	9	21.9	247	4	6	18	28	48	50	50										
ALL AGES	44	17.0	135	3	5	14	22	34	43	50	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**60**	**16.5**	**122**	**2**	**4**	**14**	**22**	**32**	**39**	**49**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	28.0	128	20	20	28	36	36	36	36										
35-54	7	7.9	21	4	4	7	8	16	18	18										
55-74	3	13.0	57	5	5	14	18	20	20	20										
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	15	13.1	107	2	4	8	19	31	35	36										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	6	12.7	82	3	3	10	20	26	27	27	1	6.0		6	6	6	6	6	6	6
55-74	3	31.0	439	8	8	36	46	49	49	49	1	4.0		4	4	4	4	4	4	4
75 +	3	32.3	362	19	19	24	46	54	54	54										
ALL AGES	12	22.2	280	3	5	19	31	50	53	54	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**27**	**17.1**	**199**	**3**	**4**	**14**	**23**	**36**	**50**	**54**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**87**	**16.7**	**143**	**3**	**4**	**14**	**22**	**34**	**42**	**53**	**4**	**4.3**	**2**	**2**	**2**	**4**	**5**	**6**	**6**	**6**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	1	33.0		33	33	33	33	33	33	33	1	6.0		6	6	6	6	6	6	6
75 +	2	23.0	648	5	5	23	41	41	41	41										
ALL AGES	3	26.3	360	5	5	33	39	41	41	41	1	6.0		6	6	6	6	6	6	6
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	2	31.0	338	18	18	31	44	44	44	44	1	21.0		21	21	21	21	21	21	21
75 +	2	32.0	50	27	27	32	37	37	37	37	1	15.0		15	15	15	15	15	15	15
ALL AGES	4	31.5	130	18	18	32	40	44	44	44	2	18.0	18	15	15	18	21	21	21	21
SUBTOTAL	**7**	**29.3**	**191**	**5**	**8**	**33**	**40**	**43**	**44**	**44**	**3**	**14.0**	**57**	**6**	**6**	**15**	**19**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	2	57.5	113	50	50	57	65	65	65	65										
75 +	3	36.3	300	24	24	29	49	56	56	56										
ALL AGES	5	44.8	311	24	24	50	58	65	65	65										
B. FEMALE																						
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	4	28.3	38	22	22	27	33	37	37	37										
75 +	7	29.4	358	10	10	27	34	60	66	66										
ALL AGES	12	29.1	205	10	11	28	34	46	63	66										
SUBTOTAL	**17**	**33.7**	**274**	**10**	**13**	**29**	**40**	**63**	**66**	**66**										
GRAND TOTAL	**24**	**32.4**	**246**	**8**	**11**	**30**	**39**	**57**	**65**	**66**	**3**	**14.0**	**57**	**6**	**6**	**15**	**19**	**21**	**21**	**21**

SHARED PARANOID DISORDER (297.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	45.0		45	45	45	45	45	45	45										
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**45.0**		**45**	**45**	**45**	**45**	**45**	**45**	**45**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**3**	**19.3**	**508**	**3**	**3**	**10**	**36**	**45**	**45**	**45**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	39.0		39	39	39	39	39	39	39										
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	2	30.5	145	22	22	30	39	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	4	14.0	65	4	4	14	20	23	23	23										
SUBTOTAL	**6**	**19.5**	**140**	**4**	**5**	**19**	**23**	**37**	**39**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	17.0		17	17	17	17	17	17	17										
25-34																				
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	2	21.5	41	17	17	21	26	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	1	36.0		36	36	36	36	36	36	36										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	21.3	164	13	13	15	31	36	36	36										
SUBTOTAL	**5**	**21.4**	**91**	**13**	**13**	**17**	**28**	**36**	**36**	**36**										
GRAND TOTAL	**11**	**20.4**	**106**	**4**	**9**	**17**	**25**	**37**	**39**	**39**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.0	50	1	1	6	11	11	11	11										
21-24	6	13.5	74	1	2	12	21	25	25	25										
25-34	5	17.0	174	1	1	17	30	30	30	30										
35-54	6	17.5	180	1	1	21	26	33	34	34										
55-74	10	17.7	152	1	2	15	27	35	40	40	2	6.5	25	3	3	6	10	10	10	10
75 +	6	18.5	392	7	7	11	17	54	58	58	1	3.0		3	3	3	3	3	3	3
ALL AGES	35	16.3	167	1	1	14	25	30	38	58	3	5.3	17	3	3	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	2	11.5	61	6	6	11	17	17	17	17										
25-34	6	23.5	493	9	9	14	26	63	67	67	1	2.0		2	2	2	2	2	2	2
35-54	13	17.7	88	3	5	18	26	29	31	31	1	9.0		9	9	9	9	9	9	9
55-74	19	19.5	173	5	6	18	27	38	49	54	2	13.0	32	9	9	13	17	17	17	17
75 +	15	17.9	488	1	1	9	22	64	70	72	3	6.0	19	3	3	4	9	11	11	11
ALL AGES	56	18.6	254	1	4	15	25	31	61	72	7	7.9	27	2	2	9	11	16	17	17
SUBTOTAL	**91**	**17.7**	**220**	**1**	**2**	**14**	**25**	**31**	**53**	**70**	**10**	**7.1**	**24**	**2**	**2**	**6**	**10**	**14**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	13	5	5	7	10	10	10	10										
21-24	2	16.0		16	16	16	16	16	16	16										
25-34	6	15.3	136	3	3	13	23	33	34	34										
35-54	13	15.1	122	2	3	11	25	29	34	35										
55-74	13	13.5	57	1	3	14	18	25	27	27	1	9.0		9	9	9	9	9	9	9
75 +	2	12.5	113	5	5	12	20	20	20	20										
ALL AGES	38	14.1	83	2	3	13	21	27	31	35	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	23.5	85	17	17	23	30	30	30	30										
25-34	8	15.3	130	2	2	13	24	32	33	33										
35-54	13	14.2	64	5	7	12	16	24	34	36	1	2.0		2	2	2	2	2	2	2
55-74	13	20.5	239	1	3	21	26	47	51	52	5	4.8	5	2	2	6	6	7	7	7
75 +	7	32.6	300	4	7	43	45	49	50	50	1	17.0		17	17	17	17	17	17	17
ALL AGES	43	19.7	196	2	4	17	27	44	47	52	7	6.1	28	2	2	6	7	15	17	17
SUBTOTAL	**81**	**17.1**	**143**	**2**	**4**	**15**	**24**	**34**	**44**	**51**	**8**	**6.5**	**24**	**2**	**2**	**6**	**8**	**15**	**17**	**17**
GRAND TOTAL	**172**	**17.4**	**186**	**1**	**3**	**15**	**25**	**33**	**45**	**66**	**18**	**6.8**	**23**	**2**	**2**	**6**	**9**	**15**	**17**	**17**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54	5	10.6	50	3	3	9	18	18	18	18										
55-74	4	11.5	268	2	2	4	20	36	36	36	1	6.0		6	6	6	6	6	6	6
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	10	11.8	118	2	2	7	18	27	36	36	2	5.0	2	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34	7	10.3	72	2	2	9	11	25	28	28										
35-54	8	11.9	105	1	2	8	20	27	29	29										
55-74	10	18.0	477	1	1	11	22	54	72	72	1	12.0		12	12	12	12	12	12	12
75 +	2	10.0	98	3	3	10	17	17	17	17	1	16.0		16	16	16	16	16	16	16
ALL AGES	28	13.1	225	1	1	9	17	29	10	72	3	10.7	36	4	4	12	15	16	16	16
SUBTOTAL	**38**	**12.8**	**192**	**1**	**2**	**9**	**18**	**29**	**36**	**72**	**5**	**8.4**	**29**	**4**	**4**	**6**	**13**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											1	8.0		8	8	8	8	8	8	8
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	7.0	61	2	2	3	13	16	16	16	3	5.0	7	3	3	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54	4	7.0	6	4	4	7	9	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	5	30.8	1141	2	2	28	44	87	87	87										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	12	17.3	580	1	2	7	24	47	81	87	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**15**	**15.2**	**484**	**1**	**2**	**7**	**20**	**30**	**73**	**87**	**4**	**4.0**	**9**	**1**	**1**	**3**	**6**	**8**	**8**	**8**
GRAND TOTAL	**53**	**13.5**	**268**	**1**	**2**	**8**	**18**	**29**	**36**	**87**	**9**	**6.4**	**24**	**1**	**2**	**4**	**9**	**14**	**16**	**16**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34	3	9.3	71	4	4	5	15	19	19	19										
35-54	6	4.7	3	1	1	5	5	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74											1	38.0		38	38	38	38	38	38	38
75 +	1	12.0		12	12	12	12	12	12	12	1	12.0		12	12	12	12	12	12	12
ALL AGES	11	6.8	24	1	2	5	7	15	19	19	3	17.0	361	1	1	12	31	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	2	18.0	18	15	15	18	21	21	21	21										
21-24																				
25-34	4	9.8	78	4	4	6	15	23	23	23										
35-54	4	10.3	64	1	1	11	17	18	18	18										
55-74	8	14.9	246	1	2	8	24	41	46	46	8	19.5	374	5	5	12	26	53	61	61
75 +	4	7.5	25	1	1	8	11	13	13	13	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	23	12.3	117	1	1	9	19	24	34	46	10	17.8	306	5	5	11	19	47	61	61
SUBTOTAL	**34**	**10.6**	**90**	**1**	**1**	**7**	**16**	**21**	**27**	**46**	**13**	**17.6**	**290**	**1**	**4**	**12**	**23**	**43**	**58**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	8.0	28	2	2	10	11	12	12	12										
35-54	1	5.0		5	5	52	99 +	99 +	99 +	99 +										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	7	6.4	15	2	2	7	11	74	99 +	99 +	2	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	12.0	50	7	7	12	17	17	17	17										
35-54	6	14.7	69	3	4	14	16	28	29	29										
55-74	2	11.0	8	9	9	11	13	13	13	13	2	3.0	2	2	2	3	4	4	4	4
75 +	2	34.5	421	20	20	34	49	49	49	49	2	14.0	162	5	5	14	23	23	23	23
ALL AGES	12	16.9	146	3	6	14	18	35	47	49	4	8.5	95	2	2	4	14	23	23	23
SUBTOTAL	**19**	**13.1**	**119**	**2**	**3**	**12**	**16**	**39**	**74**	**99 +**	**6**	**8.3**	**58**	**2**	**2**	**6**	**8**	**22**	**23**	**23**
GRAND TOTAL	**53**	**11.5**	**100**	**1**	**3**	**9**	**16**	**23**	**43**	**98**	**19**	**14.7**	**228**	**1**	**3**	**8**	**18**	**36**	**51**	**61**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	12.0		12	12	12	12	12	12	12	2	7.5	13	5	5	7	10	10	10	10
ALL AGES	3	13.0	57	6	6	12	19	21	21	21	4	4.3	18	1	1	3	7	10	10	10
SUBTOTAL	**4**	**10.8**	**57**	**4**	**4**	**9**	**16**	**21**	**21**	**21**	**5**	**5.0**	**17**	**1**	**1**	**5**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	2	7.0	2	6	6	7	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	9.0	76	3	3	5	15	19	19	19										
55-74											1	8.0		8	8	8	8	8	8	8
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	3	9.0	76	3	3	5	15	19	19	19	2	7.0	2	6	6	7	8	8	8	8
SUBTOTAL	**5**	**8.2**	**40**	**3**	**3**	**6**	**11**	**19**	**19**	**19**	**2**	**7.0**	**2**	**6**	**6**	**7**	**8**	**8**	**8**	**8**
GRAND TOTAL	**9**	**9.3**	**44**	**3**	**3**	**6**	**14**	**20**	**21**	**21**	**7**	**5.6**	**12**	**1**	**1**	**6**	**8**	**10**	**10**	**10**

ACUTE PARANOID REACTION (298.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	6	12.7	138	1	1	9	25	29	29	29										
35-54	7	12.3	43	2	3	12	18	20	20	20										
55-74	3	12.3	144	4	4	7	21	26	26	26										
75 +	3	13.3	58	9	9	9	19	22	22	22	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	19	12.6	75	1	2	11	19	26	28	29	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											1	45.0		45	45	45	45	45	45	45
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	8.0	18	5	5	8	11	11	11	11										
35-54	7	10.3	19	4	4	11	13	15	16	16	1	7.0		7	7	7	7	7	7	7
55-74	5	20.0	89	11	11	16	29	32	32	32	2	10.0	32	6	6	10	14	14	14	14
75 +	5	12.2	86	1	1	15	20	22	22	22	1	5.0		5	5	5	5	5	5	5
ALL AGES	21	13.0	71	2	3	13	17	25	30	32	5	15.4	286	5	5	7	22	45	45	45
SUBTOTAL	**40**	**12.8**	**71**	**1**	**3**	**12**	**18**	**25**	**28**	**32**	**7**	**11.6**	**233**	**1**	**1**	**6**	**12**	**39**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	11.4	57	5	5	11	14	24	24	24										
35-54	5	25.8	705	2	2	17	52	57	57	57										
55-74	3	14.3	74	6	6	14	21	23	23	23										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	13	17.6	313	2	2	11	23	52	56	57	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	59.0		59	59	59	59	59	59	59										
25-34	3	15.3	144	7	7	10	24	29	29	29										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	3	15.7	7	14	14	14	18	19	19	19										
75 +	2	18.0	162	9	9	18	27	27	27	27	1	17.0		17	17	17	17	17	17	17
ALL AGES	10	20.1	240	7	8	14	27	44	59	59	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**23**	**18.7**	**270**	**2**	**4**	**14**	**24**	**52**	**58**	**59**	**2**	**16.5**	**1**	**16**	**16**	**16**	**17**	**17**	**17**	**17**
GRAND TOTAL	**63**	**15.0**	**148**	**2**	**3**	**12**	**20**	**28**	**39**	**59**	**9**	**12.7**	**179**	**1**	**2**	**7**	**16**	**34**	**45**	**45**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**2**	**13.5**	**25**	**10**	**10**	**13**	**17**	**17**	**17**	**17**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	15.5	300	1	1	11	28	39	39	39										
18-20	6	12.2	85	3	3	10	17	27	28	28										
21-24	10	13.3	87	1	2	12	20	27	30	30										
25-34	10	9.4	44	1	2	8	15	19	22	22	1	2.0		2	2	2	2	2	2	2
35-54	7	8.3	29	1	2	6	13	15	15	15										
55-74	2	11.0	128	3	3	11	19	19	19	19	1	7.0		7	7	7	7	7	7	7
75 +	1	7.0		7	7	7	7	7	7	7	2	13.5	145	5	5	13	22	22	22	22
ALL AGES	40	11.2	79	1	2	10	15	23	29	39	4	9.0	79	2	2	6	14	22	22	22
B. FEMALE																				
0-12 YRS.	3	5.7	2	4	4	6	7	7	7	7										
13-17	3	6.3	58	1	1	3	12	15	15	15										
18-20	6	11.3	190	1	1	8	11	35	38	38										
21-24	6	12.3	185	3	3	8	12	36	39	39										
25-34	24	12.0	164	1	1	9	13	30	42	58										
35-54	34	11.7	78	2	3	10	16	22	33	36										
55-74	17	14.3	131	1	3	12	19	29	39	45	3	4.3	6	3	3	3	6	7	7	7
75 +	6	13.3	25	6	6	14	17	19	19	19	3	6.0	16	2	2	6	9	10	10	10
ALL AGES	99	12.0	111	1	2	10	15	28	36	52	6	5.2	9	2	2	5	7	10	10	10
SUBTOTAL	**139**	**11.8**	**100**	**1**	**2**	**10**	**15**	**27**	**35**	**46**	**10**	**6.7**	**36**	**2**	**2**	**5**	**7**	**16**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.5	113	2	2	9	17	17	17	17										
18-20	3	7.3	3	6	6	7	8	9	9	9										
21-24	6	11.3	98	1	1	10	13	27	29	29										
25-34	9	13.1	102	3	3	10	19	28	33	33										
35-54	5	15.2	71	3	3	19	22	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +	2	14.5	25	11	11	14	18	18	18	18	1	6.0		6	6	6	6	6	6	6
ALL AGES	27	12.3	72	2	3	10	19	22	30	33	3	3.7	4	2	2	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.0	147	8	8	17	28	32	32	32										
18-20	4	5.8	8	2	2	6	8	9	9	9										
21-24	8	18.0	144	4	5	15	26	36	39	39	1	8.0		8	8	8	8	8	8	8
25-34	22	13.2	109	2	3	10	20	27	35	44										
35-54	15	12.3	87	2	4	10	14	31	33	34	1	6.0		6	6	6	6	6	6	6
55-74	10	16.5	114	5	7	13	22	33	42	42	1	2.0		2	2	2	2	2	2	2
75 +	3	36.7	1903	9	9	14	69	87	87	87										
ALL AGES	65	15.0	183	3	4	11	19	31	40	81	3	5.3	10	2	2	6	7	8	8	8
SUBTOTAL	**92**	**14.2**	**151**	**2**	**4**	**11**	**19**	**29**	**34**	**69**	**6**	**4.5**	**6**	**2**	**2**	**4**	**6**	**8**	**8**	**8**
GRAND TOTAL	**231**	**12.7**	**123**	**1**	**3**	**10**	**17**	**28**	**34**	**47**	**16**	**5.9**	**24**	**2**	**2**	**5**	**7**	**10**	**18**	**22**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.5	25	2	2	5	9	9	9	9										
13-17	9	18.8	569	1	1	9	21	57	79	79	4	16.5	700	1	1	4	31	56	56	56
18-20	13	14.8	217	1	3	11	18	38	49	52	2	25.5	1	25	25	25	26	26	26	26
21-24	19	15.9	142	1	2	13	24	34	41	43	1	3.0		3	3	3	3	3	3	3
25-34	39	11.9	68	1	1	13	17	21	26	37	1	4.0		4	4	4	4	4	4	4
35-54	27	13.5	323	3	3	8	15	27	38	95	3	6.7		6	6	7	7	7	7	7
55-74	62	10.6	101	1	2	8	14	17	27	60	15	7.3	39	1	2	4	11	16	21	23
75 +	35	11.9	248	2	2	7	14	20	42	86	28	7.6	28	1	2	6	11	18	24	99 +
ALL AGES	206	12.5	177	1	2	9	15	24	35	82	54	8.6	82	1	2	6	11	20	26	98
B. FEMALE																				
0-12 YRS.											3	4.3	7	2	2	4	6	7	7	7
13-17	9	14.9	212	1	1	7	23	38	46	46										
18-20	9	17.0	139	3	3	19	27	32	34	34										
21-24	9	11.4	87	2	2	9	14	27	27	27	1	2.0		2	2	2	2	2	2	2
25-34	47	13.8	132	1	1	10	23	32	35	45	2	6.0	32	2	2	6	10	10	10	10
35-54	61	14.4	148	1	2	10	17	34	38	56	10	6.4	42	1	1	4	10	17	21	21
55-74	68	13.2	112	1	2	11	19	27	33	50	21	12.2	180	1	1	8	13	32	46	56
75 +	71	12.6	210	2	3	8	15	28	35	87	52	9.8	68	1	2	6	13	23	26	34
ALL AGES	274	13.5	151	1	2	9	18	30	36	57	89	9.6	91	1	2	6	12	22	28	49
SUBTOTAL	**480**	**13.1**	**162**	**1**	**2**	**9**	**17**	**28**	**36**	**63**	**143**	**9.2**	**88**	**1**	**2**	**6**	**12**	**22**	**27**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	19.9	254	2	4	20	35	75	99 +	99 +										
18-20	8	12.8	66	3	3	14	18	23	25	25										
21-24	13	15.4	191	2	3	12	20	39	46	48										
25-34	30	13.3	132	1	2	10	21	30	34	46	1	5.0		5	5	5	5	5	5	5
35-54	14	9.2	36	1	1	9	15	17	17	17	2	1.5	1	1	1	1	2	2	2	2
55-74	23	11.4	133	1	2	7	17	35	37	39	11	11.7	138	2	3	7	12	32	40	41
75 +	12	9.7	66	1	2	9	12	20	29	31	6	9.8	30	5	5	8	13	18	19	19
ALL AGES	109	12.7	127	1	2	9	18	31	37	71	20	9.8	90	1	2	6	11	22	33	41
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	6	16.2	153	4	4	12	29	33	34	34										
18-20	5	8.0	71	1	1	7	11	22	22	22										
21-24	19	17.3	355	1	2	10	28	40	59	73	1	1.0		1	1	1	1	1	1	1
25-34	35	14.5	379	1	2	10	17	23	68	92										
35-54	50	14.3	85	1	4	13	18	26	29	43	2	14.5	25	11	11	14	18	18	18	18
55-74	23	16.0	278	2	2	12	20	45	54	64	8	9.0	37	2	2	7	14	18	19	19
75 +	19	12.7	78	2	3	12	15	28	33	34	16	15.3	186	3	3	11	19	39	48	51
ALL AGES	158	14.6	207	1	2	11	18	31	41	80	27	12.8	133	2	3	10	15	25	42	51
SUBTOTAL	**267**	**13.8**	**175**	**1**	**2**	**10**	**18**	**31**	**39**	**80**	**47**	**11.5**	**115**	**2**	**2**	**8**	**13**	**25**	**41**	**51**
GRAND TOTAL	**747**	**13.4**	**165**	**1**	**2**	**10**	**17**	**29**	**37**	**73**	**190**	**9.8**	**94**	**1**	**2**	**7**	**12**	**23**	**28**	**56**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4	3	8.0	27	2	2	11	11	11	11	11
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	3	8.0	27	2	2	11	11	11	11	11
B. FEMALE																				
0-12 YRS.	2	11.5	221	1	1	11	22	22	22	22	1	23.0		23	23	23	23	23	23	23
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	221	1	1	11	22	22	22	22	1	23.0		23	23	23	23	23	23	23
SUBTOTAL	**4**	**7.3**	**97**	**1**	**1**	**3**	**13**	**22**	**22**	**22**	**4**	**11.8**	**73**	**2**	**2**	**11**	**17**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**7.3**	**97**	**1**	**1**	**3**	**13**	**22**	**22**	**22**	**4**	**11.8**	**73**	**2**	**2**	**11**	**17**	**23**	**23**	**23**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	6.5	9	4	4	6	9	10	10	10										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	6.5	9	4	4	6	9	10	10	10										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	69.0		69	69	69	69	69	69	69
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	69.0		69	69	69	69	69	69	69
SUBTOTAL	5	6.0	8	4	4	4	8	10	10	10	1	69.0		69	69	84	99 +	99 +	99 +	99 +
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	28.5	1201	4	4	53	88	99 +	99 +	99 +
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	28.5	1201	4	4	53	88	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											2	28.5	1201	4	4	53	88	99 +	99 +	99 +
GRAND TOTAL	5	6.0	8	4	4	4	8	10	10	10	3	42.0	1147	4	4	69	99 +	99 +	99 +	99 +

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	46.5	3281	6	6	46	87	87	87	87										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	46.5	3281	6	6	46	87	87	87	87										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**46.5**	**3281**	**6**	**6**	**46**	**87**	**87**	**87**	**87**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**3**	**31.3**	**2333**	**1**	**1**	**6**	**67**	**87**	**87**	**87**										

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2	3	1.7	1	1	1	1	2	3	3	3
13-17	2	2.0		2	2	2	2	2	2	2	3	2.7	8	1	1	1	5	6	6	6
18-20	9	2.8	8	1	1	2	3	8	10	10	1	3.0		3	3	3	3	3	3	3
21-24	9	6.6	60	1	1	4	9	19	25	25	4	2.3	1	1	1	2	3	3	3	3
25-34	38	7.1	74	1	1	3	10	16	22	45	11	2.7	5	1	1	2	4	6	8	8
35-54	60	5.8	65	1	1	3	6	13	18	52	24	2.2	2	1	1	2	3	4	5	6
55-74	31	4.8	21	1	1	3	6	12	14	21	18	3.1	7	1	1	2	3	6	10	12
75 +	8	7.0	43	1	1	5	12	17	18	18	6	3.0	4	1	1	2	3	7	7	7
ALL AGES	160	5.7	53	1	1	3	7	14	18	43	70	2.6	4	1	1	2	3	5	7	11
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	3	9.7	79	4	4	5	16	20	20	20	5	2.0	2	1	1	1	3	4	4	4
18-20	3	9.3	83	1	1	8	16	19	19	19	3	3.7	5	1	1	5	5	5	5	5
21-24	15	5.8	25	1	1	4	10	14	15	15	3	1.7	1	1	1	1	3	3	3	3
25-34	55	6.1	62	1	1	4	8	13	20	47	18	2.9	4	1	1	2	3	7	7	7
35-54	95	5.3	37	1	1	3	7	13	19	30	53	2.8	9	1	1	2	3	5	8	20
55-74	73	6.6	37	1	1	5	8	15	19	28	46	3.1	4	1	1	3	4	5	6	11
75 +	32	6.2	38	1	1	4	7	14	22	28	20	4.0	8	1	1	3	5	7	11	14
ALL AGES	277	6.1	42	1	1	4	8	14	20	28	148	3.0	6	1	1	2	4	5	7	14
SUBTOTAL	**437**	**6.0**	**45**	**1**	**1**	**4**	**7**	**14**	**19**	**29**	**218**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.3	90	3	3	7	17	21	21	21	2	20.0	450	5	5	20	35	35	35	35
18-20	6	9.5	56	1	1	8	15	20	21	21										
21-24	9	9.1	38	2	3	7	13	19	21	21	2	4.0		4	4	4	4	4	4	4
25-34	32	13.9	99	1	2	12	20	28	35	39	4	3.0	2	1	1	3	4	4	4	4
35-54	48	7.5	43	1	2	5	9	19	21	30	11	2.1	1	1	1	2	2	4	4	4
55-74	16	14.6	149	1	2	14	22	28	40	45	5	5.2	37	2	2	2	7	16	16	16
75 +	3	11.7	33	5	5	14	15	16	16	16	1	3.0		3	3	3	3	3	3	3
ALL AGES	117	10.6	80	1	2	8	16	23	28	41	25	4.5	49	1	1	2	4	5	21	35
B. FEMALE																				
0-12 YRS.											1	46.0		46	46	46	46	46	46	46
13-17	4	9.3	20	3	3	11	35	99 +	99 +	99 +										
18-20	5	12.6	105	3	3	12	20	27	27	27										
21-24	14	17.1	250	1	1	10	29	33	49	53	2	2.5	5	1	1	2	4	4	4	4
25-34	56	11.1	110	1	1	8	14	23	33	54	7	4.9	18	1	1	3	5	12	14	14
35-54	76	12.3	144	2	2	9	17	29	36	58	17	4.2	13	1	1	3	5	11	12	13
55-74	54	13.1	206	2	3	9	17	23	39	90	14	5.2	32	1	1	4	6	9	20	23
75 +	19	9.4	62	1	2	8	15	21	27	29	6	4.5	7	1	1	4	7	8	8	8
ALL AGES	228	12.2	147	1	2	9	16	28	35	66	47	5.5	53	1	1	4	6	11	15	46
SUBTOTAL	**345**	**11.7**	**123**	**1**	**2**	**8**	**16**	**25**	**31**	**55**	**72**	**5.1**	**52**	**1**	**1**	**3**	**5**	**10**	**16**	**44**
GRAND TOTAL	**782**	**8.5**	**88**	**1**	**1**	**5**	**11**	**20**	**27**	**50**	**290**	**3.5**	**17**	**1**	**1**	**3**	**4**	**6**	**8**	**22**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	3	1.3		1	1	1	2	2	2	2	5	1.2		1	1	1	2	2	2	2
13-17	6	2.5	4	1	1	2	3	6	6	6	5	3.8	9	1	1	2	6	8	8	8
18-20	4	2.5	2	1	1	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
21-24	5	6.6	12	2	2	8	9	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	11	4.2	11	1	1	4	6	10	10	10	3	1.3		1	1	1	2	2	2	2
35-54	8	12.5	105	2	2	12	20	27	29	29	8	5.0	26	1	1	3	5	14	17	17
55-74	5	5.8	11	3	3	5	8	11	11	11	9	4.2	5	1	1	4	5	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	43	5.6	36	1	1	3	8	12	19	29	34	3.5	10	1	1	3	4	7	8	17
B. FEMALE																					
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5	2	36.5	2113	4	4	36	69	69	69	69
13-17	16	4.2	16	1	1	2	6	11	14	15	8	2.9	2	1	1	3	4	5	5	5
18-20	9	4.7	11	1	1	5	7	9	10	10	4	3.3	10	1	1	2	5	8	8	8
21-24	7	6.0	46	1	1	3	6	18	21	21	7	3.6	15	1	1	1	6	10	11	11
25-34	20	9.5	122	1	1	4	14	24	37	43	13	3.4	6	1	1	2	5	7	9	10
35-54	37	6.9	58	1	1	4	8	17	26	34	21	5.1	8	2	2	5	6	10	12	12
55-74	11	6.5	34	1	1	4	10	15	20	20	15	3.3	5	1	2	2	3	7	9	10
75 +	7	5.7	61	1	1	3	5	20	23	23	4	3.5	4	2	2	3	5	6	6	6
ALL AGES	109	6.6	56	1	1	4	8	16	21	38	74	4.7	65	1	1	3	5	8	11	55
SUBTOTAL	**152**	**6.3**	**50**	**1**	**1**	**4**	**8**	**15**	**21**	**34**	**108**	**4.3**	**48**	**1**	**1**	**3**	**5**	**8**	**10**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	2	1.0		1	1	1	1	1	1	1	2	20.5	365	7	7	20	34	34	34	34
18-20											1	1.0		1	1	1	1	1	1	1
21-24																					
25-34	9	6.9	33	2	2	6	9	16	20	20										
35-54	8	15.9	818	1	1	4	15	66	84	84	3	3.0	1	2	2	3	4	4	4	4
55-74	5	7.6	130	2	2	3	9	28	28	28	2	8.0	72	2	2	8	14	14	14	14
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	25	9.3	296	1	1	3	7	25	42	84	9	8.7	109	1	1	4	12	26	34	34
B. FEMALE																					
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	19.1	304	1	1	14	32	46	49	49	2	2.0		2	2	2	2	2	2	2
18-20	4	17.0	434	3	3	8	28	48	48	48	1	3.0		3	3	3	3	3	3	3
21-24	12	8.2	115	1	1	4	10	24	36	38	3	3.0	3	1	1	4	4	4	4	4
25-34	9	11.6	343	1	1	7	15	79	99 +	99 +	8	3.4	5	1	1	3	5	7	7	7
35-54	15	9.3	116	1	1	7	10	19	37	43	11	3.5	9	1	1	2	5	8	11	11
55-74	12	9.6	112	1	2	5	11	28	35	36	6	6.3	55	1	1	4	6	19	21	21
75 +	7	10.3	41	2	3	8	16	19	19	19	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	68	11.1	170	1	1	7	14	37	48	92	33	4.0	14	1	1	3	5	6	10	21
SUBTOTAL	**93**	**10.6**	**202**	**1**	**1**	**5**	**12**	**29**	**47**	**93**	**42**	**5.0**	**36**	**1**	**1**	**3**	**6**	**11**	**17**	**34**
GRAND TOTAL	**245**	**7.9**	**112**	**1**	**1**	**4**	**9**	**19**	**30**	**60**	**150**	**4.5**	**44**	**1**	**1**	**3**	**5**	**8**	**11**	**34**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	40.0		40	40	40	40	40	40	40												
13-17																						
18-20	1	3.0		3	3	3	3	3	3	3												
21-24	2	12.0	242	1	1	12	23	23	23	23												
25-34	2	10.0		10	10	10	10	10	10	10												
35-54	4	19.3	43	13	13	18	24	28	28	28		1	6.0		6	6	6	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3												
75 +																						
ALL AGES	11	15.2	143	1	2	13	22	33	39	40		1	6.0		6	6	6	6	6	6	6
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	3	9.0	19	4	4	11	12	12	12	12												
25-34	4	17.5	235	2	2	15	28	38	38	38		3	8.3	7	6	6	8	10	11	11	11
35-54	8	12.4	70	3	3	11	17	25	28	28		1	4.0		4	4	4	4	4	4	4
55-74	5	12.2	149	2	2	10	16	33	33	33												
75 +	2	19.0	450	4	4	19	34	34	34	34		1	5.0		5	5	5	5	5	5	5
ALL AGES	22	13.4	119	2	3	11	19	33	36	38		5	6.8	8	4	4	6	9	11	11	11
SUBTOTAL	**33**	**14.0**	**123**	**2**	**3**	**11**	**20**	**33**	**37**	**40**		**6**	**6.7**	**6**	**4**	**4**	**6**	**8**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5												
13-17												1	74.0		74	74	74	74	74	74	74
18-20																						
21-24																						
25-34	4	28.8	1329	4	4	14	52	82	82	82												
35-54	6	14.7	149	2	2	11	26	32	33	33												
55-74	4	21.8	138	5	5	24	29	33	33	33												
75 +																						
ALL AGES	16	18.5	414	1	2	11	25	33	67	82		1	74.0		74	74	74	74	74	74	74
B. FEMALE																						
0-12 YRS.												1	99.0		99	99	99	99	99	99 +	99 +
13-17	1	87.0		87	87	87	87	87	87	87												
18-20	2	10.0	32	6	6	10	14	14	14	14												
21-24	2	8.5	1	8	8	8	9	9	9	9												
25-34	6	26.5	118	13	13	27	35	39	40	40												
35-54	23	14.5	125	1	3	12	16	33	38	44												
55-74	5	15.6	95	8	8	9	24	29	29	29		2	7.0	2	6	6	7	8	8	8	8
75 +	3	9.7	5	7	7	10	11	12	12	12												
ALL AGES	42	17.2	239	3	6	12	23	35	42	87		3	37.7	2819	6	6	8	76	99	99	99 +
SUBTOTAL	**58**	**17.6**	**280**	**2**	**4**	**12**	**24**	**34**	**42**	**87**		**4**	**46.8**	**2205**	**6**	**6**	**41**	**86**	**99**	**99**	**99 +**
GRAND TOTAL	**91**	**16.3**	**224**	**2**	**3**	**12**	**23**	**34**	**40**	**85**		**10**	**22.7**	**1169**	**4**	**4**	**7**	**11**	**86**	**99**	**99**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24	5	30.0	797	4	4	16	59	63	63	63										
25-34	9	21.1	85	9	10	21	27	34	38	38										
35-54	2	28.0	882	7	7	28	49	49	49	49										
55-74	1	39.0		39	39	39	39	39	39	39										
75 +																				
ALL AGES	18	24.2	342	2	5	19	38	55	61	63										
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20																				
21-24											2	12.0	162	3	3	12	21	21	21	21
25-34	6	19.5	228	2	3	25	39	88	99 +	99 +										
35-54	3	9.7	53	4	4	7	15	18	18	18										
55-74	1	54.0		54	54	54	54	54	54	54										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	12	21.1	254	2	4	24	32	63	93	99 +	2	12.0	162	3	3	12	21	21	21	21
SUBTOTAL	**30**	**23.0**	**297**	**2**	**4**	**21**	**36**	**56**	**63**	**99 +**	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	34.0		34	34	34	34	34	34	34										
25-34	1	24.0		24	24	24	24	24	24	24										
35-54	3	40.3	1476	12	12	25	69	84	84	84										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	30.5	798	4	5	24	34	79	84	84										
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17																				
18-20	1	26.0		26	26	26	26	26	26	26										
21-24											1	7.0		7	7	7	7	7	7	7
25-34	4	17.3	198	1	1	18	29	31	31	31										
35-54	2	37.0	162	28	28	37	46	46	46	46										
55-74	3	24.3	17	20	20	26	27	27	27	27										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	12	27.3	211	2	7	27	30	49	56	57	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**18**	**28.4**	**372**	**2**	**6**	**26**	**31**	**54**	**73**	**84**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**48**	**25.0**	**326**	**2**	**4**	**25**	**32**	**56**	**64**	**99 +**	**3**	**10.3**	**90**	**3**	**3**	**7**	**17**	**21**	**21**	**21**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	9	22.0	413	2	2	12	41	50	51	51										
13-17	22	18.3	505	2	4	10	22	65	93	99 +										
18-20	14	5.2	28	1	1	4	6	14	18	19										
21-24	15	6.1	25	1	2	4	8	12	18	20	1	3.0		3	3	3	3	3	3	3
25-34	36	9.3	82	1	1	5	15	25	29	31	3	2.0	3	1	1	1	3	4	4	4
35-54	52	10.4	70	1	2	8	15	24	26	33	9	2.4	4	1	1	2	3	6	6	6
55-74	43	9.3	61	1	2	7	15	19	21	40	6	5.8	11	2	2	5	6	11	12	12
75 +	18	12.7	204	2	4	8	14	23	48	64	8	15.0	390	2	3	7	16	50	61	61
ALL AGES	209	10.9	146	1	1	7	14	24	31	74	27	6.9	139	1	1	5	6	11	30	61
B. FEMALE																						
0-12 YRS.	4	9.5	57	4	4	7	15	20	20	20										
13-17	49	15.9	451	1	2	8	18	61	79	99 +	5	21.4	1027	1	1	8	31	78	78	78
18-20	22	6.0	27	1	1	5	10	14	16	18	2	1.0		1	1	1	1	1	1	1
21-24	28	7.3	34	1	1	6	12	15	18	22	4	4.8	18	1	1	3	7	11	11	11
25-34	97	11.5	122	1	2	8	16	27	30	53	18	3.3	7	1	1	3	4	7	10	11
35-54	155	9.3	83	1	2	6	13	19	24	52	23	6.2	31	2	2	3	9	14	17	23
55-74	109	11.4	119	1	2	7	17	27	35	51	39	5.3	9	1	2	5	7	10	11	15
75 +	51	11.4	182	1	3	7	12	27	31	86	19	9.3	103	1	2	6	11	24	34	42
ALL AGES	515	10.8	139	1	2	7	15	24	30	66	110	6.5	80	1	1	4	7	12	15	56
SUBTOTAL	**724**	**10.8**	**142**	**1**	**2**	**7**	**15**	**24**	**30**	**66**	**137**	**6.6**	**91**	**1**	**1**	**4**	**7**	**12**	**20**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	21	37.1	885	4	7	36	58	85	93	99 +	1	63.0		63	63	63	63	63	63	63
13-17	37	30.6	517	3	4	30	60	99 +	99 +	99 +	1	41.0		41	41	41	41	41	41	41
18-20	26	21.1	298	4	5	17	24	51	58	60										
21-24	53	14.5	125	1	2	15	21	27	29	61	1	14.0		14	14	14	14	14	14	14
25-34	149	15.2	120	2	2	15	21	28	33	52	1	2.0		2	2	2	2	2	2	2
35-54	125	17.0	117	3	4	20	21	28	33	56	11	5.0	10	1	1	5	6	10	12	12
55-74	51	16.0	162	1	3	11	22	32	40	62	9	7.9	62	3	3	5	8	22	27	27
75 +	9	14.0	131	1	1	13	24	29	32	32	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	471	18.2	228	2	3	17	22	38	57	99 +	26	9.8	193	1	2	5	8	26	45	63
B. FEMALE																						
0-12 YRS.	9	42.8	861	3	3	54	70	89	99 +	99 +	1	62.0		62	62	62	62	62	62	62
13-17	69	23.2	654	1	2	14	57	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
18-20	36	16.9	234	2	3	12	25	39	43	70										
21-24	43	15.0	267	1	2	11	21	29	39	91	3	2.3	2	1	1	3	3	3	3	3
25-34	171	14.3	125	2	2	14	21	27	34	70	12	4.3	17	1	1	2	7	10	13	14
35-54	190	15.6	144	2	3	14	21	29	36	62	10	8.9	284	1	1	2	6	33	56	56
55-74	111	12.6	80	2	3	11	19	23	28	69	11	7.2	25	2	2	4	11	15	16	16
75 +	20	11.7	82	1	2	8	19	25	30	32	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	649	15.8	220	2	3	12	21	34	57	99 +	40	7.6	161	1	1	3	8	14	36	62
SUBTOTAL	**1120**	**16.8**	**225**	**2**	**3**	**14**	**21**	**35**	**57**	**99 +**	**66**	**8.5**	**172**	**1**	**1**	**4**	**8**	**14**	**44**	**63**
GRAND TOTAL	**1844**	**14.5**	**199**	**1**	**2**	**10**	**21**	**30**	**50**	**99 +**	**203**	**7.2**	**117**	**1**	**1**	**4**	**7**	**14**	**23**	**62**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54	2	8.5	1	8	8	8	9	9	9	9	1	7.0		7	7	7	7	7	7	7
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	6.7	10	3	3	8	9	9	9	9	2	5.5	5	4	4	5	7	7	7	7
SUBTOTAL	**3**	**6.7**	**10**	**3**	**3**	**8**	**9**	**9**	**9**	**9**	**4**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**6.7**	**10**	**3**	**3**	**8**	**9**	**9**	**9**	**9**	**4**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**7**	**7**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17	1	59.0		59	59	59	59	59	59	59												
18-20																						
21-24																						
25-34																						
35-54	1	19.0		19	19	19	19	19	19	19												
55-74																						
75 +																						
ALL AGES	2	39.0	800	19	19	39	59	59	59	59												
SUBTOTAL	**2**	**39.0**	**800**	**19**	**19**	**39**	**59**	**59**	**59**	**59**												
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	51.0		51	51	51	51	51	51	51												
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	1	51.0		51	51	51	51	51	51	51												
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	**1**	**51.0**		**51**	**51**	**51**	**51**	**51**	**51**	**51**												
GRAND TOTAL	**3**	**43.0**	**448**	**19**	**19**	**51**	**57**	**59**	**59**	**59**												

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	3	10.7	132	4	4	4	19	24	24	24										
SUBTOTAL	**3**	**10.7**	**132**	**4**	**4**	**4**	**19**	**24**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	2	11.0	128	3	3	11	19	19	19	19										
ALL AGES	3	8.3	86	3	3	3	15	19	19	19										
SUBTOTAL	**4**	**7.5**	**60**	**3**	**3**	**4**	**12**	**19**	**19**	**19**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**7**	**8.9**	**76**	**3**	**3**	**4**	**15**	**23**	**24**	**24**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34												1	21.0		21	21	21	21	21	21	21
35-54																						
55-74	1	1.0		1	1	1	1	1	1	1											
75 +																						
ALL AGES	1	1.0		1	1	1	1	1	1	1		1	21.0		21	21	21	21	21	21	21
B. FEMALE																						
0-12 YRS.																						
13-17	1	53.0		53	53	53	53	53	53	53											
18-20																						
21-24																						
25-34	2	2.5	1	2	2	2	3	3	3	3		1	4.0		4	4	4	4	4	4	4
35-54	5	16.8	437	2	2	6	28	52	52	52		1	8.0		8	8	8	8	8	8	8
55-74	2	4.5	13	2	2	4	7	7	7	7		2	5.5	13	3	3	5	8	8	8	8
75 +	2	2.0	2	1	1	1	3	3	3	3											
ALL AGES	12	12.9	368	1	1	4	13	52	53	53		4	5.8	6	3	3	6	8	8	8	8
SUBTOTAL	**13**	**12.0**	**348**	**1**	**1**	**3**	**10**	**52**	**53**	**53**		**5**	**8.8**	**52**	**3**	**3**	**8**	**11**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	10.0		10	10	10	10	10	10	10											
35-54	1	18.0		18	18	18	18	18	18	18											
55-74	1	10.0		10	10	10	10	10	10	10											
75 +																						
ALL AGES	3	12.7	20	10	10	10	16	18	18	18											
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34	1	13.0		13	13	13	13	13	13	13											
35-54	6	15.5	574	2	2	3	21	58	62	62											
55-74	6	19.5	155	6	6	18	23	39	41	41		1	4.0		4	4	4	4	4	4	4
75 +	2	20.0	288	8	8	20	32	32	32	32											
ALL AGES	15	17.5	288	2	2	13	23	41	57	62		1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**18**	**16.7**	**243**	**2**	**2**	**12**	**22**	**38**	**54**	**62**		**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**31**	**14.7**	**283**	**1**	**2**	**8**	**21**	**45**	**53**	**62**		**6**	**8.0**	**45**	**3**	**3**	**6**	**8**	**20**	**21**	**21**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	4.3	11	1	1	3	6	9	9	9	1	2.0		2	2	2	2	2	2	2
13-17	2	2.0	2	1	1	2	3	3	3	3	3	1.0		1	1	1	1	1	1	1
18-20	5	1.8	3	1	1	1	2	5	5	5										
21-24	4	4.8	56	1	1	1	9	16	16	16	1	1.0		1	1	1	1	1	1	1
25-34	5	10.0	100	1	1	8	13	27	27	27	2	1.0		1	1	1	1	1	1	1
35-54	6	12.2	92	1	1	12	20	24	24	24	2	1.5	1	1	1	1	2	2	2	2
55-74	6	11.3	57	4	4	10	15	23	24	24	4	5.8	12	1	1	6	8	9	9	9
75 +	9	6.1	6	2	2	7	8	9	9	9	7	8.9	64	2	2	8	10	23	26	26
ALL AGES	41	7.2	49	1	1	5	9	19	24	27	20	4.8	35	1	1	2	8	9	18	26
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	5	3.0	8	1	1	1	5	7	7	7	4	2.8	5	1	1	2	4	6	6	6
18-20	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
21-24	2	1.5	1	1	1	1	2	2	2	2	2	10.0	98	3	3	10	17	17	17	17
25-34	3	2.3	3	1	1	2	3	4	4	4	5	2.4	5	1	1	1	4	6	6	6
35-54	8	4.1	15	1	1	2	8	10	10	10	8	3.6	2	2	2	4	5	5	5	5
55-74	7	3.9	3	2	2	4	6	72	99 +	99 +	8	5.4	10	1	1	5	7	10	11	11
75 +	13	16.6	332	3	4	9	18	52	59	61	13	8.4	27	3	4	7	9	17	21	22
ALL AGES	41	7.5	144	1	1	4	9	18	54	99 +	41	5.5	21	1	1	5	7	11	16	22
SUBTOTAL	**82**	**7.4**	**95**	**1**	**1**	**4**	**9**	**18**	**25**	**87**	**61**	**5.3**	**25**	**1**	**1**	**4**	**7**	**10**	**16**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5										
13-17	3	12.7	257	1	1	6	25	31	31	31	4	5.3	72	1	1	1	10	18	18	18
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	5	4.2	13	1	1	3	8	8	8	8										
25-34	12	3.8	6	1	1	3	5	8	9	9	4	1.8	2	1	1	1	2	4	4	4
35-54	13	2.9	7	1	1	1	5	7	8	8	5	3.0	4	1	1	3	4	6	6	6
55-74											5	7.8	32	2	2	7	10	17	17	17
75 +	4	14.8	137	3	3	12	22	31	31	31	6	8.0	39	3	3	5	15	17	17	17
ALL AGES	40	5.2	46	1	1	3	7	10	22	31	25	5.2	31	1	1	3	6	17	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	10	7.9	40	1	1	7	12	17	20	20	4	2.3	12	1	1	1	4	8	8	8
18-20	6	14.2	306	1	1	9	15	45	48	48	1	1.0		1	1	1	1	1	1	1
21-24	14	10.5	129	1	1	4	17	30	32	32	3	1.3		1	1	1	2	2	2	2
25-34	14	7.1	117	1	1	4	7	16	37	43	2	1.5	1	1	1	1	2	2	2	2
35-54	20	8.8	131	1	1	6	10	21	38	49	9	3.7	9	1	1	2	7	8	9	9
55-74	6	7.7	23	1	1	8	10	14	15	15	4	4.8	12	2	2	3	7	10	10	10
75 +	3	5.3	17	1	1	6	8	9	9	9	5	2.2	1	1	1	2	3	3	3	3
ALL AGES	73	8.9	111	1	1	5	12	20	32	49	28	2.9	7	1	1	2	3	8	9	10
SUBTOTAL	**113**	**7.6**	**91**	**1**	**1**	**5**	**9**	**16**	**31**	**48**	**53**	**4.0**	**19**	**1**	**1**	**2**	**5**	**9**	**16**	**18**
GRAND TOTAL	**195**	**7.5**	**92**	**1**	**1**	**5**	**9**	**17**	**29**	**56**	**114**	**4.7**	**22**	**1**	**1**	**3**	**7**	**10**	**17**	**23**

PARANOID PERSONALITY (301.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	36.8	1547	8	8	22	62	94	94	94										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	8.7		8	8	8	10	10	10	10										
75 +	2	21.5	41	17	17	21	26	26	26	26										
ALL AGES	9	24.0	758	8	8	14	27	69	94	94	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**11**	**20.6**	**667**	**2**	**5**	**10**	**24**	**56**	**91**	**94**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	16.0	128	8	8	16	24	24	24	24										
35-54	4	9.8	13	5	5	10	12	14	14	14										
55-74																				
75 +																				
ALL AGES	6	11.8	46	5	5	10	14	23	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	10.0	50	5	5	10	15	15	15	15										
SUBTOTAL	**8**	**11.4**	**39**	**5**	**5**	**10**	**14**	**21**	**24**	**24**										
GRAND TOTAL	**19**	**16.7**	**408**	**3**	**5**	**10**	**16**	**29**	**66**	**94**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.7	132	12	12	14	28	33	33	33										
18-20	2	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	2	11.0	18	8	8	11	14	14	14	14	1	3.0		3	3	3	3	3	3	3
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	9	14.2	75	7	7	12	16	29	33	33	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	50	99+	99+	99+	99+										
18-20																				
21-24	1	19.0		19	19	19	19	19	19	19										
25-34	3	20.7	106	9	9	24	28	29	29	29										
35-54	7	15.6	53	6	6	15	22	25	25	25										
55-74	3	6.7	14	4	4	5	9	11	11	11	1	3.0		3	3	3	3	3	3	3
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	16	13.8	73	2	4	14	23	28	75	99+	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**25**	**14.0**	**69**	**3**	**5**	**13**	**23**	**29**	**46**	**99+**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34										
18-20																				
21-24	5	8.6	50	1	1	7	14	19	19	19										
25-34	5	12.6	339	1	1	4	19	45	45	45										
35-54	12	14.6	60	5	6	13	20	26	29	30										
55-74	3	11.7	55	4	4	12	17	19	19	19	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	26	13.5	115	1	3	11	19	29	36	45	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	61	99+	99+	99+	99+										
18-20	3	8.3	42	1	1	11	12	13	13	13										
21-24	3	14.3	36	10	10	12	19	21	21	21										
25-34	7	11.9	166	1	2	8	11	34	40	40										
35-54	2	13.0	50	8	8	13	18	18	18	18										
55-74	2	12.5	145	4	4	12	21	21	21	21										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	19	12.6	83	1	2	11	19	31	70	99+										
SUBTOTAL	**45**	**13.1**	**100**	**1**	**3**	**11**	**19**	**29**	**41**	**99+**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**70**	**13.4**	**89**	**1**	**4**	**12**	**19**	**29**	**39**	**99+**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	12.6	120	1	1	10	19	30	30	30	2	9.5	61	4	4	9	15	15	15	15
21-24	2	24.0	128	16	16	24	32	32	32	32										
25-34	2	17.5	13	15	15	17	20	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	2	8.0	8	6	6	8	10	10	10	10										
55-74																				
75 +																				
ALL AGES	11	14.7	94	1	4	15	19	31	32	32	3	6.7	54	1	1	4	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.5	481	2	2	17	33	33	33	33										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	3	11.3	7	9	9	11	13	14	14	14										
35-54	4	17.8	69	9	9	18	25	25	25	25										
55-74																				
75 +																				
ALL AGES	12	13.5	90	2	2	11	19	28	32	33										
SUBTOTAL	**23**	**14.1**	**87**	**1**	**2**	**11**	**19**	**30**	**32**	**33**	**3**	**6.7**	**54**	**1**	**1**	**4**	**12**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	19.5	365	6	6	19	33	33	33	33										
21-24	2	14.5	61	9	9	14	20	20	20	20										
25-34	4	17.0	653	1	1	6	32	55	55	55										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	9	15.7	316	1	1	9	23	46	55	55										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	14.5	14	12	12	13	17	20	20	20										
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.5	14	12	12	13	17	20	20	20										
SUBTOTAL	**13**	**15.3**	**216**	**1**	**2**	**12**	**20**	**37**	**52**	**55**										
GRAND TOTAL	**36**	**14.5**	**130**	**1**	**2**	**11**	**20**	**32**	**33**	**55**	**3**	**6.7**	**54**	**1**	**1**	**4**	**12**	**15**	**15**	**15**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	13	9	9	11	14	14	14	14										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	2	4.5	13	2	2	4	7	7	7	7										
35-54																				
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	6	10.0	44	2	2	8	14	20	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**7**	**8.7**	**49**	**1**	**1**	**7**	**13**	**20**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	23.0		23	23	23	23	23	23	23										
25-34	5	13.0	99	4	4	9	20	28	28	28	1	2.0		2	2	2	2	2	2	2
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	8	12.3	92	1	2	9	20	26	28	28	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20	2	5.0	18	2	2	5	8	8	8	8										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	6.5	5	5	5	6	8	8	8	8										
55-74																				
75 +																				
ALL AGES	6	4.2	11	1	1	3	8	8	8	8										
SUBTOTAL	**14**	**8.8**	**71**	**1**	**1**	**7**	**9**	**23**	**27**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**21**	**8.8**	**60**	**1**	**1**	**7**	**10**	**22**	**25**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	11.5	113	4	4	11	19	19	19	19										
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	113	4	4	11	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**4**	**8.3**	**53**	**3**	**3**	**5**	**13**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54	2	20.5	481	5	5	20	36	36	36	36										
55-74	2	22.0	162	13	13	22	31	31	31	31	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	6	16.7	181	5	5	11	31	35	36	36	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	8.0	98	1	1	8	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	98	1	1	8	15	15	15	15										
SUBTOTAL	**8**	**14.5**	**160**	**1**	**2**	**11**	**23**	**34**	**36**	**36**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**12**	**12.4**	**127**	**1**	**2**	**8**	**17**	**32**	**35**	**36**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	19.0		19	19	19	19	19	19	19	2	1.0		1	1	1	1	1	1	1
35-54	1	14.0		14	14	14	14	14	14	14	1	9.0		9	9	9	9	9	9	9
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	5	12.6	74	1	1	14	20	22	22	22	3	3.7	21	1	1	1	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	3	2.0	3	1	1	1	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	5	2.8	12	1	1	1	4	9	9	9
SUBTOTAL	**8**	**8.6**	**74**	**1**	**1**	**5**	**16**	**21**	**22**	**22**	**8**	**3.1**	**13**	**1**	**1**	**1**	**5**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	4.5	13	2	2	4	7	7	7	7										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	14.0	242	3	3	14	25	25	25	25										
55-74																				
75 +																				
ALL AGES	6	6.7	85	1	1	3	7	23	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	31.0	1458	4	4	31	58	58	58	58										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	3.0	4	2	2	2	4	6	6	6										
35-54	3	15.0	100	5	5	15	22	25	25	25										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	10	12.0	318	1	1	4	15	41	58	58	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**16**	**10.0**	**226**	**1**	**1**	**3**	**11**	**25**	**48**	**58**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**24**	**9.5**	**171**	**1**	**1**	**4**	**14**	**25**	**35**	**58**	**9**	**2.9**	**12**	**1**	**1**	**1**	**4**	**9**	**9**	**9**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.5	25	7	7	10	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-20	2	5.0	32	1	1	5	9	9	9	9										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	17.5	365	4	4	17	31	31	31	31										
35-54	3	5.3	2	4	4	6	6	6	6	6										
55-74	2	24.5	421	10	10	24	39	39	39	39										
75 +																				
ALL AGES	11	11.8	153	1	2	6	15	34	39	39										
SUBTOTAL	**13**	**11.6**	**130**	**1**	**3**	**7**	**15**	**33**	**38**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	25.0		25	25	25	25	25	25	25										
21-24	2	14.0	338	1	1	14	27	27	27	27										
25-34																				
35-54	2	29.0	200	19	19	29	39	39	39	39										
55-74																				
75 +																				
ALL AGES	5	22.2	193	1	1	25	30	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	5.6	17	1	1	4	10	10	10	10										
55-74	2	9.5	145	1	1	9	18	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	12	6.5	48	1	1	3	10	19	21	21	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**17**	**11.1**	**136**	**1**	**1**	**6**	**19**	**27**	**35**	**39**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**30**	**11.3**	**129**	**1**	**1**	**7**	**18**	**29**	**39**	**39**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	2	2.0	2	1	1	1	3	3	3	3										
21-24	6	4.2	5	1	1	4	6	7	7	7										
25-34	3	2.7		2	2	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	12	3.3	3	1	1	3	4	6	7	7										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**13**	**5.3**	**58**	**1**	**1**	**3**	**5**	**12**	**27**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	13	3	3	5	8	8	8	8										
18-20	2	3.0	8	1	1	3	5	5	5	5										
21-24	7	6.7	42	2	2	4	9	18	20	20										
25-34	6	5.0	7	1	1	5	7	8	8	8										
35-54	3	7.7	42	1	1	8	12	14	14	14										
55-74																				
75 +																				
ALL AGES	20	5.9	22	1	1	5	8	12	17	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**21**	**5.7**	**22**	**1**	**1**	**5**	**8**	**12**	**17**	**20**										
GRAND TOTAL	**34**	**5.5**	**35**	**1**	**1**	**3**	**7**	**10**	**19**	**30**										

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	67.0		67	67	67	67	67	67	67										
13-17																				
18-20	7	9.6	54	3	3	8	11	22	25	25										
21-24	10	15.7	465	1	1	4	27	49	68	68										
25-34	24	11.0	44	4	4	8	17	21	22	23										
35-54	6	11.3	22	5	5	12	16	16	16	16										
55-74																				
75 +																				
ALL AGES	48	13.0	187	2	3	8	17	24	35	68										
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17	11	13.1	304	3	3	6	13	38	61	63										
18-20	21	21.0	609	1	2	15	28	56	88	89	1	3.0		3	3	3	3	3	3	3
21-24	29	12.8	181	1	1	10	19	34	42	53	2	2.0	2	1	1	2	3	3	3	3
25-34	50	12.2	188	1	2	8	16	28	59	99 +	6	4.2	3	2	2	4	5	7	7	7
35-54	25	10.9	51	2	4	9	14	19	26	34										
55-74											1	10.0		10	10	10	10	10	10	10
75 +	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
ALL AGES	138	14.0	271	1	2	8	17	32	57	90	11	3.9	7	1	1	3	5	8	10	10
SUBTOTAL	**186**	**13.7**	**249**	**1**	**2**	**8**	**17**	**30**	**55**	**88**	**11**	**3.9**	**7**	**1**	**1**	**3**	**5**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
13-17	4	6.0	7	3	3	6	8	9	9	9										
18-20	8	17.6	328	1	3	12	35	83	99 +	99 +	1	1.0		1	1	1	1	1	1	1
21-24	7	15.3	329	1	1	11	22	47	52	52										
25-34	19	13.9	131	2	3	12	20	39	72	99 +										
35-54	12	6.6	31	1	1	5	10	15	18	19										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	52	12.5	156	1	2	9	19	35	57	99 +	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	41.5	1985	10	10	41	73	73	73	73										
13-17	8	26.1	577	1	1	23	48	57	60	60	1	34.0		34	34	67	99 +	99 +	99 +	99 +
18-20	14	14.2	191	1	1	9	25	33	44	47										
21-24	29	10.2	115	1	1	6	11	31	32	36	1	31.0		31	31	31	31	31	31	31
25-34	54	13.4	179	1	3	9	18	26	39	78										
35-54	32	18.5	531	1	2	8	25	57	78	86	1	5.0		5	5	5	5	5	5	5
55-74	5	8.0	24	4	4	6	12	15	15	15										
75 +																				
ALL AGES	144	14.9	290	1	2	8	19	36	50	80	3	23.3	257	5	5	32	67	99 +	99 +	99 +
SUBTOTAL	**196**	**14.2**	**257**	**1**	**2**	**9**	**19**	**35**	**53**	**93**	**5**	**14.8**	**264**	**1**	**1**	**18**	**34**	**93**	**99 +**	**99 +**
GRAND TOTAL	**382**	**14.0**	**251**	**1**	**2**	**8**	**18**	**32**	**54**	**88**	**16**	**7.3**	**103**	**1**	**1**	**4**	**8**	**33**	**77**	**99 +**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	4	7.0	69	1	1	4	12	19	19	19										
21-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	8	7.1	50	1	1	4	13	18	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	7.0		7	7	53	99+	99+	99+	99+										
25-34	9	6.9	24	1	1	7	9	15	15	15	2	4.0		4	4	4	4	4	4	4
35-54	6	8.3	30	2	2	6	14	16	16	16										
55-74																				
75 +	2	6.0	32	2	2	6	10	10	10	10										
ALL AGES	21	6.9	20	1	2	6	10	15	50	99+	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	**29**	**6.9**	**28**	**1**	**1**	**6**	**11**	**16**	**19**	**99+**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24	3	11.7	85	1	1	16	17	18	18	18										
25-34	12	5.8	12	2	2	5	9	11	12	12	1	4.0		4	4	4	4	4	4	4
35-54	9	6.4	35	1	1	5	10	16	18	18	1	4.0		4	4	4	4	4	4	4
55-74	2	3.0	8	1	1	3	5	5	5	5										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	27	7.1	39	1	1	5	10	17	19	24	3	3.7		3	3	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	4	24.8	274	3	3	27	37	42	42	42	1	1.0		1	1	1	1	1	1	1
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	19.5	13	17	17	19	22	22	22	22	1	1.0		1	1	1	1	1	1	1
25-34	10	14.8	128	3	3	12	28	30	32	32										
35-54	5	11.6	350	2	2	4	15	45	45	45	1	3.0		3	3	3	3	3	3	3
55-74	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
75 +	1	41.0		41	41	41	41	41	41	41										
ALL AGES	24	16.3	209	2	3	12	28	41	43	45	4	2.5	4	1	1	2	4	5	5	5
SUBTOTAL	**51**	**11.5**	**136**	**1**	**2**	**6**	**18**	**30**	**41**	**45**	**7**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**80**	**9.8**	**101**	**1**	**2**	**6**	**15**	**25**	**36**	**83**	**9**	**3.2**	**2**	**1**	**1**	**4**	**4**	**5**	**5**	**5**

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24											2	8.5	1	8	8	8	9	9	9	9
25-34	3	6.0	16	2	2	6	9	10	10	10	4	9.3	3	7	7	9	11	12	12	12
35-54	1	7.0		7	7	7	7	7	7	7	1	11.0		11	11	11	11	11	11	11
55-74											1	10.0		10	10	10	10	10	10	10
75 +																						
ALL AGES	4	6.3	10	2	2	6	8	10	10	10	8	9.4	2	7	7	9	10	12	12	12
SUBTOTAL	**4**	**6.3**	**10**	**2**	**2**	**6**	**8**	**10**	**10**	**10**	**8**	**9.4**	**2**	**7**	**7**	**9**	**10**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																						
75 +																						
ALL AGES	1	24.0		24	24	24	24	24	24	24										
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**5**	**9.8**	**71**	**2**	**2**	**7**	**13**	**24**	**24**	**24**	**8**	**9.4**	**2**	**7**	**7**	**9**	**10**	**12**	**12**	**12**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	12	4.1	4	1	2	4	6	7	7	7	7	3.0	3	1	1	3	4	5	5	5
55-74	10	3.0	7	1	1	2	3	7	10	10	7	3.0	1	2	2	3	4	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	24	3.7	5	1	1	3	5	6	8	10	15	3.0	1	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**24**	**3.7**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**10**	**15**	**3.0**	**1**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**26**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**10**	**16**	**3.0**	**1**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34												1	9.0		9	9	9	9	9	9	9
35-54																					
55-74																					
75 +																					
ALL AGES												1	9.0		9	9	9	9	9	9	9
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL												**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	18.0		18	18	18	18	18	18	18											
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	18.0		18	18	18	18	18	18	18											
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**											
GRAND TOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	19	1.7	2	1	1	1	2	5	5	5	5	1.0		1	1	1	1	1	1	1
18-20	15	5.3	45	1	1	3	6	13	23	26	5	2.0	3	1	1	1	3	5	5	5
21-24	37	5.8	36	1	1	4	10	10	11	34	10	1.8	1	1	1	2	3	3	3	3
25-34	116	4.6	17	1	1	4	6	10	10	22	44	3.2	4	1	1	3	5	6	7	9
35-54	238	5.9	35	1	1	4	7	10	16	32	80	3.8	9	1	1	3	5	7	9	19
55-74	109	6.1	27	1	2	5	7	11	16	27	54	5.8	33	1	1	4	6	12	21	27
75 +	19	7.4	50	1	1	4	9	21	22	23	4	6.8	8	4	4	6	9	11	11	11
ALL AGES	553	5.5	30	1	1	4	7	10	15	30	202	4.0	16	1	1	3	5	7	11	23
B. FEMALE																				
0-12 YRS.																				
13-17	4	1.0		1	1	1	1	1	1	1	7	2.0	2	1	1	1	3	5	5	5
18-20	5	2.8	6	1	1	2	4	7	7	7	4	3.0	5	1	1	3	5	5	5	5
21-24	11	9.8	81	1	1	8	10	26	30	30	3	3.0	12	1	1	1	6	7	7	7
25-34	28	8.3	57	1	1	6	10	22	25	28	13	3.7	7	1	1	3	4	8	10	10
35-54	75	5.5	26	1	1	4	7	10	12	31	26	3.0	7	1	1	2	4	6	9	12
55-74	38	6.7	42	1	1	5	8	17	19	30	14	3.9	10	1	1	3	7	8	10	10
75 +	6	14.8	406	1	1	5	24	49	52	52	3	2.3	3	1	1	2	3	4	4	4
ALL AGES	167	6.7	52	1	1	4	9	15	23	32	70	3.2	7	1	1	2	5	7	8	12
SUBTOTAL	**720**	**5.8**	**35**	**1**	**1**	**4**	**7**	**10**	**18**	**30**	**272**	**3.8**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	7.5	104	1	1	5	7	29	31	31	3	1.3		1	1	1	2	2	2	2
18-20	30	6.8	46	1	1	6	7	16	24	30	7	3.4	7	1	1	2	6	7	7	7
21-24	88	7.4	33	2	2	6	8	15	23	27	19	5.3	28	1	1	4	7	13	19	22
25-34	517	6.7	25	1	2	6	6	11	20	25	158	4.3	7	1	1	4	5	8	9	12
35-54	866	6.7	27	2	3	6	6	10	20	28	271	4.7	9	2	2	4	6	8	9	17
55-74	230	6.8	29	2	2	6	7	13	17	29	156	5.6	22	2	2	5	7	9	11	16
75 +	17	9.4	51	2	3	6	14	22	24	25	13	7.9	23	2	3	7	9	16	18	19
ALL AGES	1761	6.8	28	1	2	6	6	11	20	28	627	4.9	13	1	2	4	6	8	10	16
B. FEMALE																				
0-12 YRS.																				
13-17	7	10.7	126	1	1	5	15	30	33	33	4	2.5	2	1	1	2	3	4	4	4
18-20	11	9.7	87	1	1	7	12	25	31	32	5	2.2	1	1	1	2	3	3	3	3
21-24	31	10.0	53	1	2	7	15	22	23	26	12	4.3	10	1	1	4	5	9	12	13
25-34	179	7.6	41	1	2	6	7	17	21	35	44	3.8	25	1	1	3	4	6	8	34
35-54	256	7.1	33	1	2	6	7	13	22	29	85	4.5	11	1	1	4	5	8	10	19
55-74	96	9.6	131	2	2	6	10	20	25	73	63	5.7	25	1	2	5	7	11	16	27
75 +	14	5.7	10	1	1	6	6	9	13	14	4	4.5	3	2	2	5	6	6	6	6
ALL AGES	594	7.8	56	1	2	6	8	18	22	33	217	4.6	18	1	1	4	5	8	11	25
SUBTOTAL	**2355**	**7.0**	**36**	**1**	**2**	**6**	**7**	**14**	**21**	**29**	**844**	**4.8**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**21**
GRAND TOTAL	**3075**	**6.8**	**35**	**1**	**2**	**6**	**7**	**13**	**21**	**30**	**1116**	**4.6**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**21**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	4.4	8	1	1	5	6	8	10	10										
18-20	21	5.4	11	1	2	5	7	10	12	14	4	5.8	11	2	2	5	8	10	10	10
21-24	67	7.4	48	1	2	5	7	22	24	27	40	8.3	74	1	1	5	12	28	28	28
25-34	552	6.9	39	2	2	5	6	15	25	28	207	8.4	58	2	2	5	10	23	28	28
35-54	1018	8.0	52	2	3	5	7	23	26	28	362	8.3	50	2	2	6	11	14	28	28
55-74	336	8.5	56	2	3	5	9	21	27	32	149	7.8	31	2	3	6	10	14	15	28
75 +	20	8.9	53	2	3	6	9	22	26	28	5	19.8	1069	1	1	6	27	78	78	78
ALL AGES	2025	7.7	49	2	3	5	7	21	26	28	767	8.3	55	2	2	6	11	15	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	7	8.7	59	2	3	6	10	22	25	25	1	8.0		8	8	8	8	8	8	8
18-20	13	9.0	48	3	4	6	10	22	25	26	5	9.2	113	3	3	4	12	28	28	28
21-24	28	11.4	178	3	3	6	12	25	32	68	22	13.6	104	2	4	11	27	28	28	28
25-34	157	7.3	37	2	3	5	7	16	24	28	62	10.5	82	2	3	6	14	28	28	28
35-54	245	9.5	64	3	3	5	12	25	28	30	132	8.6	51	2	2	6	11	16	28	28
55-74	133	10.6	77	2	3	6	16	24	28	36	54	8.1	36	2	3	6	10	14	23	28
75 +	16	9.0	21	2	3	8	13	15	15	15	8	16.4	363	3	3	8	21	50	59	59
ALL AGES	599	9.2	65	2	3	6	11	23	27	31	284	9.5	71	2	3	6	12	28	28	28
SUBTOTAL	**2624**	**8.1**	**52**	**2**	**3**	**5**	**8**	**21**	**26**	**28**	**1051**	**8.6**	**60**	**2**	**2**	**6**	**11**	**16**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	63	12.8	96	2	3	7	23	27	29	34	6	4.8	11	1	1	5	6	10	10	10
18-20	81	13.0	85	2	3	10	23	26	26	28	21	7.6	61	2	2	4	9	21	28	28
21-24	195	13.9	98	2	3	10	24	27	28	29	66	7.8	54	2	3	5	8	22	28	28
25-34	770	11.4	90	2	3	6	22	25	27	34	258	7.6	41	2	3	5	9	14	28	28
35-54	735	10.9	87	2	3	6	19	25	28	34	277	6.5	25	2	3	5	7	13	14	28
55-74	184	10.8	94	2	3	6	18	25	26	39	78	9.3	96	2	3	6	10	15	29	55
75 +	11	17.5	124	4	5	22	28	54	93	99 +	3	10.3	41	3	3	14	14	14	14	14
ALL AGES	2040	11.6	90	2	3	7	22	26	28	34	709	7.4	42	2	3	5	9	14	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	38	16.7	119	2	2	21	25	27	28	45	5	9.8		9	9	10	10	10	10	10
18-20	34	18.2	101	2	4	24	26	28	28	35	9	5.8	16	2	2	4	7	12	15	15
21-24	83	13.4	95	2	2	9	24	26	28	29	25	9.0	47	3	3	7	11	16	28	28
25-34	278	12.1	110	3	3	7	22	25	28	28	99	9.1	58	2	3	7	11	28	28	28
35-54	255	12.4	95	2	3	7	23	26	28	35	94	7.9	41	1	2	6	10	14	26	29
55-74	74	13.1	126	1	3	8	21	28	36	49	28	10.1	53	3	4	7	13	23	28	29
75 +	3	16.0	201	5	5	11	27	32	32	32	5	9.0	45	3	3	7	12	20	20	20
ALL AGES	765	13.0	106	2	3	7	23	26	28	37	265	8.7	47	2	3	6	11	17	28	28
SUBTOTAL	**2805**	**11.9**	**96**	**2**	**3**	**7**	**22**	**26**	**28**	**35**	**974**	**7.7**	**45**	**2**	**3**	**5**	**10**	**14**	**28**	**28**
GRAND TOTAL	**5429**	**10.1**	**78**	**2**	**3**	**6**	**14**	**25**	**27**	**31**	**2025**	**8.2**	**52**	**2**	**2**	**6**	**10**	**15**	**28**	**28**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	3	9.3	10	6	6	10	11	12	12	12	5	7.2	19	4	4	5	10	14	14	14
25-34	13	5.2	10	1	1	5	6	11	11	11	16	6.4	8	3	3	6	8	10	13	14
35-54	11	11.5	123	2	3	10	12	26	42	43	16	5.3	14	1	2	4	6	13	15	15
55-74	2	26.0	8	24	24	26	28	28	28	28										
75 +																				
ALL AGES	30	9.3	77	1	2	6	11	19	28	43	37	6.0	13	2	3	5	7	13	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	41	3	3	7	12	12	12	12	2	8.5	61	3	3	8	14	14	14	14
21-24	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
25-34	15	9.3	37	1	2	8	13	18	22	23	17	8.5	19	4	4	7	13	14	17	18
35-54	8	16.9	135	1	2	19	27	28	28	28	6	6.8	6	5	5	6	8	11	11	11
55-74	4	16.3	88	9	9	14	23	29	29	29	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	30	12.3	76	1	2	10	18	27	28	29	27	8.0	18	3	4	6	12	14	15	18
SUBTOTAL	**60**	**10.8**	**77**	**1**	**2**	**9**	**13**	**27**	**28**	**42**	**64**	**6.9**	**15**	**2**	**3**	**5**	**9**	**14**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	4	6.8	32	2	2	5	10	15	15	15	8	8.4	28	3	3	6	14	15	16	16
25-34	42	12.2	67	3	4	10	15	26	28	35	26	9.8	28	2	3	11	14	14	17	21
35-54	23	15.1	84	2	3	13	23	28	28	28	14	9.0	24	1	2	8	14	14	14	14
55-74	2	14.5	1	14	14	14	15	15	15	15	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	72	12.9	69	3	4	11	19	26	28	34	49	9.2	27	2	3	8	14	14	16	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	3	12.0	48	4	4	16	16	16	16	16	3	9.3	26	4	4	10	13	14	14	14
21-24	7	15.7	90	3	4	12	25	27	27	27	4	6.8	23	3	3	5	10	14	14	14
25-34	19	11.1	47	1	3	12	15	21	24	26	24	9.8	25	2	3	11	14	14	16	21
35-54	5	10.0	39	6	6	7	12	21	21	21	8	7.3	26	1	1	7	12	14	14	14
55-74	3	7.3	10	4	4	8	9	10	10	10										
75 +																				
ALL AGES	37	11.6	51	3	4	10	16	24	26	27	39	8.9	26	1	2	9	14	14	14	21
SUBTOTAL	**109**	**12.4**	**64**	**3**	**4**	**10**	**17**	**26**	**27**	**32**	**88**	**9.1**	**25**	**2**	**3**	**8**	**14**	**14**	**15**	**21**
GRAND TOTAL	**169**	**11.9**	**67**	**2**	**3**	**10**	**15**	**26**	**28**	**34**	**152**	**8.2**	**22**	**2**	**3**	**6**	**14**	**14**	**14**	**21**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	2	14.5	85	8	8	14	21	21	21	21	3	10.0	48	2	2	14	14	14	14	14
35-54	3	6.7		6	6	7	7	7	7	7	1	14.0		14	14	14	14	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1	2	10.0	72	4	4	10	16	16	16	16
75 +																				
ALL AGES	6	8.3	45	1	1	7	8	20	21	21	7	9.3	43	1	1	14	14	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24	3	10.0	12	6	6	12	12	12	12	12										
25-34	5	11.0	26	7	7	9	14	19	19	19	2	8.5	61	3	3	8	14	14	14	14
35-54	7	17.4	925	1	1	7	10	71	86	86	5	9.2	24	3	3	9	14	14	14	14
55-74	3	21.0	39	14	14	23	25	26	26	26	1	15.0		15	15	15	15	15	15	15
75 +	1	87.0		87	87	87	87	87	87	87										
ALL AGES	19	18.8	609	2	5	11	18	62	87	87	9	9.0	29	3	3	9	14	15	15	15
SUBTOTAL	**25**	**16.3**	**486**	**1**	**4**	**8**	**15**	**26**	**86**	**87**	**16**	**9.1**	**33**	**1**	**2**	**11**	**14**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	7.0	2	6	6	7	8	8	8	8	1	14.0		14	14	14	14	14	14	14
21-24	2	15.0	200	5	5	15	25	25	25	25										
25-34	10	12.9	83	5	5	9	23	27	29	29	13	12.1	26	4	5	14	15	18	19	19
35-54	13	13.2	108	2	3	10	16	32	34	34	5	11.6	18	4	4	13	14	14	14	14
55-74	5	10.6	12	6	6	10	13	15	15	15										
75 +																				
ALL AGES	33	12.1	78	2	4	10	14	26	32	34	19	12.1	21	4	4	14	14	17	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	1	12.0		12	12	12	12	12	12	12
25-34	16	14.9	86	1	3	16	22	25	30	32	12	8.3	28	2	3	7	14	14	14	14
35-54	24	14.5	90	2	4	12	23	31	50	99 +	7	5.4	41	1	1	4	6	17	19	19
55-74	10	16.9	97	5	6	15	27	30	31	31	2	12.5	5	11	11	12	14	14	14	14
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	51	14.9	87	3	4	13	23	30	32	99	23	7.8	30	1	2	5	14	14	16	19
SUBTOTAL	**84**	**13.8**	**85**	**2**	**4**	**10**	**22**	**29**	**32**	**77**	**42**	**9.7**	**31**	**1**	**3**	**12**	**14**	**15**	**18**	**19**
GRAND TOTAL	**109**	**14.3**	**176**	**2**	**4**	**10**	**22**	**28**	**32**	**92**	**58**	**9.6**	**30**	**1**	**2**	**12**	**14**	**15**	**17**	**19**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	7	9.1	18	1	2	11	12	12	12	12	5	5.0	5	3	3	5	6	8	8	8
21-24	15	7.4	16	3	3	7	11	13	13	13	4	6.0	1	5	5	6	7	7	7	7
25-34	32	9.4	23	1	3	11	12	12	14	25	26	4.2	4	1	2	4	5	6	9	9
35-54	14	7.2	9	3	4	6	9	12	12	12	7	2.7	2	1	1	3	3	5	5	5
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	69	8.5	18	2	3	10	12	12	13	23	43	4.2	4	1	2	4	5	7	8	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	8.8	10	5	5	8	11	13	13	13	3	7.0	4	5	5	7	8	9	9	9
21-24	14	7.9	26	1	2	7	12	13	18	19	6	4.3	5	1	1	4	5	8	8	8
25-34	34	9.8	22	2	4	11	12	13	16	26	9	4.4	3	3	3	4	5	7	8	8
35-54	4	8.8	15	3	3	10	11	12	12	12	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	57	9.1	21	2	3	10	12	13	15	26	19	4.8	4	2	3	4	6	8	9	9
SUBTOTAL	**126**	**8.8**	**19**	**2**	**3**	**10**	**12**	**12**	**13**	**25**	**62**	**4.4**	**4**	**1**	**2**	**4**	**5**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	5.0	19	1	1	4	7	12	12	12	3	3.3	7	1	1	3	5	6	6	6
18-20	15	14.3	69	2	3	12	22	24	26	27										
21-24	42	15.6	77	2	3	18	23	25	27	29	6	5.0	21	1	1	4	5	13	14	14
25-34	116	14.8	79	2	4	13	23	26	28	29	17	8.7	26	2	2	10	14	14	14	14
35-54	26	14.2	71	2	3	12	21	26	27	28	11	7.0	14	3	3	6	8	14	14	14
55-74	1	12.0		12	12	12	12	12	12	12	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	205	14.6	76	2	3	13	23	26	28	29	38	7.2	20	1	2	6	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10										
18-20	13	15.6	74	1	3	19	22	24	25	25	1	1.0		1	1	1	1	1	1	1
21-24	30	16.6	49	5	7	18	22	25	27	28	2	2.0	2	1	1	1	3	3	3	3
25-34	40	15.4	79	3	3	13	24	28	28	29	13	6.2	14	2	3	5	7	14	14	14
35-54	10	13.2	58	5	5	11	20	25	26	26										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	95	15.4	66	3	5	15	23	25	28	29	17	5.3	14	1	1	5	6	12	14	14
SUBTOTAL	**300**	**14.9**	**72**	**2**	**4**	**14**	**23**	**26**	**28**	**29**	**55**	**6.6**	**19**	**1**	**2**	**5**	**9**	**14**	**14**	**14**
GRAND TOTAL	**426**	**13.1**	**64**	**2**	**3**	**12**	**21**	**25**	**27**	**28**	**117**	**5.4**	**13**	**1**	**2**	**5**	**6**	**13**	**14**	**14**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	3	8.3	27	4	4	7	12	14	14	14										
25-34	4	15.5	134	5	5	15	25	26	26	26										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	10	11.0	70	4	4	7	14	25	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**11**	**11.9**	**73**	**4**	**4**	**7**	**19**	**25**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	25	14.9	122	1	2	17	25	27	28	29										
18-20	11	14.5	111	2	2	15	24	26	28	28										
21-24	10	12.9	89	3	3	10	25	25	25	25										
25-34	21	15.2	116	1	2	17	25	28	29	29										
35-54	3	13.3	76	4	4	15	19	21	21	21	1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES	70	14.6	106	2	2	15	25	27	28	29	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	8	14.3	98	3	3	15	23	24	25	25										
18-20	6	20.7	69	5	6	25	26	26	26	26										
21-24	4	15.0	149	4	4	14	25	27	27	27	1	5.0		5	5	5	5	5	5	5
25-34	9	16.1	119	4	4	24	25	27	28	28										
35-54	2	16.0	162	7	7	16	25	25	25	25										
55-74																				
75 +																				
ALL AGES	29	16.4	98	4	4	23	25	26	27	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**99**	**15.1**	**104**	**2**	**3**	**17**	**25**	**27**	**28**	**29**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**
GRAND TOTAL	**110**	**14.8**	**100**	**2**	**3**	**15**	**25**	**26**	**28**	**29**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20											1	4.0		4	4	4	4	4	4	4
21-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	5.0		5	5	5	5	5	5	5	3	3.3	5	1	1	4	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	2	13.0	128	5	5	13	21	21	21	21	5	3.4	2	1	1	4	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
35-54	1	21.0		21	21	21	21	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21	3	4.3	2	3	3	5	5	5	5	5
SUBTOTAL	**4**	**12.3**	**102**	**2**	**2**	**13**	**21**	**21**	**21**	**21**	**8**	**3.8**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5	2	2.0	2	1	1	2	3	3	3	3
25-34	5	16.4	174	2	2	25	26	28	28	28	5	8.4	33	4	4	8	11	18	18	18
35-54	2	13.0	98	6	6	13	20	20	20	20										
55-74																				
75 +																				
ALL AGES	8	14.1	130	2	2	13	25	27	28	28	7	6.6	32	1	1	4	8	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-20	2	7.5	13	5	5	7	10	10	10	10	1	5.0		5	5	5	5	5	5	5
21-24	4	19.5	129	3	3	24	27	27	27	27										
25-34	4	15.3	101	6	6	15	24	25	25	25	1	4.0		4	4	4	4	4	4	4
35-54	4	18.0	137	1	1	22	25	27	27	27	2	11.0	50	6	6	11	16	16	16	16
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	15	16.9	106	1	3	21	26	27	28	28	5	7.2	25	4	4	5	8	16	16	16
SUBTOTAL	**23**	**16.0**	**108**	**1**	**2**	**20**	**25**	**27**	**28**	**28**	**12**	**6.8**	**27**	**1**	**2**	**5**	**8**	**17**	**18**	**18**
GRAND TOTAL	**27**	**15.4**	**107**	**2**	**2**	**20**	**25**	**27**	**28**	**28**	**20**	**5.6**	**18**	**1**	**2**	**4**	**6**	**12**	**17**	**18**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	2	15.5	61	10	10	15	21	21	21	21	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	15.5	61	10	10	15	21	21	21	21	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	3	10.7	99	1	1	10	18	21	21	21	2	3.0	2	2	2	3	4	4	4	4

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	8.0		8	8	8	8	8	8	8	1	6.0		6	6	6	6	6	6	6
35-54	3	5.0	13	2	2	4	8	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	5	5.2	10	2	2	4	8	9	9	9	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	15.0		15	15	15	15	15	15	15										
25-34	3	13.3	167	4	4	8	23	28	28	28										
35-54	2	21.0	18	18	18	21	24	24	24	24										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	6	16.2	83	4	4	16	24	28	28	28	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**11**	**11.2**	**78**	**2**	**3**	**8**	**17**	**26**	**28**	**28**	**3**	**3.3**	**6**	**2**	**2**	**2**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-20	1	26.0		26	26	26	26	26	26	26										
21-24	2	17.0	242	6	6	17	28	28	28	28										
25-34	2	19.5	85	13	13	19	26	26	26	26	1	7.0		7	7	7	7	7	7	7
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	6	21.0	85	6	7	26	27	28	28	28	2	6.0	2	5	5	6	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	16.2	119	4	4	21	25	27	27	27										
35-54	3	17.0	148	3	3	23	24	25	25	25	1	5.0		5	5	5	5	5	5	5
55-74	4	15.8	111	5	5	15	24	28	28	28										
75 +																				
ALL AGES	12	16.3	99	3	4	21	24	27	28	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**18**	**17.8**	**97**	**3**	**4**	**22**	**26**	**28**	**28**	**28**	**3**	**5.7**	**1**	**5**	**5**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**29**	**15.3**	**97**	**3**	**3**	**15**	**25**	**27**	**28**	**28**	**6**	**4.5**	**4**	**2**	**2**	**5**	**6**	**7**	**7**	**7**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
21-24	3	7.0	13	4	4	6	10	11	11	11	1	4.0		4	4	4	4	4	4	4
25-34	10	12.4	22	3	7	12	12	19	21	21	10	6.1	13	2	2	5	8	11	14	14
35-54	7	12.4	61	4	4	12	14	25	28	28	3	5.3	1	5	5	5	6	6	6	6
55-74																				
75 +																				
ALL AGES	21	11.1	38	3	3	12	12	19	24	28	15	5.5	10	2	2	5	6	9	13	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	20.0	73	11	11	21	26	28	28	28	2	5.0	18	2	2	5	8	8	8	8
25-34	7	17.1	63	8	9	14	25	27	27	27	5	5.4	7	2	2	6	7	9	9	9
35-54	3	11.3	1	11	11	11	12	12	12	12	1	8.0		8	8	8	8	8	8	8
55-74	1	34.0		34	34	34	34	34	34	34										
75 +																				
ALL AGES	14	17.7	71	9	10	13	27	29	33	34	8	5.6	8	2	2	6	8	9	9	9
SUBTOTAL	**35**	**13.8**	**59**	**3**	**4**	**12**	**17**	**27**	**28**	**34**	**23**	**5.6**	**8**	**2**	**2**	**5**	**7**	**9**	**11**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	24.3	5	23	23	24	25	26	26	26										
25-34	10	16.3	94	4	5	13	27	28	28	28	11	4.3	3	1	2	4	6	7	7	7
35-54	6	14.8	45	8	8	12	21	25	25	25	3	3.0	7	1	1	2	5	6	6	6
55-74																				
75 +																				
ALL AGES	19	17.1	70	5	6	14	26	27	28	28	14	4.0	4	1	1	4	6	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											2	4.0		4	4	4	4	4	4	4
21-24	2	14.5	365	1	1	14	28	28	28	28										
25-34	12	15.7	103	2	3	17	25	28	28	28	4	5.3	6	3	3	4	7	9	9	9
35-54	5	14.2	45	8	8	12	18	25	25	25	1	6.0		6	6	6	6	6	6	6
55-74	2	50.0	3042	11	11	50	89	89	89	89	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	21	18.5	346	1	3	14	25	28	56	89	8	4.8	3	3	3	4	5	8	9	9
SUBTOTAL	**40**	**17.8**	**212**	**3**	**5**	**14**	**25**	**28**	**28**	**89**	**22**	**4.3**	**3**	**1**	**2**	**4**	**6**	**7**	**8**	**9**
GRAND TOTAL	**75**	**15.9**	**144**	**3**	**4**	**12**	**24**	**28**	**28**	**75**	**45**	**4.9**	**7**	**1**	**2**	**5**	**6**	**8**	**9**	**14**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
18-20	3	7.7	36	2	2	7	12	14	14	14										
21-24	3	4.7	4	3	3	4	6	7	7	7										
25-34	3	7.0		7	7	7	7	7	7	7	2	3.0	2	2	2	3	4	4	4	4
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	16	6.4	7	2	3	7	7	7	12	14	4	4.8	4	2	2	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	6	7.2		7	7	7	7	8	8	8	1	2.0		2	2	2	2	2	2	2
18-20	2	6.0	2	5	5	6	7	7	7	7										
21-24	3	7.7	1	7	7	7	9	9	9	9										
25-34	2	10.5	25	7	7	10	14	14	14	14	1	8.0		8	8	8	8	8	8	8
35-54	2	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	15	7.5	4	5	7	7	7	9	13	14	2	5.0	18	2	2	5	8	8	8	8
SUBTOTAL	**31**	**7.0**	**5**	**3**	**4**	**7**	**7**	**8**	**14**	**14**	**6**	**4.8**	**7**	**2**	**2**	**5**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	14.8	128	7	7	7	24	35	35	35	7	4.3	3	3	3	4	4	7	8	8
18-20	5	11.2	89	6	6	7	13	28	28	28	3	4.7	5	2	2	6	6	6	6	6
21-24	7	10.6	39	6	6	8	11	22	24	24	13	3.6	2	1	2	3	4	6	6	6
25-34	12	10.9	57	3	6	7	14	24	25	25	26	3.7	4	1	2	3	4	6	8	10
35-54	4	12.3	111	5	5	8	18	28	28	28	11	3.7	4	1	1	3	6	7	7	7
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	42	12.1	80	5	6	7	13	28	31	35	60	3.8	3	1	2	4	5	6	7	10
B. FEMALE																				
0-12 YRS.																				
13-17	5	28.6	1387	7	7	7	45	93	93	93	4	3.3		2	2	3	4	4	4	4
18-20	2	8.5	61	3	3	8	14	14	14	14	2	2.0		2	2	2	2	2	2	2
21-24	4	12.0	100	7	7	7	17	27	27	27	8	3.5	3	2	2	3	4	6	7	7
25-34	3	17.3	116	5	5	23	24	24	24	24	8	3.3	2	1	1	3	4	6	6	6
35-54	3	14.0	147	7	7	7	23	28	28	28	12	5.1	11	2	2	4	6	10	13	14
55-74	1	36.0		36	36	36	36	36	36	36	3	4.7	10	1	1	6	7	7	7	7
75 +																				
ALL AGES	18	18.8	451	4	5	7	27	34	70	93	37	3.9	6	1	2	3	5	7	8	14
SUBTOTAL	**60**	**14.1**	**195**	**5**	**6**	**7**	**22**	**29**	**35**	**87**	**97**	**3.9**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**12**
GRAND TOTAL	**91**	**11.7**	**141**	**4**	**6**	**7**	**10**	**27**	**29**	**70**	**103**	**3.9**	**4**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	10.0		10	10	10	10	10	10	10
21-24	1	17.0		17	17	17	17	17	17	17	1	10.0		10	10	10	10	10	10	10
25-34	5	15.2	159	1	1	22	25	26	26	26	2	7.0	18	4	4	7	10	10	10	10
35-54	3	13.0	64	5	5	13	19	21	21	21	3	5.0	7	3	3	4	7	8	8	8
55-74																				
75 +																				
ALL AGES	9	14.7	96	1	1	17	23	26	26	26	8	7.4	10	3	3	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	8.0		8	8	8	8	8	8	8
25-34	2	6.0	2	5	5	6	7	7	7	7	1	10.0		10	10	10	10	10	10	10
35-54	2	3.0		3	3	3	3	3	3	3	1	16.0		16	16	16	16	16	16	16
55-74	2	4.0	18	1	1	4	7	7	7	7	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	6	4.3	6	1	1	4	7	7	7	7	4	10.0	19	6	6	9	13	16	16	16
SUBTOTAL	**15**	**10.5**	**86**	**1**	**1**	**7**	**20**	**25**	**26**	**26**	**12**	**8.3**	**12**	**3**	**4**	**9**	**10**	**12**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24	2	14.5	181	5	5	14	24	24	24	24										
25-34	4	7.5	86	1	1	4	13	21	21	21	1	1.0		1	1	1	1	1	1	1
35-54	6	12.5	124	1	1	7	25	28	28	28	4	5.5	3	3	3	6	7	7	7	7
55-74																				
75 +																				
ALL AGES	14	12.5	100	1	1	7	22	25	27	28	5	4.6	6	1	1	6	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	17.7	151	4	4	21	26	28	28	28	1	10.0		10	10	10	10	10	10	10
25-34	6	14.3	145	2	2	13	26	28	28	28	3	12.0	12	10	10	10	15	16	16	16
35-54	3	11.7	184	1	1	7	22	27	27	27	3	3.0	1	2	2	3	4	4	4	4
55-74	2	21.5	181	12	12	21	31	31	31	31										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	14	15.5	132	1	2	16	27	29	30	31	8	7.0	28	1	1	7	10	14	16	16
SUBTOTAL	**28**	**14.0**	**114**	**1**	**1**	**10**	**24**	**28**	**29**	**31**	**13**	**6.1**	**19**	**1**	**1**	**6**	**10**	**11**	**15**	**16**
GRAND TOTAL	**43**	**12.8**	**104**	**1**	**1**	**7**	**22**	**27**	**28**	**31**	**25**	**7.1**	**17**	**1**	**2**	**7**	**10**	**10**	**16**	**16**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.0		1	1	1	1	1	1	1	6	1.5	1	1	1	1	2	3	3	3
13-17	72	1.3	1	1	1	1	1	2	2	7	60	1.2		1	1	1	1	2	2	3
18-20	19	1.2		1	1	1	1	2	3	3	23	1.1		1	1	1	1	2	[illegible]	3
21-24	15	2.5	27	1	1	1	1	4	17	21	20	1.6	1	1	1	1	2	3	4	5
25-34	41	4.2	35	1	1	2	4	14	19	25	22	2.5	11	1	1	1	2	6	12	14
35-54	50	3.9	31	1	1	2	4	9	21	23	26	2.1	3	1	1	2	2	4	7	7
55-74	21	3.4	5	1	1	3	4	7	9	9	20	2.8	6	1	1	2	3	7	8	9
75 +	3	21.3	907	2	2	6	43	56	56	56	3	5.3	2	4	4	6	6	6	6	6
ALL AGES	227	2.9	30	1	1	1	2	5	10	23	180	1.8	3	1	1	1	2	3	5	10
B. FEMALE																				
0-12 YRS.	5	1.6	1	1	1	1	2	3	3	3	4	1.0		1	1	1	1	1	1	1
13-17	73	1.2	1	1	1	1	1	2	2	6	44	1.2		1	1	1	1	2	2	4
18-20	9	1.1		1	1	1	1	2	2	2	12	1.1		1	1	1	1	2	2	2
21-24	6	1.2		1	1	1	1	2	2	2	7	1.3	1	1	1	1	1	3	3	3
25-34	17	3.2	13	1	1	1	5	7	12	14	8	1.9	6	1	1	1	1	6	8	8
35-54	9	2.2	3	1	1	2	3	5	5	5	9	4.6	17	1	1	2	9	11	12	12
55-74	12	4.2	22	1	1	2	5	11	16	17	8	4.3	13	1	1	3	6	10	12	12
75 +	3	2.7		2	2	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	134	1.8	5	1	1	1	2	4	5	14	94	1.9	5	1	1	1	2	3	8	12
SUBTOTAL	**361**	**2.5**	**21**	**1**	**1**	**1**	**2**	**5**	**8**	**22**	**274**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**6**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	27	5.1	61	1	1	2	4	20	27	28	5	1.8	1	1	1	2	2	3	3	3
18-20	13	11.2	174	1	1	4	18	31	41	43	4	1.0		1	1	1	1	1	1	1
21-24	22	5.9	63	1	1	3	6	22	26	28	5	1.6		1	1	2	2	2	2	2
25-34	44	6.6	91	1	1	4	7	16	23	56	13	3.3	14	1	1	1	5	8	13	14
35-54	52	7.9	49	2	2	5	11	18	21	36	9	3.9	23	1	1	2	4	12	16	16
55-74	15	8.7	57	1	2	6	12	21	23	24	7	4.0	6	1	1	4	6	8	8	8
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	174	7.2	73	1	1	4	8	21	25	41	44	2.9	10	1	1	2	4	6	10	16
B. FEMALE																				
0-12 YRS.																				
13-17	17	5.1	105	1	1	2	4	8	31	44	10	1.5	1	1	1	1	2	3	3	3
18-20	3	6.0	75	1	1	1	12	16	16	16	2	1.5	1	1	1	1	2	2	2	2
21-24	12	8.3	85	1	1	5	11	19	32	34	6	1.3		1	1	1	2	2	2	2
25-34	20	8.2	258	1	1	2	7	21	46	71	11	2.7	6	1	1	1	5	6	6	6
35-54	33	5.4	43	1	1	3	7	10	25	28	5	2.8	2	1	1	3	4	5	5	5
55-74	12	5.7	27	1	1	4	8	13	18	19	4	1.3		1	1	1	1	2	2	2
75 +	2	12.0	242	1	1	12	23	23	23	23										
ALL AGES	99	6.4	101	1	1	3	7	18	25	58	38	2.0	2	1	1	1	2	5	6	6
SUBTOTAL	**273**	**6.9**	**83**	**1**	**1**	**4**	**7**	**19**	**25**	**44**	**82**	**2.5**	**7**	**1**	**1**	**1**	**3**	**5**	**6**	**15**
GRAND TOTAL	**634**	**4.4**	**52**	**1**	**1**	**2**	**4**	**11**	**21**	**34**	**356**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

TOBACCO USE DISORDER (305.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	7.0		7	7	7	7	7	7	7										
GRAND TOTAL	2	4.5	13	2	2	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20											1	3.0		3	3	3	3	3	3	3
21-24																						
25-34	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
35-54																						
55-74																						
75 +																						
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	8.0	50	3	3	8	13	13	13	13
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20											1	11.0		11	11	11	11	11	11	11
21-24																						
25-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54																						
55-74																						
75 +																						
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	6.0	50	1	1	5	11	11	11	11
SUBTOTAL	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**	**4**	**7.0**	**35**	**1**	**1**	**7**	**12**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	36	5.8	48	2	2	3	5	8	28	28	1	1.0		1	1	1	1	1	1	1
18-20	10	5.7	24	2	2	4	7	13	18	18										
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	8	8.6	79	2	2	5	11	24	28	28	1	1.0		1	1	1	1	1	1	1
35-54	2	3.0	8	1	1	3	5	5	5	5										
55-74																						
75 +																						
ALL AGES	58	5.9	46	2	2	3	6	13	28	28	2	1.0		1	1	1	1	1	1	1
B. FEMALE																						
0-12 YRS.																						
13-17	15	3.7	3	1	2	3	5	7	7	7										
18-20	2	4.0	2	3	3	4	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	19.3	139	6	6	24	27	28	28	28										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																						
75 +																						
ALL AGES	22	5.8	46	1	2	4	6	12	26	28										
SUBTOTAL	**80**	**5.9**	**45**	**2**	**2**	**3**	**6**	**12**	**28**	**28**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**82**	**5.9**	**44**	**2**	**2**	**3**	**6**	**10**	**28**	**28**	**6**	**5.0**	**30**	**1**	**1**	**2**	**11**	**13**	**13**	**13**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.0	200	1	1	10	21	21	21	21	2	1.5	1	1	1	1	2	2	2	2
18-20																				
21-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.0	200	1	1	10	21	21	21	21	4	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**11.0**	**200**	**1**	**1**	**10**	**21**	**21**	**21**	**21**	**5**	**1.2**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	50	2	2	7	12	12	12	12	1	14.0		14	14	14	14	14	14	14
18-20	4	1.8	1	1	1	2	2	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	3	2.7	4	1	1	2	4	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	10	3.1	11	1	1	2	3	8	12	12	3	5.7	52	1	1	2	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	3	3.3	3	2	2	3	4	5	5	5										
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	4	5.0	13	2	2	4	7	10	10	10										
SUBTOTAL	**14**	**3.6**	**12**	**1**	**1**	**2**	**5**	**10**	**12**	**12**	**3**	**5.7**	**52**	**1**	**1**	**2**	**11**	**14**	**14**	**14**
GRAND TOTAL	**16**	**4.6**	**29**	**1**	**1**	**2**	**5**	**12**	**18**	**21**	**8**	**2.9**	**20**	**1**	**1**	**1**	**2**	**10**	**14**	**14**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	2	4.0	18	1	1	4	7	7	7	7	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**4**	**2.5**	**9**	**1**	**1**	**1**	**4**	**7**	**7**	**7**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	4	3.8	4	1	1	4	5	6	6	6										
35-54	2	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	8	3.9	7	1	1	4	6	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	3	14.3	51	7	7	15	19	21	21	21	3	3.0	1	2	2	3	4	4	4	4
35-54	5	15.0	78	7	7	11	24	25	25	25										
55-74	2	16.0	288	4	4	16	28	28	28	28	2	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	12	13.3	79	4	4	9	22	26	28	28	5	6.2	20	2	2	4	11	11	11	11
SUBTOTAL	**20**	**9.5**	**71**	**1**	**1**	**7**	**13**	**24**	**26**	**28**	**5**	**6.2**	**20**	**2**	**2**	**4**	**11**	**11**	**11**	**11**
GRAND TOTAL	**24**	**8.3**	**68**	**1**	**1**	**6**	**9**	**24**	**26**	**28**	**6**	**5.8**	**17**	**2**	**2**	**4**	**11**	**11**	**11**	**11**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34											2	6.0	2	5	5	6	7	7	7	7
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	3	4.3	10	1	1	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54											1	5.0		5	5	5	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**	**5**	**4.8**	**5**	**1**	**1**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-20																				
21-24	2	2.5	5	1	1	2	4	4	4	4	1	3.0		3	3	3	3	3	3	3
25-34	9	9.0	68	1	1	7	10	23	28	28	2	6.5	5	5	5	6	8	8	8	8
35-54	3	8.0	7	5	5	9	10	10	10	10	3	8.0	19	5	5	6	11	13	13	13
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	15	7.9	45	1	1	7	9	15	25	28	7	6.6	10	3	3	6	8	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	7.7	9	5	5	7	10	11	11	11	1	14.0		14	14	14	14	14	14	14
35-54	4	8.8	31	4	4	7	12	17	17	17										
55-74																				
75 +																				
ALL AGES	7	8.3	19	4	4	7	10	16	17	17	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**22**	**8.0**	**36**	**1**	**1**	**7**	**9**	**16**	**21**	**28**	**8**	**7.5**	**16**	**3**	**4**	**6**	**10**	**14**	**14**	**14**
GRAND TOTAL	**24**	**8.0**	**33**	**1**	**1**	**7**	**10**	**15**	**20**	**28**	**13**	**6.5**	**12**	**1**	**3**	**6**	**7**	**13**	**14**	**14**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	2.6	2	1	1	2	4	4	4	4										
21-24	6	2.5	1	1	1	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
25-34	18	6.7	56	1	1	4	8	19	26	29	8	5.0	18	1	1	5	6	12	14	14
35-54	1	14.0		14	14	14	14	14	14	14	2	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	30	5.4	40	1	1	3	5	14	21	29	12	4.1	13	1	1	3	5	9	13	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10										
18-20	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
21-24	3	1.7		1	1	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
25-34	10	3.1	4	1	1	2	4	6	8	8	3	5.3	21	1	1	5	9	10	10	10
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	17	3.3	6	1	1	2	4	7	9	10	6	4.3	11	1	1	4	5	10	10	10
SUBTOTAL	**47**	**4.6**	**29**	**1**	**1**	**3**	**5**	**10**	**15**	**29**	**18**	**4.2**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	11.0	198	3	3	5	19	32	32	32										
18-20	10	6.1	17	1	1	6	9	12	13	13	2	6.0	32	2	2	6	10	10	10	10
21-24	9	5.0	29	2	2	3	4	13	19	19	2	4.5	25	1	1	4	8	8	8	8
25-34	37	9.7	103	1	1	7	11	28	31	44	7	5.7	16	1	2	5	6	12	14	14
35-54	8	10.0	76	2	2	6	18	22	23	23	2	8.5	61	3	3	8	14	14	14	14
55-74																				
75 +																				
ALL AGES	68	8.6	83	1	2	5	10	23	31	42	13	6.0	19	1	1	5	8	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	1	14.0		14	14	14	14	14	14	14
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	12	7.1	76	1	1	4	7	23	28	29	4	8.8	32	2	2	9	13	14	14	14
25-34	23	6.7	39	1	1	6	8	16	21	24	2	12.5	5	11	11	12	14	14	14	14
35-54	3	6.0	31	1	1	5	10	12	12	12										
55-74																				
75 +																				
ALL AGES	41	6.4	46	1	1	4	7	17	22	29	8	9.4	30	1	1	12	14	14	14	14
SUBTOTAL	**109**	**7.8**	**69**	**1**	**1**	**4**	**9**	**21**	**29**	**37**	**21**	**7.3**	**25**	**1**	**1**	**6**	**13**	**14**	**14**	**14**
GRAND TOTAL	**156**	**6.9**	**58**	**1**	**1**	**4**	**8**	**19**	**24**	**32**	**39**	**5.8**	**22**	**1**	**1**	**5**	**9**	**14**	**14**	**14**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.5	5	6	6	7	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	1	4	4	4	5	5	5	5										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	4.0	1	3	3	4	5	5	5	5										
SUBTOTAL	**5**	**5.4**	**5**	**3**	**3**	**5**	**7**	**9**	**9**	**9**										
GRAND TOTAL	**6**	**5.7**	**4**	**3**	**3**	**5**	**7**	**9**	**9**	**9**										

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	4.7	8	3	3	3	7	8	8	8	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**4**	**5.3**	**6**	**3**	**3**	**5**	**7**	**8**	**8**	**8**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**6**	**4.2**	**7**	**2**	**2**	**3**	**7**	**8**	**8**	**8**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	7	14.0	241	1	1	7	28	37	38	38	5	6.6	64	1	1	3	11	20	20	20
18-20	10	6.6	43	1	1	3	10	17	21	21										
21-24	8	9.0	109	2	2	4	12	27	31	31	2	7.0		7	7	7	7	7	7	7
25-34	16	7.7	95	1	1	4	6	28	30	30	4	3.5	19	1	1	2	6	10	10	10
35-54	12	7.4	96	1	1	4	6	28	28	28										
55-74	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	55	8.4	101	1	1	4	10	28	31	38	12	5.2	32	1	1	2	8	13	19	20
B. FEMALE																						
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	3	14.7	519	1	1	2	31	41	41	41	1	2.0		2	2	2	2	2	2	2
21-24	3	8.0	127	1	1	2	16	21	21	21	2	3.5	13	1	1	3	6	6	6	6
25-34	10	12.7	179	2	2	7	15	35	43	43	1	7.0		7	7	7	7	7	7	7
35-54	6	4.0	6	2	2	3	6	8	8	8	4	6.0	7	3	3	6	8	9	9	9
55-74	2	20.5	113	13	13	20	28	28	28	28										
75 +	4	4.8	18	1	1	3	7	11	11	11	1	13.0		13	13	13	13	13	13	13
ALL AGES	28	10.0	140	1	1	4	14	28	41	43	10	5.7	13	1	1	5	7	11	13	13
SUBTOTAL	**83**	**8.9**	**114**	**1**	**1**	**4**	**12**	**28**	**32**	**42**	**22**	**5.4**	**23**	**1**	**1**	**4**	**7**	**11**	**16**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																				
13-17	11	8.6	136	1	1	3	9	27	39	40	1	8.0		8	8	8	8	8	8	8
18-20	15	12.8	154	1	1	6	24	31	35	36	2	5.5	41	1	1	5	10	10	10	10
21-24	18	6.9	48	1	1	5	9	20	24	24										
25-34	41	8.7	122	1	1	6	10	22	26	62	1	3.0		3	3	3	3	3	3	3
35-54	19	6.4	42	1	1	5	8	14	22	28	1	4.0		4	4	4	4	4	4	4
55-74	3	14.7	519	1	1	2	31	41	41	41	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	107	8.7	109	1	1	5	10	23	30	50	6	6.0	15	1	1	6	10	10	10	10
B. FEMALE																						
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	6	9.2	137	1	1	3	18	28	29	29	2	1.5	1	1	1	1	2	2	2	2
18-20	4	5.0	10	1	1	5	7	8	8	8										
21-24	14	9.1	188	1	1	4	8	29	45	49	4	8.5	20	4	4	8	12	14	14	14
25-34	24	8.9	73	1	1	6	13	20	25	36	2	4.5	13	2	2	4	7	7	7	7
35-54	17	13.6	101	1	2	11	21	28	30	31	5	7.2	22	3	3	5	11	14	14	14
55-74	5	8.2	21	4	4	7	9	16	16	16										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	72	9.7	98	1	1	6	15	27	29	46	13	6.3	20	1	2	5	10	14	14	14
SUBTOTAL	**179**	**9.1**	**104**	**1**	**1**	**6**	**11**	**24**	**30**	**47**	**19**	**6.2**	**17**	**1**	**1**	**5**	**10**	**12**	**14**	**14**
GRAND TOTAL	**262**	**9.1**	**106**	**1**	**1**	**5**	**11**	**27**	**30**	**43**	**41**	**5.8**	**20**	**1**	**1**	**5**	**8**	**11**	**14**	**20**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS																					
13-17																					
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																					
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																					
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																					
ALL AGES	3	2.3	2	1	1	3	3	3	3	3										
B. FEMALE																					
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																					
18-20																					
21-24																					
25-34											1	1.0		1	1	1	1	1	1	1
35-54																					
55-74																					
75 +																					
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																					
75 +																					
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**6**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	4	1.5		1	1	1	2	2	2	2	3	3.7	5	1	1	5	5	5	5	5
35-54	10	3.2	3	1	1	3	4	6	7	7	7	2.4	2	1	1	2	4	4	4	4
55-74	4	3.8	12	1	1	2	6	9	9	9	3	2.0	1	1	1	2	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	2	7.0	32	3	3	7	11	11	11	11
ALL AGES	20	3.2	6	1	1	2	4	8	9	9	16	3.1	6	1	1	2	4	5	9	11
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17											3	1.7	1	1	1	1	3	3	3	3
18-20											1	5.0		5	5	5	5	5	5	5
21-24	4	3.3	2	2	2	3	4	5	5	5	2	1.5	1	1	1	1	2	2	2	2
25-34	3	4.0	19	1	1	2	7	9	9	9	5	1.8	1	1	1	2	2	3	3	3
35-54	12	4.0	11	1	1	3	4	8	13	14	6	2.7	4	1	1	2	4	6	6	6
55-74	16	6.2	73	1	2	3	5	13	29	36	18	5.1	70	1	1	3	4	6	25	38
75 +	5	5.4	16	2	2	4	9	11	11	11	4	3.5	6	2	2	3	5	7	7	7
ALL AGES	42	4.9	33	1	2	3	4	10	14	36	39	3.7	34	1	1	2	4	6	7	38
SUBTOTAL	**62**	**4.3**	**25**	**1**	**1**	**3**	**4**	**9**	**12**	**33**	**55**	**3.5**	**26**	**1**	**1**	**2**	**4**	**6**	**7**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-20	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
21-24											1	2.0		2	2	2	2	2	2	2
25-34	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	8.0		8	8	8	8	8	8	8	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	4.0	14	1	1	2	8	8	8	8	7	1.6	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34											3	4.7	1	4	4	4	6	6	6	6
35-54	4	1.3		1	1	1	2	2	2	2	3	3.3	1	3	3	3	4	4	4	4
55-74	9	5.4	19	2	2	4	6	12	16	16	2	4.5	13	2	2	4	7	7	7	7
75 +	8	5.1	14	1	2	4	6	11	13	13	4	4.3	1	3	3	4	5	6	6	6
ALL AGES	21	4.5	15	1	1	4	5	10	14	16	14	3.7	3	1	1	4	4	6	7	7
SUBTOTAL	**26**	**4.4**	**14**	**1**	**1**	**4**	**6**	**8**	**14**	**16**	**21**	**3.0**	**3**	**1**	**1**	**3**	**4**	**6**	**7**	**7**
GRAND TOTAL	**88**	**4.3**	**22**	**1**	**1**	**3**	**4**	**9**	**13**	**28**	**76**	**3.4**	**20**	**1**	**1**	**3**	**4**	**6**	**7**	**31**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
35-54	4	4.8	12	2	2	3	7	10	10	10										
55-74	9	3.8	3	1	2	3	5	7	7	7										
75 +	3	6.7	22	3	3	5	10	12	12	12	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	18	4.4	8	1	2	3	5	9	11	12	4	3.8	8	1	1	3	6	8	8	8
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34											3	3.3	1	3	3	3	4	4	4	4
35-54	2	5.0	32	1	1	5	9	9	9	9	3	4.7		4	4	5	5	5	5	5
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
ALL AGES	6	3.5	9	1	1	3	4	8	9	9	7	4.3	1	3	3	4	5	6	6	6
SUBTOTAL	**24**	**4.2**	**8**	**1**	**1**	**3**	**5**	**9**	**11**	**12**	**11**	**4.1**	**3**	**1**	**2**	**4**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10	2	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	1	29.0		29	29	29	29	29	29	29
75 +																				
ALL AGES	3	5.3	21	1	1	5	9	10	10	10	3	11.7	224	3	3	3	23	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	2	8.5	41	4	4	8	13	13	13	13
55-74	5	4.8	5	2	2	6	6	7	7	7	2	2.5	1	2	2	2	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	8	4.5	3	2	2	4	6	7	7	7	5	5.2	20	2	2	4	6	13	13	13
SUBTOTAL	**11**	**4.7**	**7**	**1**	**2**	**5**	**6**	**8**	**10**	**10**	**8**	**7.6**	**87**	**2**	**2**	**4**	**9**	**24**	**29**	**29**
GRAND TOTAL	**35**	**4.3**	**8**	**1**	**1**	**3**	**6**	**9**	**10**	**12**	**19**	**5.6**	**39**	**1**	**2**	**4**	**5**	**11**	**22**	**29**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL											**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	2	1.0		1	1	1	1	1	1	1
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24	3	4.7	21	2	2	2	8	10	10	10										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	2	9.5	85	3	3	9	16	16	16	16	4	5.5	15	2	2	4	8	11	11	11
75 +																				
ALL AGES	10	5.8	24	2	2	4	10	13	16	16	7	4.1	13	1	1	4	5	10	11	11
B. FEMALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6	1	3.0		3	3	3	3	3	3	3
13-17	2	6.5	13	4	4	6	9	9	9	9	1	6.0		6	6	6	6	6	6	6
18-20	2	6.5	1	6	6	6	7	7	7	7										
21-24																				
25-34	3	4.0	4	2	2	4	5	6	6	6	5	3.6	4	2	2	3	5	7	7	7
35-54	6	5.3	21	1	1	4	5	13	14	14	4	4.5	6	2	2	4	6	7	7	7
55-74	7	3.9	2	1	1	4	5	5	5	5	4	4.5	2	3	3	5	29	99 +	99 +	99 +
75 +	3	4.3	3	3	3	4	5	6	6	6	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	25	4.8	7	1	2	4	6	7	10	14	18	4.3	4	2	2	4	6	8	59	99 +
SUBTOTAL	**35**	**5.1**	**11**	**1**	**2**	**4**	**6**	**10**	**13**	**16**	**25**	**4.2**	**7**	**1**	**2**	**4**	**6**	**9**	**29**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	15.7	408	3	3	5	30	39	39	39	1	5.0		5	5	5	5	5	5	5
55-74	1	16.0		16	16	16	16	16	16	16	2	18.5	481	3	3	18	34	34	34	34
75 +																				
ALL AGES	4	15.8	271	3	3	10	27	39	39	39	3	14.0	301	3	3	5	27	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	3	6.3	17	2	2	7	9	10	10	10
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	4	6.3	7	2	2	7	8	8	8	8	4	7.5	14	3	3	7	10	12	12	12
75 +	2	6.5	1	6	6	6	7	7	7	7	4	5.0	2	3	3	5	6	6	6	6
ALL AGES	9	6.8	13	2	3	7	8	12	15	15	12	6.4	9	2	3	6	8	11	12	12
SUBTOTAL	**13**	**9.5**	**97**	**2**	**3**	**7**	**10**	**21**	**36**	**39**	**15**	**7.9**	**60**	**2**	**3**	**6**	**8**	**12**	**28**	**34**
GRAND TOTAL	**48**	**6.3**	**36**	**2**	**2**	**5**	**7**	**13**	**16**	**39**	**40**	**5.6**	**29**	**1**	**2**	**5**	**7**	**10**	**22**	**99 +**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	5.0	8	3	3	5	7	7	7	7	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	20.0		20	20	20	20	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	8.3	105	1	1	4	16	20	20	20	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**7.0**	**58**	**1**	**1**	**4**	**10**	**20**	**20**	**20**	**3**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**7**	**5.3**	**47**	**1**	**1**	**3**	**6**	**17**	**20**	**20**	**5**	**4.6**	**5**	**3**	**3**	**3**	**7**	**7**	**7**	**7**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	7.0		7	7	7	7	7	7	7
21-24																				
25-34																				
35-54																				
55-74	3	6.7	65	2	2	2	13	16	16	16	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	3	6.7	65	2	2	2	13	16	16	16	3	5.0	4	3	3	5	6	7	7	7
SUBTOTAL	**3**	**6.7**	**65**	**2**	**2**	**2**	**13**	**16**	**16**	**16**	**3**	**5.0**	**4**	**3**	**3**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	1	85.0		85	85	85	85	85	85	85										
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	85.0		85	85	85	85	85	85	85	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**44.5**	**3281**	**4**	**4**	**44**	**85**	**85**	**85**	**85**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**5**	**21.8**	**1282**	**2**	**2**	**4**	**33**	**85**	**85**	**85**	**4**	**4.5**	**4**	**3**	**3**	**4**	**6**	**7**	**7**	**7**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	3	6.3	45	2	2	3	11	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	5	7.4	37	2	2	4	14	14	14	14	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**6**	**6.7**	**32**	**2**	**2**	**4**	**14**	**14**	**14**	**14**	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	46.0		46	46	46	46	46	46	46										
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	2	30.0	512	14	14	30	46	46	46	46	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34	3	11.0	169	3	3	4	20	26	26	26										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	4	11.0	113	3	3	7	18	26	26	26	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**17.3**	**268**	**3**	**3**	**12**	**26**	**44**	**46**	**46**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**12**	**12.0**	**167**	**2**	**2**	**8**	**14**	**32**	**44**	**46**	**4**	**3.8**	**4**	**1**	**1**	**4**	**5**	**6**	**6**	**6**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	3	16.3	126	8	8	12	25	29	29	29	1	35.0		35	35	35	35	35	35	35
18-20	1	58.0		58	58	58	58	58	58	58										
21-24																				
25-34	2	12.5	145	4	4	12	21	21	21	21	3	11.3	166	2	2	6	21	26	26	26
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74																				
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	8	17.8	341	4	4	10	25	49	58	58	6	14.7	182	2	2	11	26	34	35	35
B. FEMALE																				
0-12 YRS.	2	11.5	113	4	4	11	19	19	19	19	1	99.0		99	99	99	99	99	99 +	99 +
13-17	20	22.9	412	3	4	18	48	56	76	99 +	13	33.0	658	2	3	42	50	99 +	99 +	99 +
18-20	8	16.8	394	3	3	9	41	83	99 +	99 +	10	16.0	191	1	2	13	28	35	39	39
21-24	15	28.9	796	1	3	20	56	90	98	99 +	6	10.5	56	1	1	9	14	22	23	23
25-34	11	12.4	116	1	2	11	15	30	37	38	11	26.0	524	2	3	22	46	60	68	69
35-54	7	12.6	87	3	3	11	24	79	99 +	99 +	9	31.2	596	1	3	32	42	66	80	80
55-74	4	11.0	28	6	6	12	38	99 +	99 +	99 +	2	22.5	41	18	18	22	27	27	27	27
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	68	19.5	398	2	3	13	36	59	99 +	99 +	52	26.2	562	1	3	23	43	80	99 +	99 +
SUBTOTAL	**76**	**19.3**	**389**	**2**	**3**	**12**	**34**	**58**	**99 +**	**99 +**	**58**	**25.0**	**531**	**2**	**2**	**23**	**42**	**73**	**99**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	65.5	113	58	58	65	73	73	73	73
13-17	1	75.0		75	75	75	75	75	75	75	1	65.0		65	65	65	65	65	65	65
18-20																				
21-24																				
25-34	3	15.0	75	5	5	20	60	99 +	99 +	99 +										
35-54	2	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	6	23.3	679	5	6	20	61	95	99 +	99 +	3	65.3	63	58	58	65	71	73	73	73
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50	2	36.5	2245	3	3	85	99 +	99 +	99 +	99 +
13-17	14	33.6	646	4	6	42	63	68	92	99 +	11	55.5	1296	5	7	90	99 +	99 +	99 +	99 +
18-20	7	32.1	920	2	3	27	73	95	99 +	99 +	3	68.7	619	43	43	81	96	99 +	99 +	99 +
21-24	12	22.1	466	1	1	23	36	78	96	99 +	3	24.0	61	15	15	28	29	29	29	29
25-34	16	21.1	312	2	3	14	37	49	50	50	4	19.8	148	4	4	22	29	30	30	30
35-54	9	16.9	215	2	3	13	23	41	49	49	8	14.0	73	5	6	12	18	28	31	31
55-74	2	12.0	128	4	4	12	20	20	20	20	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	61	25.0	480	2	3	18	48	67	89	99 +	32	36.2	1006	4	5	36	94	99 +	99 +	99 +
SUBTOTAL	**67**	**24.8**	**490**	**2**	**3**	**20**	**48**	**70**	**99**	**99 +**	**35**	**38.7**	**989**	**4**	**6**	**45**	**93**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**143**	**21.9**	**440**	**2**	**4**	**15**	**43**	**66**	**99 +**	**99 +**	**93**	**30.2**	**737**	**2**	**3**	**28**	**66**	**99 +**	**99 +**	**99 +**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	6.5	94	1	1	2	12	21	21	21	1	2.0		2	2	2	2	2	2	2
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	7	4.3	54	1	1	2	2	17	21	21	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**8**	**4.8**	**48**	**1**	**1**	**2**	**5**	**17**	**21**	**21**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24	1	76.0		76	76	76	76	76	76	76
13-17	2	14.0	2	13	13	14	15	15	15	15	2	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	4	16.5	26	13	13	14	19	24	24	24	3	27.3	1779	3	3	3	58	76	76	76
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21	1	7.0		7	7	7	7	7	7	7
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**6**	**15.0**	**53**	**3**	**4**	**14**	**21**	**24**	**24**	**24**	**4**	**22.3**	**1285**	**3**	**3**	**5**	**41**	**76**	**76**	**76**
GRAND TOTAL	**14**	**9.1**	**75**	**1**	**1**	**5**	**15**	**22**	**23**	**24**	**7**	**13.7**	**758**	**2**	**2**	**3**	**6**	**62**	**76**	**76**

STEREOTYPED MOVEMENTS (307.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	3	3.3	11	1	1	2	6	7	7	7	2	1.5	1	1	1	1	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	4	2.8	8	1	1	2	4	7	7	7	2	1.5	1	1	1	1	2	2	2	2

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	450	1	1	15	31	31	31	31	2	50.0	3528	8	8	50	92	92	92	92
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24	1	27.0		27	27	27	27	27	27	27										
25-34	2	1.5	1	1	1	1	2	2	2	2	4	4.0	2	3	3	4	5	6	6	6
35-54											1	5.0		5	5	5	5	5	5	5
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	6	10.7	203	1	1	2	27	31	31	31	8	15.3	964	1	2	4	7	67	92	92
B. FEMALE																				
0-12 YRS.	4	2.8	3	1	1	2	4	5	5	5	2	6.0	32	2	2	6	10	10	10	10
13-17	1	2.0		2	2	2	2	2	2	2	9	26.0	652	2	3	20	29	65	89	89
18-20	5	38.0	177	17	17	39	47	52	52	52	3	37.7	1943	2	2	24	71	87	87	87
21-24	3	18.3	236	1	1	24	28	30	30	30	4	29.0	67	23	23	26	34	41	41	41
25-34	10	5.9	20	1	1	5	7	13	15	15	9	26.1	38	14	16	28	29	33	34	34
35-54	3	5.7	10	2	2	7	8	8	8	8	7	19.7	86	4	5	24	27	28	28	28
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	28	12.8	214	1	1	6	16	38	47	52	34	24.9	355	2	4	25	28	35	78	89
SUBTOTAL	**34**	**12.4**	**208**	**1**	**1**	**6**	**17**	**36**	**45**	**52**	**42**	**23.1**	**463**	**2**	**3**	**23**	**28**	**36**	**88**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54	3	49.0	1767	6	6	51	80	90	90	90										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	26.3	1326	3	3	5	51	86	90	90										
B. FEMALE																				
0-12 YRS.																				
13-17	4	37.8	1009	10	10	59	78	99 +	99 +	99 +	9	31.8	547	6	6	34	67	84	99 +	99 +
18-20	6	28.3	1325	1	2	17	28	92	99	99 +	11	19.5	251	1	1	20	28	42	44	44
21-24	10	32.4	1109	1	1	51	95	99 +	99 +	99 +	10	18.7	123	2	3	20	25	33	36	36
25-34	16	37.8	1191	3	4	27	64	92	97	99	10	24.3	138	4	4	26	32	37	38	38
35-54	8	12.0	172	1	2	8	26	76	99 +	99 +	2	35.0	722	16	16	35	54	54	54	54
55-74	2	9.0	18	6	6	9	12	12	12	12	1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +											1	40.0		40	40	40	40	40	40	40
ALL AGES	46	29.6	969	1	3	21	62	99	99 +	99 +	44	23.7	279	2	3	24	36	53	74	99 +
SUBTOTAL	**52**	**29.3**	**981**	**1**	**3**	**17**	**62**	**99**	**99 +**	**99 +**	**44**	**23.7**	**279**	**2**	**3**	**24**	**36**	**53**	**74**	**99 +**
GRAND TOTAL	**86**	**22.6**	**739**	**1**	**2**	**10**	**40**	**91**	**99 +**	**99 +**	**86**	**23.4**	**365**	**2**	**3**	**24**	**31**	**43**	**87**	**99 +**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	48.0		48	48	48	48	48	48	48
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	48.0		48	48	48	48	48	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**48.0**		**48**	**48**	**48**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	37.0		37	37	37	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17											1	66.0		66	66	66	66	66	66	66
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	66.0		66	66	66	66	66	66	66
SUBTOTAL	**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**	**1**	**66.0**		**66**	**66**	**83**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**2**	**19.5**	**613**	**2**	**2**	**19**	**37**	**37**	**37**	**37**	**2**	**57.0**	**162**	**48**	**48**	**66**	**91**	**99 +**	**99 +**	**99 +**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	5	2.8	3	1	1	3	4	5	5	5										
18-20	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
21-24	2	6.0	18	3	3	6	9	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	8	2.9	3	1	1	2	3	6	7	7	4	3.8	23	1	1	2	6	11	11	11
35-54	9	4.9	39	1	1	3	4	15	21	21	6	6.8	52	2	2	3	15	17	17	17
55-74	5	2.6	1	1	1	3	3	3	3	3	2	5.0		5	5	5	5	5	5	5
75 +	2	7.0	32	3	3	7	11	11	11	11										
ALL AGES	33	3.7	15	1	1	3	4	7	11	21	14	4.9	29	1	1	2	5	15	17	17
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20	3	4.0	7	1	1	5	6	6	6	6	3	1.0		1	1	1	1	1	1	1
21-24	5	6.6	25	2	2	5	9	15	15	15	4	3.0	2	1	1	3	4	4	4	4
25-34	13	5.1	67	1	1	3	4	11	28	32	7	2.6	3	1	1	2	4	6	6	6
35-54	25	5.8	82	1	2	3	4	11	23	46	23	3.7	8	1	1	3	5	9	9	9
55-74	11	7.4	89	1	1	5	8	20	33	34	4	4.8	2	3	3	4	6	7	7	7
75 +	3	32.3	2585	3	3	3	69	91	91	91	3	3.3	5	1	1	4	5	5	5	5
ALL AGES	64	6.9	176	1	1	3	5	12	33	85	44	3.3	6	1	1	3	5	8	9	9
SUBTOTAL	**97**	**5.8**	**123**	**1**	**1**	**3**	**5**	**11**	**19**	**70**	**58**	**3.7**	**12**	**1**	**1**	**3**	**5**	**9**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	3	3.3	5	1	1	4	5	5	5	5	3	4.3	3	3	3	4	5	6	6	6
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	1	13.0		13	13	13	13	13	13	13	2	8.0	18	5	5	8	11	11	11	11
75 +	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
ALL AGES	9	3.7	14	1	1	3	4	10	13	13	7	5.0	9	2	2	4	6	10	11	11
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	35.0		35	35	35	35	35	35	35
13-17	2	3.5	1	3	3	3	4	4	4	4										
18-20	2	7.0	32	3	3	7	11	11	11	11										
21-24	2	5.0		5	5	5	5	5	5	5										
25-34	9	8.6	48	2	2	6	10	20	25	25	6	4.7	3	3	3	4	5	8	8	8
35-54	12	9.8	161	2	2	4	13	25	44	47	7	2.7	3	1	1	2	4	6	6	6
55-74	12	8.3	62	2	3	5	9	22	27	28	5	3.8	1	3	3	4	4	5	5	5
75 +	7	10.6	192	2	2	4	11	35	41	41	1	41.0		41	41	41	41	41	41	41
ALL AGES	47	8.7	90	2	2	5	9	19	30	47	20	7.1	115	1	2	4	5	21	38	41
SUBTOTAL	**56**	**7.9**	**81**	**1**	**2**	**5**	**9**	**16**	**27**	**47**	**27**	**6.6**	**86**	**2**	**2**	**4**	**5**	**10**	**36**	**41**
GRAND TOTAL	**153**	**6.6**	**108**	**1**	**1**	**3**	**6**	**13**	**24**	**47**	**85**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**12**	**39**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	6.3	38	1	1	5	11	13	13	13										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	5	6.0	25	1	1	5	10	13	13	13										
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	2	34.0	1800	4	4	34	64	64	64	64	1	9.0		9	9	9	9	9	9	9
ALL AGES	5	15.6	740	1	1	4	22	64	64	64	4	6.0	22	2	2	6	10	11	11	11
SUBTOTAL	**10**	**10.8**	**366**	**1**	**1**	**4**	**9**	**38**	**64**	**64**	**4**	**6.0**	**22**	**2**	**2**	**6**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	15.5	145	7	7	15	24	24	24	24	1	3.0		3	3	3	3	3	3	3
ALL AGES	3	11.0	133	2	2	7	20	24	24	24	3	1.7	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	7.5	5	6	6	7	9	9	9	9										
55-74	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
75 +	1	15.0		15	15	15	15	15	15	15	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	6	6.5	23	3	3	5	9	14	15	15	3	3.7	9	1	1	3	6	7	7	7
SUBTOTAL	**9**	**8.0**	**53**	**2**	**2**	**6**	**10**	**20**	**24**	**24**	**6**	**2.7**	**5**	**1**	**1**	**2**	**3**	**7**	**7**	**7**
GRAND TOTAL	**19**	**9.5**	**208**	**1**	**1**	**5**	**9**	**20**	**46**	**64**	**10**	**4.0**	**13**	**1**	**1**	**2**	**7**	**10**	**11**	**11**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																						
25-34	3	3.7	6	1	1	4	5	6	6	6	4	3.8	2	3	3	3	5	6	6	6
35-54	2	4.0	8	2	2	4	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
55-74	2	1.0		1	1	1	1	1	1	1	3	1.7		1	1	2	2	2	2	2
75 +	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	9	3.2	5	1	1	3	5	6	6	6	10	2.6	2	1	1	2	3	5	6	6
B. FEMALE																						
0-12 YRS.																						
13-17	1	1.0		1	1	1	1	1	1	1											
18-20	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1											
25-34	2	4.5	1	4	4	4	5	5	5	5	2	4.5	1	4	4	4	5	5	5	5
35-54	5	7.0	74	1	1	5	9	22	22	22	9	3.0	4	1	1	2	4	6	6	6
55-74	2	4.0	2	3	3	4	5	5	5	5	9	2.8	6	1	1	2	3	7	9	9
75 +	1	3.0		3	3	3	3	3	3	3	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	13	4.7	29	1	1	4	5	9	19	22	23	3.0	4	1	1	2	4	6	7	9
SUBTOTAL	**22**	**4.1**	**19**	**1**	**1**	**3**	**5**	**6**	**13**	**22**	**33**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34											2	3.0		3	3	3	3	3	3	3
35-54	4	8.8	239	1	1	1	17	32	32	32											
55-74	1	5.0		5	5	5	5	5	5	5											
75 +																						
ALL AGES	5	8.0	183	1	1	1	12	32	32	32	2	3.0		3	3	3	3	3	3	3
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54	3	6.0	27	3	3	3	10	12	12	12	2	9.5	113	2	2	9	17	17	17	17
55-74	3	9.0	108	3	3	3	17	21	21	21											
75 +	1	15.0		15	15	15	15	15	15	15											
ALL AGES	8	8.9	48	3	3	7	13	19	21	21	4	5.8	55	2	2	2	10	17	17	17
SUBTOTAL	**13**	**8.5**	**90**	**1**	**1**	**3**	**13**	**23**	**30**	**32**	**6**	**4.8**	**36**	**2**	**2**	**3**	**3**	**16**	**17**	**17**
GRAND TOTAL	**35**	**5.7**	**49**	**1**	**1**	**3**	**5**	**15**	**22**	**32**	**39**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**3**	**3.0**	**3**	**1**	**1**	**4**	**4**	**4**	**4**	**4**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**4**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**4**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51	1	5.0		5	5	5	5	5	5	5
13-17											1	1.0		1	1	1	1	1	1	1
18-20	2	4.0	8	2	2	4	6	6	6	6										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	15.0		15	15	15	15	15	15	15	2	3.0	2	2	2	3	4	4	4	4
35-54	5	2.8	2	2	2	2	3	5	5	5	2	2.0	2	1	1	2	3	3	3	3
55-74	3	5.3	25	2	2	3	9	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	13	8.1	183	1	1	3	7	22	46	51	7	2.6	2	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	5	3.4	8	1	1	3	5	8	8	8	1	4.0		4	4	4	4	4	4	4
13-17	2	3.0	8	1	1	3	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	3	12.0	148	4	4	6	21	26	26	26										
25-34	5	7.8	53	1	1	5	15	17	17	17	1	3.0		3	3	3	3	3	3	3
35-54	8	6.9	74	1	1	3	10	22	25	25	6	2.0	1	1	1	2	2	4	4	4
55-74	5	2.8	4	1	1	2	4	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	29	6.0	47	1	1	4	6	16	25	26	11	2.2	1	1	1	2	3	4	4	4
SUBTOTAL	**42**	**6.6**	**87**	**1**	**1**	**3**	**6**	**16**	**25**	**51**	**18**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	31.0	1458	4	4	31	58	58	58	58										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	3	5.3	25	2	2	3	9	11	11	11										
35-54	2	8.5	61	3	3	8	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +																				
ALL AGES	10	11.3	294	1	1	4	14	36	58	58	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
18-20	3	14.7	109	4	4	15	22	25	25	25	1	4.0		4	4	4	4	4	4	4
21-24																				
25-34	4	7.5	44	2	2	5	12	17	17	17	2	3.0		3	3	3	3	3	3	3
35-54	6	14.0	151	2	2	9	22	34	35	35	2	2.0		2	2	2	2	2	2	2
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +	2	3.5	13	1	1	3	6	6	6	6										
ALL AGES	18	9.5	93	1	1	6	15	24	31	35	7	2.7	1	1	1	3	4	4	4	4
SUBTOTAL	**28**	**10.1**	**159**	**1**	**1**	**5**	**14**	**24**	**37**	**58**	**8**	**2.8**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**70**	**8.0**	**117**	**1**	**1**	**4**	**11**	**20**	**26**	**57**	**26**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**5**	**5**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	19.0		19	19	19	19	19	19	19	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +											1	95.0		95	95	95	95	95	95	95
ALL AGES	2	11.0	128	3	3	11	19	19	19	19	2	48.0	4418	1	1	47	95	95	95	95
SUBTOTAL	**3**	**8.3**	**86**	**3**	**3**	**3**	**15**	**19**	**19**	**19**	**2**	**48.0**	**4418**	**1**	**1**	**47**	**95**	**95**	**95**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
SUBTOTAL											**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**3**	**8.3**	**86**	**3**	**3**	**3**	**15**	**19**	**19**	**19**	**4**	**24.5**	**2209**	**1**	**1**	**1**	**48**	**95**	**95**	**95**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54											1	6.0		6	6	6	6	6	6	6
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	21.5	761	2	2	21	41	41	41	41	4	3.5	6	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	4	1.5	1	1	1	1	2	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
ALL AGES	7	2.0	2	1	1	1	3	4	4	4	5	2.4	2	1	1	2	4	4	4	4
SUBTOTAL	**9**	**6.3**	**171**	**1**	**1**	**2**	**3**	**26**	**41**	**41**	**9**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54	2	11.5	181	2	2	11	21	21	21	21	1	6.0		6	6	6	6	6	6	6
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	4	8.3	73	2	2	5	13	21	21	21	2	7.5	5	6	6	7	9	9	9	9
SUBTOTAL	**4**	**8.3**	**73**	**2**	**2**	**5**	**13**	**21**	**21**	**21**	**3**	**5.7**	**12**	**2**	**2**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**13**	**6.9**	**133**	**1**	**1**	**3**	**5**	**25**	**38**	**41**	**12**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**9**	**9**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.3	11	3	3	4	8	9	9	9	1	3.0		3	3	3	3	3	3	3
13-17	42	12.5	152	1	2	9	17	27	36	66	7	1.7	1	1	1	1	3	3	3	3
18-20	44	10.1	142	1	1	7	11	23	43	50										
21-24	37	7.7	72	1	1	4	10	20	29	36	1	28.0		28	28	28	28	28	28	28
25-34	77	7.6	53	1	1	5	10	20	24	83	2	12.0	128	4	4	12	20	20	20	20
35-54	64	7.3	24	1	2	6	10	13	16	23	3	1.7	1	1	1	1	3	3	3	3
55-74	25	8.2	67	1	1	7	10	15	28	37	3	4.3	5	2	2	5	6	6	6	6
75 +	17	15.1	350	1	2	8	16	39	61	73										
ALL AGES	309	9.0	95	1	1	6	11	20	29	56	17	5.0	55	1	1	3	4	17	25	28
B. FEMALE																				
0-12 YRS.	6	14.5	220	4	4	6	31	35	36	36	1	30.0		30	30	30	30	30	30	30
13-17	137	10.3	88	1	2	7	14	26	31	38	2	17.0	450	2	2	17	32	32	32	32
18-20	51	9.4	133	1	1	6	12	20	27	74	4	2.8	3	1	1	2	4	5	5	5
21-24	59	6.5	31	1	1	5	9	16	20	24	3	4.3	6	3	3	3	6	7	7	7
25-34	121	7.0	60	1	1	4	8	15	19	42	6	3.8	9	1	1	3	7	8	8	8
35-54	142	9.4	94	1	1	6	12	23	30	47	12	3.4	9	1	1	2	4	8	11	11
55-74	34	13.8	184	2	3	10	16	29	49	63	10	6.6	41	1	1	5	6	15	24	24
75 +	25	15.3	201	2	3	11	20	39	47	50	4	10.8	153	2	2	6	18	29	29	29
ALL AGES	575	9.4	97	1	1	6	12	22	30	49	42	6.2	61	1	1	4	7	15	29	32
SUBTOTAL	**884**	**9.2**	**97**	**1**	**1**	**6**	**12**	**21**	**29**	**50**	**59**	**5.9**	**58**	**1**	**1**	**3**	**6**	**16**	**29**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.0	98	14	14	21	28	28	28	28										
13-17	37	11.4	105	1	2	8	15	25	30	49	2	4.0		4	4	4	4	4	4	4
18-20	49	8.6	58	1	2	7	10	20	22	41	1	1.0		1	1	1	1	1	1	1
21-24	87	8.7	70	2	2	7	10	16	21	53										
25-34	117	9.7	71	1	1	7	15	22	27	36	6	4.2	34	1	1	2	3	15	16	16
35-54	95	9.0	38	1	2	8	13	18	20	30	2	2.0	2	1	1	2	3	3	3	3
55-74	18	11.3	81	3	4	9	12	21	34	42	1	1.0		1	1	1	1	1	1	1
75 +	4	13.8	56	3	3	18	40	99 +	99 +	99 +										
ALL AGES	409	9.5	66	1	2	7	13	20	24	41	12	3.3	17	1	1	2	3	8	15	16
B. FEMALE																				
0-12 YRS.	3	11.7	176	3	3	5	21	27	27	27										
13-17	76	12.0	161	1	2	8	16	25	39	66	1	15.0		15	15	15	15	15	15	15
18-20	46	9.9	58	2	3	8	13	18	27	38										
21-24	81	7.9	97	1	2	6	9	16	21	63	2	4.5	1	4	4	4	5	5	5	5
25-34	178	9.3	85	2	2	7	13	18	24	39	5	5.6	48	2	2	3	7	18	18	18
35-54	136	9.9	125	1	2	7	11	23	33	55	5	5.8	14	2	2	5	7	12	12	12
55-74	41	14.0	147	3	4	11	18	29	37	64	5	4.8		4	4	5	5	5	5	5
75 +	11	16.2	89	1	4	17	24	28	30	30	1	3.0		3	3	3	3	3	3	3
ALL AGES	572	10.2	109	1	2	7	13	21	28	51	19	5.7	19	2	2	5	5	14	17	18
SUBTOTAL	**981**	**9.9**	**91**	**1**	**2**	**7**	**13**	**20**	**27**	**50**	**31**	**4.7**	**20**	**1**	**1**	**4**	**5**	**13**	**16**	**18**
GRAND TOTAL	**1865**	**9.6**	**94**	**1**	**2**	**7**	**12**	**21**	**28**	**50**	**90**	**5.5**	**45**	**1**	**1**	**3**	**5**	**13**	**24**	**31**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	37.0	1219	7	7	29	64	83	83	83	1	1.0		1	1	1	1	1	1	1
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54	2	16.5	1	16	16	16	17	17	17	17	1	8.0		8	8	8	8	8	8	8
55-74	2	10.5	41	6	6	10	15	15	15	15										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	9	22.7	663	2	4	15	24	68	83	83	3	4.0	13	1	1	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.7	58	1	1	6	13	16	16	16										
18-20	1	12.0		12	12	12	12	12	12	12	1	6.0		6	6	6	6	6	6	6
21-24	2	30.0	1058	7	7	30	53	53	53	53	1	4.0		4	4	4	4	4	4	4
25-34											3	4.7	4	3	3	4	6	7	7	7
35-54	7	14.6	79	7	7	10	20	29	31	31	3	3.3	1	3	3	3	4	4	4	4
55-74	4	8.3	30	3	3	7	12	16	16	16	2	6.0	8	4	4	6	8	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4	3	8.7	15	5	5	8	12	13	13	13
ALL AGES	18	13.0	153	2	3	9	16	28	44	53	13	5.5	9	3	3	4	7	9	12	13
SUBTOTAL	**27**	**16.2**	**327**	**2**	**3**	**10**	**16**	**42**	**57**	**83**	**16**	**5.3**	**8**	**1**	**3**	**4**	**7**	**8**	**12**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	4	6.3	15	3	3	6	9	11	11	11										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	6	9.3	50	2	2	6	16	20	20	20	2	5.0	18	2	2	5	8	8	8	8
35-54	5	10.0	91	1	1	7	14	26	26	26										
55-74	1	19.0		19	19	19	19	19	19	19	1	6.0		6	6	6	6	6	6	6
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	18	9.2	48	1	2	7	11	20	24	26	4	4.5	9	2	2	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	6	16.2	118	3	3	14	26	31	32	32	1	6.0		6	6	6	6	6	6	6
18-20	4	21.0	311	5	5	19	36	40	40	40	1	8.0		8	8	8	8	8	8	8
21-24	2	21.0	392	7	7	21	35	35	35	35										
25-34	8	16.4	193	4	4	15	19	39	47	47	2	3.5	13	1	1	3	6	6	6	6
35-54	14	14.9	129	3	3	10	26	30	37	39	1	16.0		16	16	16	16	16	16	16
55-74	3	12.3	126	4	4	8	21	25	25	25										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	38	16.0	147	3	4	12	26	34	40	47	5	7.4	30	1	1	6	10	16	16	16
SUBTOTAL	**56**	**13.8**	**125**	**3**	**3**	**9**	**19**	**31**	**38**	**47**	**9**	**6.1**	**21**	**1**	**1**	**6**	**8**	**13**	**16**	**16**
GRAND TOTAL	**83**	**14.6**	**166**	**2**	**3**	**9**	**18**	**32**	**42**	**73**	**25**	**5.6**	**12**	**1**	**2**	**5**	**8**	**8**	**14**	**16**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	4.0	8	2	2	4	6	6	6	6
13-17	21	6.9	34	1	1	5	12	16	17	19	3	28.3	1780	3	3	5	59	77	77	77
18-20	19	5.3	77	1	1	2	5	12	28	39	1	1.0		1	1	1	1	1	1	1
21-24	16	8.4	109	1	1	4	11	30	32	33										
25-34	29	6.7	24	1	1	6	10	12	17	20	1	2.0		2	2	2	2	2	2	2
35-54	20	5.1	13	1	1	4	7	11	12	13	5	4.4	26	1	1	2	7	13	13	13
55-74	8	16.6	353	4	5	8	22	50	57	57	3	12.7	75	3	3	15	19	20	20	20
75 +	5	9.4	21	5	5	9	13	15	15	15										
ALL AGES	119	7.2	69	1	1	5	9	15	20	45	15	10.4	373	1	1	3	11	20	63	77
B. FEMALE																				
0-12 YRS.	5	10.8	56	1	1	11	16	21	21	21	1	2.0		2	2	2	2	2	2	2
13-17	46	6.8	119	1	1	4	7	17	52	99 +	2	1.5	1	1	1	1	2	2	2	2
18-20	18	6.7	45	1	2	5	6	18	24	26	1	2.0		2	2	2	2	2	2	2
21-24	17	6.7	22	1	2	5	10	13	17	18	3	4.0	9	1	1	4	6	7	7	7
25-34	50	8.1	70	1	1	5	10	23	29	31	5	2.2	1	1	1	2	3	3	3	3
35-54	60	9.1	82	1	1	6	12	24	29	39	5	3.8	5	1	1	4	6	6	6	6
55-74	29	8.4	33	2	3	7	12	18	20	22	3	7.0	12	5	5	5	10	11	11	11
75 +	11	11.7	95	5	6	7	11	31	31	31	2	11.0		11	11	11	11	11	11	11
ALL AGES	236	8.1	74	1	1	5	10	21	28	52	22	4.2	11	1	1	3	6	11	11	11
SUBTOTAL	**355**	**7.8**	**72**	**1**	**1**	**5**	**10**	**18**	**28**	**50**	**37**	**6.7**	**161**	**1**	**1**	**3**	**6**	**13**	**18**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	52.7	921	29	29	42	76	87	87	87										
13-17	16	10.1	96	1	1	5	14	25	32	35	1	28.0		28	28	28	28	28	28	28
18-20	18	7.6	45	1	1	6	11	17	23	25	1	7.0		7	7	7	7	7	7	7
21-24	21	13.0	161	1	2	8	16	34	41	48										
25-34	42	8.1	36	2	2	6	11	16	22	26	2	1.5	1	1	1	1	2	2	2	2
35-54	33	6.3	15	1	2	6	8	12	14	17	2	11.0	72	5	5	11	17	17	17	17
55-74	8	8.5	16	4	4	8	11	14	15	15	3	19.3	312	5	5	14	33	39	39	39
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	142	9.6	113	1	2	7	12	20	29	51	9	13.1	169	1	1	7	20	35	39	39
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49	1	7.0		7	7	7	7	7	7	7
13-17	35	17.9	197	2	3	15	27	36	47	58	3	16.0	631	1	1	2	34	45	45	45
18-20	19	10.4	120	1	2	5	14	22	38	47	1	6.0		6	6	6	6	6	6	6
21-24	17	11.1	201	1	1	8	11	30	49	57										
25-34	57	9.5	78	1	1	8	12	22	28	39	4	5.3	34	2	2	3	8	14	14	14
35-54	41	11.0	62	1	3	10	15	21	24	40	5	10.8	105	1	1	7	15	28	28	28
55-74	17	14.7	143	2	2	14	22	28	40	46										
75 +	4	12.3	87	1	1	12	19	23	23	23										
ALL AGES	191	12.3	130	1	2	9	16	27	36	54	14	9.7	155	1	1	6	11	30	42	45
SUBTOTAL	**333**	**11.2**	**123**	**1**	**2**	**8**	**15**	**26**	**33**	**51**	**23**	**11.0**	**157**	**1**	**1**	**7**	**14**	**30**	**41**	**45**
GRAND TOTAL	**688**	**9.5**	**99**	**1**	**1**	**6**	**12**	**22**	**29**	**50**	**60**	**8.4**	**160**	**1**	**1**	**4**	**9**	**18**	**34**	**74**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	8	14.0	90	2	4	18	23	72	99 +	99 +	1	2.0		2	2	2	2	2	2	2
18-20	4	5.0	5	3	3	4	6	8	8	8										
21-24	5	13.6	106	1	1	19	21	23	23	23										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	3	1.7		1	1	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	23	9.5	76	1	2	6	20	24	50	99 +	2	2.0		2	2	2	2	2	2	2
B. FEMALE																						
0-12 YRS.																				
13-17	5	15.8	185	1	1	14	26	35	35	35	3	36.3	1574	11	11	16	65	82	82	82
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	4.0	9	1	1	4	6	7	7	7										
35-54	3	19.7	988	1	1	2	42	56	56	56										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	15	11.9	243	1	1	5	16	35	51	56	3	36.3	1574	11	11	16	65	82	82	82
SUBTOTAL	**38**	**10.4**	**140**	**1**	**1**	**6**	**19**	**27**	**47**	**99 +**	**5**	**22.6**	**1139**	**2**	**2**	**11**	**32**	**82**	**82**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																				
13-17	4	12.5	212	3	3	6	21	34	34	34	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	6	4.2	1	3	3	4	5	6	6	6										
25-34	7	5.3	56	1	1	3	4	18	22	22										
35-54	8	4.1	10	1	1	4	6	8	9	9										
55-74	5	8.0	50	1	1	5	15	17	17	17										
75 +	4	17.8	135	6	6	15	25	34	34	34										
ALL AGES	34	7.5	72	1	1	4	9	17	31	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																						
0-12 YRS.																				
13-17	2	25.0	338	12	12	69	99 +	99 +	99 +	99 +										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	4	8.3	28	1	1	9	12	14	14	14										
35-54	3	5.0	3	4	4	4	6	7	7	7										
55-74																				
75 +																				
ALL AGES	12	8.8	102	1	2	8	14	99 +	99 +	99 +										
SUBTOTAL	**46**	**7.9**	**77**	**1**	**1**	**5**	**11**	**30**	**44**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**84**	**9.0**	**106**	**1**	**1**	**5**	**14**	**28**	**41**	**99 +**	**6**	**19.0**	**989**	**1**	**1**	**7**	**16**	**75**	**82**	**82**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	16.8	271	1	2	8	29	41	50	50										
13-17	28	15.2	384	2	2	9	15	43	55	91										
18-20	17	4.6	36	1	1	2	5	13	20	24										
21-24	10	11.2	97	1	2	9	15	26	36	36										
25-34	12	4.7	18	1	1	3	6	13	14	14										
35-54	10	6.7	35	1	1	4	10	16	17	17										
55-74	3	4.0	1	3	3	4	5	5	5	5										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	91	10.3	190	1-	1	6	14	24	36	75										
B. FEMALE																				
0-12 YRS.	10	22.0	780	2	5	14	31	98	99 +	99 +										
13-17	40	14.2	109	1	2	12	23	31	32	36	3	7.7	22	4	4	6	11	13	13	13
18-20	9	9.2	80	1	1	5	13	24	26	26										
21-24	8	10.0	56	3	3	7	16	21	22	22										
25-34	18	11.4	154	1	2	9	12	19	43	57										
35-54	18	9.3	113	1	2	5	14	18	35	46	1	9.0		9	9	9	9	9	9	9
55-74	9	19.3	172	2	4	19	22	40	47	47	1	1.0		1	1	1	1	1	1	1
75 +	3	9.0	52	3	3	7	14	17	17	17	1	3.0		3	3	3	3	3	3	3
ALL AGES	115	13.3	175	1	2	9	18	30	35	98	6	6.0	19	1	1	5	9	13	13	13
SUBTOTAL	**206**	**11.9**	**185**	**1**	**2**	**8**	**16**	**27**	**36**	**94**	**6**	**6.0**	**19**	**1**	**1**	**5**	**9**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	10.0	8	8	8	10	12	12	12	12										
13-17	19	24.6	206	4	5	24	31	40	51	60										
18-20	5	15.0	252	2	2	13	20	42	42	42										
21-24	19	5.5	97	1	1	2	5	11	30	44	1	3.0		3	3	3	3	3	3	3
25-34	27	8.8	72	3	3	6	9	16	31	41										
35-54	20	9.9	99	1	2	7	14	20	33	43	1	2.0		2	2	2	2	2	2	2
55-74	8	15.0	159	5	6	11	15	37	45	45										
75 +	2	4.0	18	1	1	4	7	7	7	7										
ALL AGES	102	12.0	158	1	2	7	15	31	42	52	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	51	99 +	99 +	99 +	99 +										
13-17	28	17.3	198	3	3	14	27	35	40	64										
18-20	12	7.6	46	1	2	6	8	20	23	24	1	15.0		15	15	15	15	15	15	15
21-24	10	6.4	25	1	1	6	11	14	16	16										
25-34	28	9.9	62	2	3	8	14	16	30	35										
35-54	29	10.3	67	2	3	7	15	20	23	39	1	2.0		2	2	2	2	2	2	2
55-74	7	15.1	329	2	2	6	28	45	47	47	2	6.0	18	3	3	6	9	9	9	9
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	116	11.6	117	2	2	8	16	29	35	76	4	7.3	35	2	2	6	12	15	15	15
SUBTOTAL	**218**	**11.8**	**135**	**1**	**2**	**7**	**16**	**30**	**39**	**61**	**6**	**5.7**	**27**	**2**	**2**	**3**	**9**	**14**	**15**	**15**
GRAND TOTAL	**424**	**11.9**	**158**	**1**	**2**	**8**	**16**	**29**	**39**	**70**	**12**	**5.8**	**22**	**1**	**1**	**4**	**9**	**14**	**15**	**15**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	36.8	96	26	26	36	45	48	48	48										
13-17	2	10.0	98	3	3	10	17	17	17	17	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	5	14.8	91	7	7	12	19	31	31	31										
35-54	4	19.8	122	8	8	19	29	32	32	32	2	7.0	32	3	3	7	11	11	11	11
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	16	20.1	196	2	3	16	31	41	46	48	4	6.8	30	1	1	7	11	12	12	12
B. FEMALE																				
0-12 YRS.	3	12.3	323	1	1	3	25	33	33	33	1	29.0		29	29	29	29	29	29	29
13-17	8	10.9	84	1	2	9	17	25	27	27										
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	5	4.0	5	2	2	4	5	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	3	17.0	403	3	3	8	32	40	40	40										
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	21	10.9	123	1	2	7	16	29	36	40	2	16.5	313	4	4	16	29	29	29	29
SUBTOTAL	**37**	**14.8**	**174**	**1**	**2**	**11**	**26**	**33**	**41**	**48**	**6**	**10.0**	**106**	**1**	**1**	**7**	**12**	**27**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	11.3	89	3	3	7	18	26	28	28										
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	7	20.7	366	1	1	16	28	52	58	58										
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	17	14.1	209	1	2	8	21	29	48	58	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	10	16.8	108	3	3	18	28	29	29	29										
18-20	3	11.3	102	2	2	10	19	22	22	22										
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	5	12.0	204	2	2	3	21	35	35	35										
35-54	7	12.6	25	7	7	13	15	21	22	22	1	21.0		21	21	21	21	21	21	21
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	27	14.0	89	2	3	13	21	29	30	35	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**44**	**14.0**	**133**	**2**	**3**	**11**	**21**	**29**	**31**	**58**	**2**	**11.0**	**200**	**1**	**1**	**11**	**21**	**21**	**21**	**21**
GRAND TOTAL	**81**	**14.4**	**149**	**1**	**2**	**11**	**22**	**31**	**37**	**55**	**8**	**10.3**	**104**	**1**	**1**	**7**	**16**	**27**	**29**	**29**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	2.3	4	1	1	1	3	6	6	6	1	4.0		4	4	4	4	4	4	4
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	3	9.7	29	6	6	7	14	16	16	16										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	2	12.5	61	7	7	12	18	18	18	18
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	12	5.4	25	1	1	4	7	15	16	16	4	7.5	55	1	1	5	12	18	18	18
B. FEMALE																				
0-12 YRS.	2	17.5	481	2	2	17	33	33	33	33										
13-17	13	7.3	142	1	1	2	5	31	35	36	3	2.3	6	1	1	1	4	5	5	5
18-20	1	3.0		3	3	3	3	3	3	3	2	3.5	13	1	1	3	6	6	6	6
21-24	4	17.8	101	3	3	21	24	25	25	25										
25-34	7	7.6	63	1	1	6	9	21	24	24	2	2.0	2	1	1	2	3	3	3	3
35-54	6	6.8	32	2	2	5	12	15	15	15	4	3.5	4	2	2	3	5	6	6	6
55-74	5	22.6	280	5	5	21	33	48	48	48	2	11.0	162	2	2	11	20	20	20	20
75 +	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
ALL AGES	39	10.8	146	1	1	5	18	29	35	48	14	3.9	25	1	1	2	5	8	17	20
SUBTOTAL	**51**	**9.6**	**121**	**1**	**1**	**5**	**14**	**26**	**33**	**48**	**18**	**4.7**	**31**	**1**	**1**	**3**	**6**	**15**	**19**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	5	10.0	22	4	4	9	14	16	16	16										
18-20	7	9.6	143	1	1	6	13	30	34	34										
21-24	6	11.0	66	2	2	9	14	24	25	25										
25-34	18	9.8	225	1	2	5	9	20	48	66										
35-54	3	14.3	147	3	3	13	23	27	27	27	2	2.0	2	1	1	2	3	3	3	3
55-74	2	14.0	2	13	13	14	15	15	15	15										
75 +	2	2.5	5	1	1	2	4	4	4	4										
ALL AGES	44	10.0	131	1	1	7	13	21	29	66	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	7	20.0	91	3	5	22	27	31	32	32	4	9.3	250	1	1	1	17	33	33	33
18-20	13	10.5	76	1	1	10	16	23	28	29	1	12.0		12	12	12	12	12	12	12
21-24	6	4.0	6	1	1	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	17	5.0	13	1	1	4	8	10	12	13	3	6.3	26	1	1	7	10	11	11	11
35-54	16	8.4	81	1	1	6	10	20	31	36										
55-74	3	7.3	7	5	5	7	9	10	10	10										
75 +	2	13.0	8	11	11	13	15	15	15	15										
ALL AGES	64	8.9	67	1	1	6	12	21	28	35	9	7.7	110	1	1	2	11	25	33	33
SUBTOTAL	**108**	**9.3**	**93**	**1**	**1**	**6**	**13**	**21**	**28**	**49**	**11**	**6.6**	**94**	**1**	**1**	**2**	**10**	**20**	**32**	**33**
GRAND TOTAL	**159**	**9.4**	**101**	**1**	**1**	**6**	**13**	**23**	**30**	**47**	**29**	**5.4**	**54**	**1**	**1**	**2**	**6**	**16**	**21**	**33**

FRONTAL LOBE SYNDROME (310.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30										
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	7.0	8	5	5	7	9	9	9	9										
75 +																				
ALL AGES	3	14.7	179	5	5	9	25	30	30	30	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	2	10.0	8	8	8	10	12	12	12	12										
ALL AGES	3	11.0	7	8	8	12	13	13	13	13										
SUBTOTAL	**6**	**12.8**	**80**	**5**	**5**	**10**	**13**	**28**	**30**	**30**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**7**	**11.4**	**80**	**3**	**3**	**9**	**13**	**27**	**30**	**30**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-20																				
21-24	2	19.5	481	4	4	19	35	35	35	35										
25-34																				
35-54	3	6.7	40	3	3	3	11	14	14	14	1	6.0		6	6	6	6	6	6	6
55-74	11	13.9	85	3	5	10	20	29	32	32	2	3.5	5	2	2	3	5	5	5	5
75 +	7	14.4	93	6	6	10	23	29	30	30	1	11.0		11	11	11	11	11	11	11
ALL AGES	23	13.6	99	3	3	10	20	30	33	35	5	5.8	11	2	2	5	7	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	6	18.7	483	1	2	11	19	58	62	62	1	4.0		4	4	4	4	4	4	4
75 +	23	17.5	247	2	3	14	22	35	53	69	7	8.7	17	2	4	10	35	99 +	99 +	99 +
ALL AGES	31	17.5	264	2	3	14	20	37	61	69	8	8.1	17	2	3	9	14	99 +	99 +	99 +
SUBTOTAL	**54**	**15.8**	**195**	**2**	**3**	**12**	**20**	**32**	**42**	**69**	**13**	**7.2**	**15**	**2**	**2**	**7**	**12**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	5.5	25	2	2	5	9	9	9	9										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	2	14.0	18	11	11	14	17	17	17	17	1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	50	99 +	99 +	99 +	99 +	1	10.0		10	10	10	10	10	10	10
75 +	1	21.0		21	21	21	21	21	21	21	3	29.0	1732	3	3	7	59	77	77	77
ALL AGES	7	9.3	58	1	1	10	19	76	99 +	99 +	5	19.8	1033	2	2	7	27	77	77	77
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	3	29.3	617	7	7	25	48	56	56	56										
75 +	3	14.0	147	3	3	12	23	27	27	27	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	10	18.6	250	3	3	15	25	41	56	56	2	6.5	13	4	4	6	9	9	9	9
SUBTOTAL	**17**	**14.8**	**184**	**1**	**2**	**11**	**24**	**47**	**82**	**99 +**	**7**	**16.0**	**733**	**2**	**2**	**7**	**10**	**64**	**77**	**77**
GRAND TOTAL	**71**	**15.6**	**189**	**2**	**3**	**12**	**21**	**32**	**55**	**93**	**20**	**10.3**	**259**	**2**	**2**	**7**	**11**	**84**	**99 +**	**99 +**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	2.4	8	1	1	1	3	5	9	13	12	2.4	7	1	1	1	5	26	86	99 +
13-17	25	1.8	1	1	1	1	2	4	4	4	22	3.9	13	1	1	2	6	8	11	15
18-20	20	5.1	24	1	1	4	6	9	17	23	30	4.2	6	1	1	4	6	8	8	9
21-24	19	2.7	3	1	1	2	4	5	6	6	49	6.7	13	1	1	7	8	11	12	20
25-34	28	2.7	5	1	1	2	4	6	8	9	135	6.8	19	2	3	6	8	10	12	25
35-54	25	4.0	4	1	1	4	6	7	7	8	141	6.7	12	2	4	6	8	9	13	21
55-74	16	6.7	10	2	2	6	9	11	11	11	29	7.4	20	1	2	7	9	12	14	22
75 +	3	9.3	27	5	5	8	13	15	15	15	3	21.3	522	1	1	17	39	46	46	46
ALL AGES	159	3.5	10	1	1	2	5	7	10	15	421	6.5	19	1	2	6	8	10	13	24
B. FEMALE																				
0-12 YRS.	19	2.3	13	1	1	1	2	3	11	17	20	2.8	11	1	1	2	3	11	52	99 +
13-17	13	2.6	3	1	1	2	3	5	6	6	16	8.7	304	1	1	4	8	10	54	73
18-20	14	2.9	11	1	1	2	2	8	12	13	24	4.8	7	1	1	5	7	8	9	9
21-24	15	2.9	4	1	1	2	3	6	7	8	37	6.0	6	3	3	6	7	9	10	14
25-34	28	4.5	15	1	1	3	6	8	14	17	88	7.2	12	3	3	7	8	12	14	19
35-54	26	5.4	26	1	1	4	7	13	16	23	116	7.5	22	2	3	7	9	12	17	29
55-74	22	4.6	6	1	2	4	6	8	9	11	42	7.9	26	2	3	7	9	16	19	23
75 +	16	10.4	99	1	2	7	13	30	34	35	13	11.2	383	2	2	5	10	26	66	75
ALL AGES	153	4.5	26	1	1	3	6	9	14	31	356	7.1	42	1	2	6	8	12	14	31
SUBTOTAL	**312**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**23**	**777**	**6.7**	**31**	**1**	**2**	**6**	**8**	**11**	**14**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	6	3.2	12	1	1	2	4	9	10	10	2	4.0	8	2	2	4	6	6	6	6
35-54	4	10.0	65	3	3	8	16	20	20	20	2	4.5	5	3	3	4	6	6	6	6
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +	2	18.0	98	11	11	18	25	25	25	25	3	10.0	129	2	2	5	18	23	23	23
ALL AGES	14	7.1	59	1	1	3	11	20	24	25	10	5.5	41	1	1	4	6	54	96	99 +
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24											1	3.0		3	3	3	3	3	3	3
25-34	1	5.0		5	5	5	5	5	5	5	2	4.5	5	3	3	4	6	6	6	6
35-54	5	3.6	4	1	1	4	5	6	6	6	4	6.3	14	4	4	5	8	12	12	12
55-74	1	33.0		33	33	33	33	33	33	33	1	4.0		4	4	4	4	4	4	4
75 +	2	14.5	113	7	7	14	22	22	22	22	2	10.0	98	3	3	10	17	17	17	17
ALL AGES	11	7.9	104	1	1	5	7	26	32	33	10	6.1	22	3	3	4	6	14	17	17
SUBTOTAL	**25**	**7.4**	**76**	**1**	**1**	**4**	**10**	**22**	**27**	**33**	**20**	**5.8**	**30**	**1**	**2**	**4**	**6**	**19**	**58**	**99 +**
GRAND TOTAL	**337**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**13**	**26**	**797**	**6.7**	**30**	**1**	**2**	**6**	**8**	**11**	**14**	**29**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	200	5	5	15	25	25	25	25										
13-17																				
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	2	10.5	25	7	7	10	14	14	14	14										
55-74	2	32.0	1152	8	8	32	56	56	56	56										
75 +	3	7.3	3	6	6	7	8	9	9	9	1	14.0		14	14	14	14	14	14	14
ALL AGES	11	14.9	222	5	6	9	17	37	54	56	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20	3	18.7	238	3	3	19	30	34	34	34										
21-24																				
25-34																				
35-54	2	20.0	242	9	9	20	31	31	31	31										
55-74	3	10.0	39	5	5	8	15	17	17	17	1	33.0		33	33	33	33	33	33	33
75 +	6	9.2	30	2	3	11	16	84	99 +	99 +										
ALL AGES	15	12.7	90	2	3	10	18	34	80	99 +	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**26**	**13.6**	**142**	**3**	**5**	**9**	**18**	**33**	**63**	**99 +**	**2**	**23.5**	**181**	**14**	**14**	**23**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	2	24.5	181	15	15	24	34	34	34	34	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	3	19.3	172	9	9	15	29	34	34	34	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +	2	26.5	313	14	14	26	39	39	39	39										
ALL AGES	2	26.5	313	14	14	26	39	39	39	39	2	9.5	41	5	5	9	14	14	14	14
SUBTOTAL	**5**	**22.2**	**179**	**9**	**9**	**15**	**35**	**39**	**39**	**39**	**3**	**9.3**	**21**	**5**	**5**	**9**	**13**	**14**	**14**	**14**
GRAND TOTAL	**31**	**15.0**	**152**	**3**	**5**	**10**	**19**	**36**	**54**	**99 +**	**5**	**15.0**	**116**	**5**	**5**	**14**	**19**	**33**	**33**	**33**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	34.0		34	34	34	34	34	34	34	1	2.0		2	2	2	2	2	2	2
35-54	11	14.3	168	2	2	11	27	34	36	36	1	1.0		1	1	1	1	1	1	1
55-74	25	17.7	318	2	3	11	17	52	57	62	12	8.8	27	3	3	7	11	18	19	19
75 +	31	12.7	115	4	4	9	16	36	44	99 +	22	15.2	502	4	6	9	14	99 +	99 +	99 +
ALL AGES	69	15.0	199	2	3	10	17	40	52	92	36	12.3	326	2	3	8	13	85	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	13.5	221	3	3	13	24	24	24	24										
35-54	1	6.0		6	6	6	6	6	6	6	1	14.0		14	14	14	14	14	14	14
55-74	24	13.2	177	3	4	9	14	32	46	61	14	9.4	169	1	2	4	11	44	86	99 +
75 +	79	13.9	206	2	3	8	18	46	61	99 +	52	13.1	189	2	3	11	16	55	99 +	99 +
ALL AGES	106	13.7	194	2	3	8	17	39	61	99 +	67	12.3	183	2	3	10	16	48	99 +	99 +
SUBTOTAL	**175**	**14.2**	**195**	**2**	**3**	**9**	**17**	**39**	**55**	**99 +**	**103**	**12.3**	**230**	**2**	**3**	**9**	**15**	**61**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	34.5	761	15	15	34	54	54	54	54										
35-54	5	22.0	284	4	4	25	33	45	45	45										
55-74	12	15.3	165	2	3	10	23	33	44	46	7	14.3	372	1	1	6	16	48	56	56
75 +	16	8.1	20	2	3	8	11	18	71	99 +	6	7.8	15	4	4	8	13	83	99 +	99 +
ALL AGES	36	14.0	164	2	3	10	18	42	51	99 +	14	10.6	195	1	2	7	13	56	89	99 +
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	4	35.5	1654	7	7	20	61	95	95	95										
55-74	16	10.8	46	3	4	8	15	24	25	25	2	27.0	450	12	12	27	42	42	42	42
75 +	16	12.8	149	1	2	15	36	99 +	99 +	99 +	14	18.4	316	2	3	13	39	96	99 +	99 +
ALL AGES	36	14.4	284	2	3	12	22	97	99 +	99 +	18	17.5	309	1	2	13	34	80	99 +	99 +
SUBTOTAL	**72**	**14.2**	**221**	**2**	**3**	**10**	**19**	**48**	**99 +**	**99 +**	**32**	**14.5**	**263**	**1**	**2**	**10**	**24**	**60**	**99 +**	**99 +**
GRAND TOTAL	**247**	**14.2**	**202**	**2**	**3**	**9**	**18**	**44**	**61**	**99 +**	**135**	**12.8**	**237**	**2**	**3**	**9**	**16**	**60**	**99 +**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	2	28.0	1152	4	4	28	52	52	52	52
13-17	9	4.4	13	1	1	5	7	9	11	11	5	8.2	178	1	1	3	10	32	32	32
18-20	1	34.0		34	34	34	34	34	34	34	1	7.0		7	7	7	7	7	7	7
21-24	5	19.0	126	2	2	21	27	31	31	31										
25-34	18	8.9	84	1	1	5	15	23	28	30	1	6.0		6	6	6	6	6	6	6
35-54	40	10.8	149	2	2	6	13	25	39	58	4	4.0	5	2	2	3	5	7	7	7
55-74	28	13.0	114	2	2	10	17	33	36	38	8	11.9	374	1	2	5	9	45	59	59
75 +	18	18.6	214	3	3	15	33	37	46	52	7	7.7	18	3	3	8	8	14	16	16
ALL AGES	121	12.1	142	1	2	8	18	32	36	54	28	9.8	204	1	2	5	8	27	53	59
B. FEMALE																				
0-12 YRS.	3	17.0	507	4	4	4	33	43	43	43	1	4.0		4	4	4	4	4	4	4
13-17	26	9.6	375	1	1	4	9	21	42	99	8	13.4	409	1	1	3	24	47	49	49
18-20	11	9.4	93	1	1	5	15	25	30	30										
21-24	12	12.6	96	1	1	14	16	25	34	36	7	2.7	2	1	1	3	4	5	5	5
25-34	31	13.5	337	1	1	7	17	30	51	90	9	2.2	2	1	1	2	3	4	5	5
35-54	55	11.0	95	1	1	8	16	24	29	48	15	2.5	2	1	1	2	4	4	5	5
55-74	64	13.3	116	2	3	12	19	27	29	60	21	7.9	43	2	2	7	9	16	25	29
75 +	40	13.4	227	2	3	7	17	31	50	70	15	12.7	489	1	1	6	11	27	73	89
ALL AGES	242	12.2	185	1	2	8	17	27	35	72	76	7.2	161	1	1	4	6	12	28	79
SUBTOTAL	**363**	**12.2**	**170**	**1**	**2**	**8**	**17**	**28**	**36**	**63**	**104**	**7.9**	**172**	**1**	**1**	**4**	**7**	**14**	**35**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	10.5	41	6	6	10	15	15	15	15	3	42.0	1084	4	4	60	61	62	62	62
13-17	9	6.8	37	2	2	4	8	17	21	21	1	46.0		46	46	73	99 +	99 +	99 +	99 +
18-20	6	12.5	487	1	1	3	10	52	57	57	1	1.0		1	1	1	1	1	1	1
21-24	9	9.3	38	1	1	8	14	18	20	20										
25-34	31	11.1	62	1	2	9	17	22	25	32	3	1.7		1	1	2	2	2	2	2
35-54	29	8.5	42	1	2	7	11	20	30	99 +	5	3.2	3	1	1	3	5	5	5	5
55-74	21	8.8	33	1	2	9	11	16	21	24	6	12.0	124	3	3	6	23	28	29	29
75 +	5	15.8	160	4	4	13	24	35	35	35	2	8.0	18	5	5	8	11	11	11	11
ALL AGES	112	9.8	70	1	2	8	13	21	25	73	21	13.4	375	1	1	5	23	61	77	99 +
B. FEMALE																				
0-12 YRS.											1	64.0		64	64	64	64	64	64	64
13-17	17	6.7	39	1	1	4	12	16	20	22	3	41.7	1878	2	2	35	75	88	88	88
18-20	12	13.2	208	2	2	8	16	42	43	43	2	27.0	72	21	21	27	33	33	33	33
21-24	8	19.5	236	3	5	15	26	45	50	50	3	10.0	67	1	1	12	16	17	17	17
25-34	28	10.0	110	1	1	6	14	27	29	39	7	3.4	6	1	1	3	5	7	7	7
35-54	46	11.8	141	1	2	8	16	27	33	65	8	3.0	1	1	1	3	4	5	5	5
55-74	24	12.0	52	2	3	11	17	22	25	27	6	4.5	11	1	1	4	6	10	10	10
75 +	13	11.9	162	3	3	9	14	24	45	50	5	7.4	19	3	3	7	10	14	14	14
ALL AGES	148	11.4	123	1	2	9	16	26	34	51	35	11.0	339	1	1	4	10	33	57	88
SUBTOTAL	**260**	**10.7**	**101**	**1**	**2**	**8**	**15**	**23**	**31**	**56**	**56**	**11.9**	**347**	**1**	**1**	**4**	**11**	**44**	**63**	**99**
GRAND TOTAL	**623**	**11.6**	**141**	**1**	**2**	**8**	**16**	**26**	**34**	**61**	**160**	**9.3**	**235**	**1**	**1**	**4**	**8**	**28**	**50**	**89**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	18.9	370	4	4	9	25	52	58	58	1	79.0		79	79	79	79	79	79	79
13-17	18	26.7	460	1	3	22	44	71	91	99 +	1	58.0		58	58	58	58	58	58	58
18-20	3	5.0	28	1	1	3	9	11	11	11										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	22.4	424	1	2	21	36	59	80	99 +	2	68.5	221	58	58	68	79	79	79	79
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	74	99 +	99 +	99 +	99 +										
13-17	7	11.9	207	1	1	3	19	36	40	40	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	16.4	341	1	1	13	42	79	99 +	99 +	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**36**	**21.1**	**401**	**1**	**2**	**19**	**40**	**59**	**91**	**99 +**	**3**	**47.0**	**1497**	**4**	**4**	**58**	**74**	**79**	**79**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	59.2	1009	3	10	75	96	99 +	99 +	99 +	3	40.7	2300	4	4	23	77	95	95	95
13-17	34	25.6	467	2	3	24	35	64	87	99 +	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	50	36.3	878	3	3	29	64	97	99 +	99 +	4	31.5	1872	4	4	14	59	95	95	95
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8	1	40.0		40	40	40	40	40	40	40
13-17	7	34.7	701	3	5	27	44	77	85	85	1	39.0		39	39	39	39	39	39	39
18-20																				
21-24																				
25-34	1	19.0		19	19	19	19	19	19	19										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	11	25.1	615	2	3	19	37	62	83	85	2	39.5	1	39	39	39	40	40	40	40
SUBTOTAL	**61**	**34.3**	**837**	**3**	**3**	**27**	**58**	**92**	**99 +**	**99 +**	**6**	**34.2**	**1138**	**4**	**4**	**31**	**40**	**89**	**95**	**95**
GRAND TOTAL	**97**	**29.4**	**710**	**2**	**3**	**24**	**50**	**88**	**99 +**	**99 +**	**9**	**38.4**	**1132**	**4**	**4**	**39**	**63**	**89**	**95**	**95**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	24.0	343	5	5	25	38	42	42	42										
13-17	4	28.3	834	1	1	48	68	99 +	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	26.4	540	1	2	33	53	87	99 +	99 +										
B. FEMALE																				
0-12 YRS.	2	8.0	72	2	2	8	14	14	14	14										
13-17	5	20.0	330	3	3	15	25	51	51	51										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	8	15.5	237	2	2	14	16	41	51	51										
SUBTOTAL	**15**	**20.6**	**381**	**1**	**2**	**15**	**45**	**57**	**87**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	24.7	304	7	7	25	38	42	42	42	2	64.5	41	60	60	64	69	69	69	69
13-17	12	34.3	608	1	3	46	57	59	59	59										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	32.4	536	1	4	42	55	59	59	59	2	64.5	41	60	60	64	69	69	69	69
B. FEMALE																				
0-12 YRS.	2	39.5	2113	7	7	39	72	72	72	72										
13-17	9	34.3	806	4	4	29	62	70	74	74										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	35.3	857	4	4	29	63	73	74	74										
SUBTOTAL	**26**	**33.6**	**647**	**3**	**4**	**35**	**58**	**64**	**72**	**74**	**2**	**64.5**	**41**	**60**	**60**	**64**	**69**	**69**	**69**	**69**
GRAND TOTAL	**41**	**28.[illegible]**	**574**	**2**	**3**	**21**	**52**	**63**	**73**	**99 +**	**2**	**64.5**	**41**	**60**	**60**	**64**	**69**	**69**	**69**	**69**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	10	27.2	616	4	6	33	42	89	99	99+											
13-17	30	18.1	567	1	1	7	27	67	93	99+											
18-20	4	17.0	503	2	2	8	31	50	50	50											
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	44	20.0	564	1	2	10	36	74	95	99+											
B. FEMALE																					
0-12 YRS.	2	44.0	3528	2	2	86	96	99+	99+	99+											
13-17	26	16.4	280	1	1	12	28	54	65	99+	1	1.0		1	1		1	1	1	1
18-20																					
21-24	1	48.0		48	48	48	48	48	48	48											
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	29	19.4	457	1	1	13	34	70	99	99+	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**73**	**19.8**	**513**	**1**	**1**	**11**	**35**	**72**	**98**	**99+**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	13	53.2	954	4	7	61	91	99+	99+	99+											
13-17	37	25.6	643	1	1	21	44	77	93	99+	1	17.0		17	17	17	17	17	17	17
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	50	32.8	854	1	2	30	61	92	99+	99+	1	17.0		17	17	17	17	17	17	17
B. FEMALE																					
0-12 YRS.	5	69.0	518	36	40	84	97	99+	99+	99+											
13-17	44	25.6	694	2	3	15	31	80	87	92											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	49	30.1	836	2	3	21	52	87	92	99+											
SUBTOTAL	**99**	**31.4**	**842**	**1**	**2**	**23**	**61**	**90**	**99+**	**99+**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**172**	**26.5**	**731**	**1**	**2**	**18**	**48**	**85**	**99+**	**99+**	**2**	**9.0**	**128**	**1**	**1**	**9**	**17**	**17**	**17**	**17**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	29.0	496	5	5	33	45	49	49	49										
13-17	3	18.7	270	2	2	19	31	35	35	35										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	3	8.3	47	3	3	6	13	16	16	16										
25-34	9	8.2	66	1	1	6	11	21	27	27										
35-54	2	11.5	1	11	11	11	12	12	12	12										
55-74	2	23.0	288	11	11	23	35	35	35	35										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	23	13.8	173	1	2	11	18	35	40	49	1	9.0		9	9	54	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-20	2	16.5	265	5	5	16	28	28	28	28										
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	4	16.0	126	5	5	15	25	28	28	28										
SUBTOTAL	**27**	**14.1**	**162**	**2**	**2**	**11**	**22**	**34**	**37**	**49**	**1**	**9.0**		**9**	**9**	**54**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	99.0		99	99	99	99	99	99 +	99 +
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	5	11.2	82	2	2	9	19	23	23	23										
21-24																				
25-34	9	9.3	79	1	1	6	12	24	30	30										
35-54	6	10.3	149	4	4	5	8	32	35	35										
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +																				
ALL AGES	23	9.1	85	1	2	5	11	24	32	35	1	99.0		99	99	99	99	99	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	10.7	29	7	7	8	15	17	17	17										
35-54	1	31.0		31	31	31	31	31	31	31										
55-74																				
75 +																				
ALL AGES	5	14.0	108	7	7	8	20	31	31	31										
SUBTOTAL	**28**	**10.0**	**88**	**1**	**2**	**6**	**13**	**28**	**31**	**35**	**1**	**99.0**		**99**	**99**	**99**	**99**	**99**	**99 +**	**99 +**
GRAND TOTAL	**55**	**12.0**	**127**	**1**	**2**	**8**	**17**	**31**	**35**	**48**	**2**	**54.0**	**4050**	**9**	**9**	**99**	**99 +**	**99 +**	**99 +**	**99 +**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
13-17	1	29.0		29	29	29	29	29	29	29										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	338	3	3	16	29	29	29	29	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	2	19.5	61	14	14	19	25	25	25	25	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**17.8**	**135**	**3**	**3**	**19**	**27**	**29**	**29**	**29**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**5**	**15.2**	**135**	**3**	**3**	**14**	**26**	**29**	**29**	**29**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	23.5	685	5	5	42	85	99+	99+	99+	3	2.0	1	1	1	2	3	3	3	3
13-17	3	4.7	2	3	3	5	6	6	6	6										
18-20																				
21-24	2	26.0	1152	2	2	26	50	50	50	50										
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	8	15.3	367	2	2	6	44	80	99+	99+	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	15.3	576	1	1	2	33	43	43	43										
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	8	11.9	218	1	1	4	19	36	43	43										
SUBTOTAL	**16**	**13.6**	**276**	**1**	**1**	**6**	**25**	**49**	**82**	**99+**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	2	9.0	72	3	3	9	15	15	15	15										
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	5	6.8	31	2	2	4	11	15	15	15	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**10.5**	**107**	**2**	**2**	**7**	**15**	**28**	**29**	**29**	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**22**	**12.7**	**226**	**1**	**2**	**6**	**20**	**44**	**67**	**99+**	**5**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	15.6	438	2	2	4	33	48	50	50	4	10.8	239	2	2	3	19	34	34	34
13-17	5	13.6	230	1	1	4	28	33	33	33	2	30.5	1625	2	2	30	59	59	59	59
18-20	2	7.0	8	5	5	7	9	9	9	9										
21-24	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	13.0	269	1	2	4	22	42	48	50	7	15.3	507	2	2	3	26	54	59	59
B. FEMALE																				
0-12 YRS.	3	6.7	30	3	3	4	11	13	13	13	2	3.0		3	3	3	3	3	3	3
13-17	4	15.8	101	6	6	13	22	30	30	30	2	5.0	32	1	1	5	9	9	9	9
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	16.3	422	4	4	5	31	40	40	40										
35-54	2	17.5	5	16	16	17	19	19	19	19										
55-74																				
75 +																				
ALL AGES	13	13.2	125	3	4	13	17	32	38	40	4	4.0	12	1	1	3	6	9	9	9
SUBTOTAL	**28**	**13.1**	**195**	**2**	**2**	**5**	**17**	**38**	**43**	**50**	**11**	**11.2**	**340**	**1**	**1**	**3**	**8**	**44**	**58**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	2.7	1	2	2	2	4	4	4	4	2	14.5	221	4	4	14	25	25	25	25
13-17	2	3.5	1	3	3	3	4	4	4	4										
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	3.7	3	2	2	3	4	7	7	7	2	14.5	221	4	4	14	25	25	25	25
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	12.0		12	12	12	12	12	12	12	2	33.0	1922	2	2	33	64	64	64	64
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	3	8.7	32	2	2	12	12	12	12	12	3	22.3	1305	1	1	2	48	64	64	64
SUBTOTAL	**9**	**5.3**	**17**	**2**	**2**	**4**	**8**	**12**	**12**	**12**	**5**	**19.2**	**725**	**1**	**1**	**4**	**35**	**64**	**64**	**64**
GRAND TOTAL	**37**	**11.2**	**161**	**2**	**2**	**5**	**13**	**32**	**41**	**50**	**16**	**13.7**	**435**	**1**	**1**	**3**	**17**	**56**	**62**	**64**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	22.3	179	1	3	23	28	41	45	45										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	22.3	179	1	3	23	28	41	45	45										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	31.3	769	2	2	27	51	68	68	68										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	25.4	751	2	2	21	42	68	68	68										
SUBTOTAL	**13**	**23.5**	**357**	**1**	**2**	**23**	**32**	**50**	**65**	**68**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	200	4	4	14	24	24	24	24										
13-17	4	24.3	43	15	15	27	48	99+	99+	99+										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	20.8	97	4	6	24	30	86	99+	99+										
B. FEMALE																				
0-12 YRS.	2	24.0	18	21	21	24	27	27	27	27										
13-17	1	85.0		85	85	85	85	85	85	85										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	44.3	1254	21	21	27	70	85	85	85										
SUBTOTAL	**9**	**28.7**	**508**	**4**	**9**	**25**	**31**	**92**	**99+**	**99+**										
GRAND TOTAL	**22**	**25.6**	**406**	**1**	**2**	**24**	**31**	**71**	**90**	**99+**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	46.0		46	46	46	46	46	46	46										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	46.0		46	46	46	46	46	46	46										
SUBTOTAL	**1**	**46.0**		**46**	**46**	**46**	**46**	**46**	**46**	**46**										
GRAND TOTAL	**2**	**25.0**	**882**	**4**	**4**	**25**	**46**	**46**	**46**	**46**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	9	21.2	96	1	7	22	28	32	34	34	1	3.0		3	3	3	3	3	3	3
13-17	13	21.5	144	5	7	20	25	36	51	54	1	48.0		48	48	48	48	48	48	48
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	22	21.4	118	3	7	20	27	32	42	54	2	25.5	1013	3	3	25	48	48	48	48
B. FEMALE																					
0-12 YRS.	4	17.8	151	3	3	20	28	28	28	28										
13-17	13	17.5	96	2	4	16	22	30	36	38										
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	17	17.6	99	2	3	16	26	28	35	38										
SUBTOTAL	**39**	**19.7**	**112**	**2**	**4**	**19**	**27**	**30**	**36**	**54**	**2**	**25.5**	**1013**	**3**	**3**	**25**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	5	34.2	354	4	4	39	46	54	54	54	1	62.0		62	62	62	62	62	62	62
13-17	9	32.7	696	8	10	22	40	79	84	84										
18-20																					
21-24																					
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																					
55-74																					
75 +																					
ALL AGES	15	31.7	534	5	8	27	42	71	81	84	1	62.0		62	62	62	62	62	62	62
B. FEMALE																					
0-12 YRS.	7	47.4	1202	4	7	60	86	96	99 +	99 +	2	3.5	1	3	3	3	4	4	4	4
13-17	11	13.1	106	1	2	9	20	29	30	30	2	2.5	5	1	1	2	4	4	4	4
18-20																					
21-24																					
25-34																					
35-54	1	33.0		33	33	33	33	33	33	33										
55-74																					
75 +																					
ALL AGES	19	26.8	740	2	3	19	42	86	94	99 +	4	3.0	2	1	1	3	4	4	4	4
SUBTOTAL	**34**	**28.9**	**640**	**3**	**4**	**21**	**42**	**84**	**87**	**99 +**	**5**	**14.8**	**698**	**1**	**1**	**4**	**19**	**62**	**62**	**62**
GRAND TOTAL	**73**	**24.0**	**373**	**3**	**4**	**20**	**29**	**54**	**81**	**97**	**7**	**17.9**	**659**	**1**	**1**	**4**	**37**	**59**	**62**	**62**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	13.3	366	3	3	4	23	42	42	42	1	4.0		4	4	4	4	4	4	4
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	13.3	366	3	3	4	23	42	42	42	2	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**13.3**	**366**	**3**	**3**	**4**	**23**	**42**	**42**	**42**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**4**	**13.3**	**366**	**3**	**3**	**4**	**23**	**42**	**42**	**42**	**3**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	18.9	339	1	1	11	38	42	48	59	4	13.0	353	1	1	5	23	41	41	41
13-17	8	13.5	174	1	1	10	23	33	36	36										
18-20																				
21-24	1	11.0		11	11	11	11	11	11	11										
25-34	2	17.5	545	1	1	17	34	34	34	34										
35-54																				
55-74																				
75 +																				
ALL AGES	38	17.5	291	1	1	11	34	42	45	59	4	13.0	353	1	1	5	23	41	41	41
B. FEMALE																				
0-12 YRS.	3	12.0	247	1	1	5	24	30	30	30	2	47.0	2592	11	11	47	83	83	83	83
13-17	1	23.0		23	23	23	23	23	23	23										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	13.8	151	1	1	10	25	30	30	30	2	47.0	2592	11	11	47	83	83	83	83
SUBTOTAL	**43**	**17.0**	**275**	**1**	**1**	**11**	**33**	**42**	**44**	**59**	**6**	**24.3**	**1040**	**1**	**1**	**8**	**41**	**79**	**83**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	11.3	106	1	2	14	28	99 +	99 +	99 +	6	15.0	588	3	3	4	51	93	99 +	99 +
13-17	8	46.0	1255	2	3	37	81	92	93	93	2	3.5	1	3	3	3	4	4	4	4
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	20	26.6	806	1	2	26	40	95	99 +	99 +	8	12.1	449	3	3	4	25	86	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	24.0	800	4	4	24	44	44	44	44	4	40.5	790	3	3	46	61	67	67	67
13-17	2	46.5	181	37	37	46	56	56	56	56										
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	5	29.8	520	4	4	37	47	56	56	56	4	40.5	790	3	3	46	61	67	67	67
SUBTOTAL	**25**	**27.2**	**729**	**2**	**2**	**28**	**43**	**92**	**99 +**	**99 +**	**12**	**21.6**	**695**	**3**	**3**	**4**	**58**	**74**	**95**	**99 +**
GRAND TOTAL	**68**	**20.8**	**456**	**1**	**1**	**13**	**35**	**51**	**89**	**99 +**	**18**	**22.5**	**757**	**2**	**3**	**6**	**52**	**77**	**92**	**99 +**

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.												1	9.0		9	9	9	9	9	9	9	
13-17																						
18-20	1	30.0		30	30	30	30	30	30	30												
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	1	30.0		30	30	30	30	30	30	30		1	9.0		9	9	9	9	9	9	9	
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**		**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL																						
GRAND TOTAL	1	30.0		30	30	30	30	30	30	30		1	9.0		9	9	9	9	9	9	9	

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
SUBTOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**										

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	203	15.8	318	1	1	7	30	44	52	99+	62	8.9	340	1	1	3	7	52	99+	99+
13-17	546	13.2	318	1	1	6	19	42	67	99+	149	4.6	128	1	1	1	3	7	21	59
18-20	477	12.3	211	1	1	7	17	35	46	73	91	4.2	23	1	1	2	6	9	15	26
21-24	816	13.9	199	1	2	9	20	32	42	71	158	5.9	41	1	1	4	7	13	25	29
25-34	2651	12.1	162	1	2	7	17	27	37	71	613	6.4	36	1	1	5	8	14	20	28
35-54	3451	11.0	130	1	2	6	15	26	32	56	889	6.4	32	1	1	5	8	14	16	28
55-74	1944	14.2	184	2	3	9	20	33	44	77	560	7.9	83	1	2	5	10	15	23	63
75 +	731	15.8	223	2	3	11	21	38	54	99+	282	12.2	200	2	3	8	15	34	82	99+
ALL AGES	10819	12.6	179	1	2	7	18	30	41	76	2804	7.2	75	1	1	5	8	14	25	74
B. FEMALE																				
0-12 YRS.	116	11.3	299	1	1	4	14	34	71	99+	51	10.6	473	1	1	2	8	42	82	99+
13-17	727	12.2	232	1	1	6	17	32	51	99+	157	9.5	321	1	1	2	7	42	53	99
18-20	427	13.2	205	1	1	8	18	32	45	70	99	6.7	120	1	1	4	7	17	28	63
21-24	706	14.0	200	1	2	10	20	33	48	71	146	7.1	61	1	1	5	8	17	27	41
25-34	2406	14.0	180	1	2	10	20	31	41	71	431	7.0	62	1	1	5	8	14	27	32
35-54	3735	14.5	162	1	3	11	20	30	40	62	660	6.8	53	1	1	5	8	14	22	36
55-74	3352	18.1	207	2	3	15	26	37	47	83	647	8.7	82	1	2	6	11	19	28	70
75 +	1761	17.6	254	2	3	13	24	41	59	99+	573	11.7	172	2	2	8	15	29	62	99+
ALL AGES	13230	15.5	202	1	2	12	22	34	45	83	2764	8.6	114	1	1	5	10	20	29	99+
SUBTOTAL	**24049**	**14.2**	**193**	**1**	**2**	**10**	**20**	**32**	**43**	**80**	**5568**	**7.8**	**96**	**1**	**1**	**5**	**9**	**17**	**28**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	100	32.0	914	1	3	24	58	93	99+	99+	28	38.5	1007	3	4	55	71	99+	99+	99+
13-17	565	17.8	374	1	2	10	27	51	71	99+	70	11.2	328	1	1	4	8	43	65	95
18-20	506	13.4	181	1	2	9	21	28	42	97	64	6.5	132	1	1	4	7	11	20	78
21-24	954	12.8	152	1	2	8	20	27	31	68	174	6.3	36	1	2	5	7	12	21	28
25-34	3402	11.3	116	1	2	6	17	25	29	53	849	6.1	23	1	2	5	7	14	14	28
35-54	4024	10.2	106	2	3	6	12	24	29	56	1338	5.4	12	2	2	5	6	9	12	22
55-74	1324	12.6	150	2	3	8	17	28	37	69	506	7.1	46	2	3	5	7	13	19	52
75 +	274	16.1	213	2	3	12	24	35	52	99+	95	9.9	106	2	3	7	13	23	29	89
ALL AGES	11149	11.9	153	2	3	7	17	27	34	73	3124	6.5	53	1	2	5	7	12	16	53
B. FEMALE																				
0-12 YRS.	53	32.9	885	1	2	27	72	96	99+	99+	19	38.5	941	3	3	46	67	99	99+	99+
13-17	623	19.0	413	1	2	12	29	61	86	99+	88	19.3	723	1	1	7	45	99	99+	99+
18-20	409	14.9	195	1	2	10	22	32	43	81	59	11.9	300	1	1	5	15	37	57	99
21-24	808	14.8	226	1	2	10	21	32	51	95	120	7.6	58	1	1	4	10	18	28	33
25-34	2440	13.9	173	2	3	10	20	28	38	72	412	7.1	47	1	1	5	8	14	26	33
35-54	2841	14.6	181	2	3	10	21	31	41	75	529	6.2	35	1	2	5	7	13	17	28
55-74	1592	17.7	220	2	4	14	25	37	49	95	314	7.8	80	1	2	5	8	15	23	55
75 +	592	17.4	217	2	3	13	25	40	50	99+	164	12.6	215	2	3	7	15	40	56	99+
ALL AGES	9358	15.5	218	2	3	11	22	34	48	93	1705	8.7	138	1	2	5	9	20	33	99
SUBTOTAL	**20507**	**13.6**	**184**	**2**	**3**	**8**	**20**	**29**	**41**	**84**	**4829**	**7.3**	**84**	**1**	**2**	**5**	**7**	**14**	**23**	**69**
GRAND TOTAL	**44556**	**13.9**	**190**	**1**	**2**	**9**	**20**	**31**	**42**	**82**	**10397**	**7.6**	**90**	**1**	**1**	**5**	**8**	**15**	**28**	**79**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

- **A.** Hospital-based psychiatric acute care
- **B.** Psychiatric acute care not available
- **C.** Psychiatric acute care provided by another hospital or provider
- **D.** Hospital-based pediatric psychiatric acute care
- **E.** Pediatric psychiatric acute care not available
- **F.** Pediatric psychiatric acute care provided by another hospital or provider
- **G.** Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\ (JCA) + 14.0\ (CP) + 28.0\ (RES) + 14.7\ (MS) + 13.3\ (PNS) + 20.1\ (COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texa
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				**Hospitals without a Psych Unit/Beds**			
Region	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 unspecified	
	1 subchronic	
	2 chronic	
	3 subchronic with acute exacerbation	
	4 chronic with acute exacerbation	
	5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe, without mention of psychotic behavior	
	4 severe, specified as with psychotic behavior	
	5 in partial or unspecified remission	
	6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.5	Trans-sexualism	85
302.50	With unspecified sexual history	85
302.51	With asexual history	85
302.52	With homosexual history	85
302.53	With heterosexual history	85
302.7	Psychosexual dysfunction	86
302.70	Psychosexual dysfunction, unspecified	86
302.71	With inhibited sexual desire	86
302.72	With inhibited sexual excitement	86
302.73	With inhibited female orgasm	86
302.74	With inhibited male orgasm	86
302.75	With premature ejaculation	86
302.76	With functional dyspareunia	86
302.79	With other specified psychosexual dysfunctions	86
302.8	Other specified psychosexual disorders	87
302.81	Fetishism	87
302.82	Voyeurism	87
302.83	Sexual masochism	87
302.84	Sexual sadism	87
302.85	Gender identity disorder of adolescent or adult life	87
302.89	Other	87
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	88
303.9	Other and unspecified alcohol dependence	89

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304: 0 unspecified 1 continuous 2 episodic 3 in remission	
304.0	Opioid type dependence	90
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	91
304.2	Cocaine dependence	92
304.3	Cannabis dependence	93
304.4	Amphetamine and other psychostimulant dependence	94
304.5	Hallucinogen dependence	95
304.6	Other specified drug dependence	96
304.7	Combinations of opioid type drug with any other	97
304.8	Combinations of drug dependence excluding opioid type drug	98
304.9	Unspecified drug dependence	99
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305: 0 unspecified 1 continuous 2 episodic 3 in remission	
305.0	Alcohol abuse	100
305.1	Tobacco use disorder	101
305.2	Cannabis abuse	102
305.3	Hallucinogen abuse	103
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	104
305.5	Opioid abuse	105
305.6	Cocaine abuse	106
305.7	Amphetamine or related acting sympathomimetic abuse	107
305.8	Antidepressant type abuse	108
305.9	Other, mixed, or unspecified drug abuse	109
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	110
306.1	Respiratory	111
306.2	Cardiovascular	112
306.3	Skin	113
306.4	Gastrointestinal	114
306.5	Genitourinary	115
306.50	Psychogenic genitourinary malfunction, unspecified	115
306.51	Psychogenic vaginismus	115
306.52	Psychogenic dysmenorrhea	115
306.53	Psychogenic dysuria	115
306.59	Other	115
306.7	Organs of special sense	116
306.8	Other specified psychophysiological malfunction	117
306.9	Unspecified psychophysiological malfunction	118
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	119
307.1	Anorexia nervosa	120
307.2	Tics	121
307.20	Tic disorder, unspecified	121
307.21	Transient tic disorder of childhood	121

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.22	Chronic motor tic disorder	121
307.23	Gilles de la Tourette's disorder	121
307.3	Stereotyped repetitive movements	122
307.4	Specific disorders of sleep of nonorganic origin	123
307.40	Nonorganic sleep disorder, unspecified	123
307.41	Transient disorder of initiating or maintaining sleep	123
307.42	Persistent disorder of initiating or maintaining sleep	123
307.43	Transient disorder of initiating or maintaining wakefulness	123
307.44	Persistent disorder of initiating or maintaining wakefulness	123
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	123
307.46	Somnambulism or night terrors	123
307.47	Other dysfunctions of sleep stages or arousal from sleep	123
307.48	Repetitive intrusions of sleep	123
307.49	Other	123
307.5	Other and unspecified disorders of eating	124
307.50	Eating disorder, unspecified	124
307.51	Bulimia	124
307.52	Pica	124
307.53	Psychogenic rumination	124
307.54	Psychogenic vomiting	124
307.59	Other	124
307.6	Enuresis	125
307.7	Encopresis	126
307.8	Psychalgia	127
307.80	Psychogenic pain, site unspecified	127
307.81	Tension headache	127
307.89	Other	127
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	128
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	129
308.1	Predominant disturbance of consciousness	130
308.2	Predominant psychomotor disturbance	131
308.3	Other acute reactions to stress	132
308.4	Mixed disorders as reaction to stress	133
308.9	Unspecified acute reaction to stress	134
309	**Adjustment reaction**	
309.0	Brief depressive reaction	135
309.1	Prolonged depressive reaction	136
309.2	With predominant disturbance of other emotions	137
309.21	Separation anxiety disorder	137
309.22	Emancipation disorder of adolescence and early adult life	137
309.23	Specific academic or work inhibition	137
309.24	Adjustment reaction with anxious mood	137
309.28	Adjustment reaction with mixed emotional features	137
309.29	Other	137
309.3	With predominant disturbance of conduct	138
309.4	With mixed disturbance of emotions and conduct	139
309.8	Other specified adjustment reactions	140
309.81	Prolonged posttraumatic stress disorder	140
309.82	Adjustment reaction with physical symptoms	140
309.83	Adjustment reaction with withdrawal	140
309.89	Other	140
309.9	Unspecified adjustment reaction	141

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	142
310.1	Organic personality syndrome	143
310.2	Postconcussion syndrome	144
310.8	Other specified nonpsychotic mental disorders following organic brain damage	145
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	146
311	**Depressive disorder, not elsewhere classified**	147
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe	
312.0	Undersocialized conduct disorder, aggressive type	148
312.1	Undersocialized conduct disorder, unaggressive type	149
312.2	Socialized conduct disorder	150
312.3	Disorders of impulse control, not elsewhere classified	151
312.30	Impulse control disorder, unspecified	151
312.31	Pathological gambling	151
312.32	Kleptomania	151
312.33	Pyromania	151
312.34	Intermittent explosive disorder	151
312.35	Isolated explosive disorder	151
312.39	Other	151
312.4	Mixed disturbance of conduct and emotions	152
312.8	Other specified disturbances of conduct, not elsewhere classified	153
312.9	Unspecified disturbance of conduct	154
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	155
313.1	Misery and unhappiness disorder	156
313.2	Sensitivity, shyness, and social withdrawal disorder	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder	158
313.82	Identity disorder	158
313.83	Academic underachievement disorder	158
313.89	Other	158
313.9	Unspecified emotional disturbance of childhood or adolescence	159
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	160
314.00	Without mention of hyperactivity	160
314.01	With hyperactivity	160
314.8	Other specified manifestations of hyperkinetic syndrome	161
314.9	Unspecified hyperkinetic syndrome	162
290-314.9	**All psychiatric diagnosis codes**	163

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	158
Acute alcoholic intoxication	303.0	88
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	137
Adjustment reaction with mixed emotional features	309.28	137
Adjustment reaction with physical symptoms	309.82	140
Adjustment reaction with withdrawal	309.83	140
Affective personality disorder	301.1	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	100
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	88-89
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	94
Amphetamine or related acting sympathomimetic abuse	305.7	107
Anorexia nervosa	307.1	120
Antidepressant type abuse	305.8	108
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	160
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	91
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	104
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Brief depressive reaction	309.0	135
Bulimia	307.51	124
Cannabis abuse	305.2	102
Cannabis dependence	304.3	93
Cardiovascular-Physiological malfunction arising from mental factors	306.2	112
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	121
Cocaine abuse	305.6	106
Cocaine dependence	304.2	92
Combinations of drug dependence excluding opioid type drug	304.8	98
Combinations of opioid type drug with any other	304.7	97
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	147
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	151
Disorganized type-Schizophrenic disorders	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	148-150
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	90-99
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	124
Elective mutism	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	137
Encopresis	307.7	126
Excitative type psychosis	298.1	56
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	87
Frontal lobe syndrome	310.0	142
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	114
Gender identity disorder of adolescent or adult life	302.85	87
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	115
Gilles de la Tourette's disorder	307.23	121
Hallucinogen abuse	305.3	103
Hallucinogen dependence	304.5	95
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	158
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	151
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	151
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	77
Isolated explosive disorder	312.35	151
Kleptomania	312.32	151
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder	313.1	156
Mixed disorders as reaction to stress	308.4	133
Mixed disturbance of conduct and emotions	312.4	152
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	110
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Nondependent abuse of drugs	305.0-305.9	100-109

Fifth-digit subclassification for use with 305:

0 unspecified
1 continuous
2 episodic
3 in remission

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nonorganic sleep disorder, unspecified	307.40	123
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	105
Opioid type dependence	304.0	90
Oppositional disorder	313.81	158
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	143
Organs of special sense-Physiological malfunction arising from mental factors	306.7	116
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	115
Other-Specific disorders of sleep of nonorganic origin	307.49	123
Other-Other and unspecified disorders of eating	307.59	124
Other-Psychalgia	307.89	127
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	137
Other-Other specified adjustment reactions	309.89	140
Other-Disorders of impulse control not elsewhere classified	312.39	151
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	158
Other-Other specified drug-induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and unspecified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	73
Other-Other personality disorders	301.89	83
Other-Other specified psychosexual disorders	302.89	87
Other acute reactions to stress	308.3	132
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	89
Other and unspecified disorders of eating	307.5	124
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	128
Other dysfunctions of sleep stages or arousal from sleep	307.47	123
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	109
Other neurotic disorders	300.8	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	158
Other personality disorders	301.8	83
Other specified adjustment reactions	309.8	140
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	153
Other specified drug dependence	304.6	96
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome	314.8	161
Other specified nonpsychotic mental disorders following organic brain damage	310.8	145
Other specified organic brain syndromes (chronic)	294.8	27

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	117
Other specified psychosexual disorders	302.8	87
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	155
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	151
Persistent disorder of initiating or maintaining wakefulness	307.44	123
Persistent disorder of initiating or maintaining sleep	307.42	123
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	123
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	124
Postconcussion syndrome	310.2	144
Predominant disturbance of consciousness	308.1	130
Predominant disturbance of emotions	308.0	129
Predominant psychomotor disturbance	308.2	131
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	136
Prolonged posttraumatic stress disorder	309.81	140
Psychalgia	307.8	127
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	115
Psychogenic dysuria	306.53	115
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	115
Psychogenic pain, site unspecified	307.80	127
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	124
Psychogenic vaginismus	306.51	115
Psychogenic vomiting	307.54	124
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		
Psychosexual dysfunction	302.7	86
Psychosexual dysfunction, unspecified	302.70	86
Pyromania	312.33	151

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Reactive confusion	298.2	57
Repetitive intrusions of sleep	307.48	123
Residual schizophrenia	295.6	35
Respiratory-Physiological malfunction arising from mental factors	306.1	111
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	77
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	157
Separation anxiety disorder	309.21	137
Sexual masochism	302.83	87
Sexual sadism	302.84	87
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	157
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	113
Social phobia	300.23	67
Socialized conduct disorder	312.2	150
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	123
Specific academic or work inhibition	309.23	137
Specific disorders of sleep of nonorganic origin	307.4	123
Stammering and stuttering	307.0	119
Stereotyped repetitive movements	307.3	122
Subacute delirium	293.1	22
Tension headache	307.81	127
Tic disorder, unspecified	307.20	121
Tics	307.2	121
Tobacco use disorder	305.1	101
Trans-sexualism	302.5	85
Transient disorder of initiating or maintaining wakefulness	307.43	123
Transient disorder of initiating or maintaining sleep	307.41	123
Transient tic disorder of childhood	307.21	121
Undersocialized conduct disorder, aggressive type	312.0	148
Undersocialized conduct disorder, unaggressive type	312.1	149
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	134
Unspecified adjustment reaction	309.9	141
Unspecified affective psychosis	296.90	48

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	154
Unspecified drug dependence	304.9	99
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	159
Unspecified hyperkinetic syndrome	314.9	162
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	146
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	118
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	87
With asexual history-Trans-sexualism	302.51	85
With functional dyspareunia-Psychosexual dysfunction	302.76	86
With heterosexual history-Trans-sexualism	302.53	85
With homosexual history-Trans-sexualism	302.52	85
With hyperactivity-Attention deficit disorder	314.01	160
With inhibited female orgasm-Psychosexual dysfunction	302.73	86
With inhibited male orgasm-Psychosexual dysfunction	302.74	86
With inhibited sexual desire-Psychosexual dysfunction	302.71	86
With inhibited sexual excitement-Psychosexual dysfunction	302.72	86
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	139
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	86
With predominant disturbance of conduct-Adjustment reaction	309.3	138
With predominant disturbance of other emotions-Adjustment reaction	309.2	137
With premature ejaculation-Psychosexual dysfunction	302.75	86
With unspecified sexual history-Trans-sexualism	302.50	85
Without mention of hyperactivity-Attention deficit disorder	314.00	160

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

> A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
>
> A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.

R3850-2.4

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Southern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

- Length of Stay by Psychiatric Diagnosis, United States, 1986
- Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
- Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
- Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
- Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 167

Appendix 2: Teaching Intensity Program Calculation 168

Appendix 3: State Inclusions and Hospital Counts by Region 169

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 170

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 177

Appendix 6: Patient Characteristic Definitions Used in Graphs 184

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
<100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
<100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74 + YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs

TRANSFERRED BY PAYOR



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY

TRANSFERRED BY PAYOR



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74 + YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	17	13.6	141	1	2	11	15	34	39	42	9	7.9	68	1	1	6	11	21	27	27
75 +	40	8.7	33	2	3	7	12	16	21	27	29	11.8	231	2	2	6	14	28	58	63
ALL AGES	58	10.2	68	2	3	8	12	21	30	41	39	10.7	188	1	2	6	12	27	45	63
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74	33	9.6	58	1	2	8	12	19	29	31	11	5.3	9	2	2	4	8	10	11	11
75 +	70	11.8	198	1	2	7	13	25	40	74	34	8.7	208	1	2	6	8	11	35	81
ALL AGES	104	11.0	153	1	2	7	13	23	32	69	46	7.8	156	2	2	5	8	11	17	81
SUBTOTAL	**162**	**10.7**	**122**	**2**	**2**	**7**	**13**	**22**	**32**	**62**	**85**	**9.1**	**172**	**1**	**2**	**6**	**8**	**16**	**33**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	4	13.8	53	3	3	16	18	20	20	20										
75 +	8	11.5	77	5	5	9	12	26	32	32	4	8.5	20	3	3	9	12	13	13	13
ALL AGES	12	12.3	64	3	4	10	16	24	31	32	4	8.5	20	3	3	9	12	13	13	13
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	9	10.6	49	1	1	8	15	21	21	21	3	7.0	19	4	4	5	10	12	12	12
75 +	16	10.3	59	3	3	7	14	16	29	34	11	12.7	158	5	5	9	12	32	47	48
ALL AGES	25	10.4	54	2	3	8	14	20	24	34	14	11.5	130	4	5	8	12	24	43	48
SUBTOTAL	**37**	**11.0**	**56**	**2**	**3**	**9**	**15**	**20**	**28**	**34**	**18**	**10.8**	**105**	**3**	**4**	**8**	**12**	**19**	**37**	**48**
GRAND TOTAL	**199**	**10.8**	**109**	**2**	**2**	**8**	**13**	**22**	**32**	**61**	**103**	**9.4**	**159**	**2**	**2**	**6**	**9**	**16**	**34**	**71**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	3	14.0	52	8	8	12	19	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74	22	9.2	86	2	3	5	10	20	29	42	20	9.7	198	1	2	5	9	26	49	58
75 +	21	19.5	377	4	4	11	25	49	64	79	19	12.6	330	1	2	7	15	22	56	83
ALL AGES	46	14.2	236	3	4	9	18	34	48	79	40	10.9	253	1	2	6	10	22	49	83
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	3	25.7	1539	3	3	3	54	71	71	71										
55-74	42	12.2	224	1	2	7	14	41	58	99 +	16	6.8	14	2	3	6	8	10	16	18
75 +	46	9.3	42	2	2	8	13	17	24	26	39	6.5	17	2	2	6	9	12	15	18
ALL AGES	91	11.1	168	2	2	7	13	25	50	88	55	6.6	15	2	3	6	9	11	16	18
SUBTOTAL	**137**	**12.2**	**190**	**2**	**2**	**8**	**14**	**26**	**49**	**81**	**95**	**8.4**	**118**	**2**	**2**	**6**	**9**	**16**	**21**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	7	8.4	16	2	3	9	12	13	13	13	1	2.0		2	2	2	2	2	2	2
75 +	2	11.0		11	11	11	11	11	11	11	3	7.0	9	4	4	7	9	10	10	10
ALL AGES	10	8.7	12	2	4	9	11	13	13	13	4	5.8	11	2	2	5	8	10	10	10
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	11	16.1	93	5	5	16	18	30	38	39	6	10.7	107	2	2	7	11	29	31	31
75 +	16	17.7	378	2	3	13	24	37	67	80	7	10.3	103	4	4	6	9	28	33	33
ALL AGES	27	17.0	256	3	4	14	23	36	45	80	13	10.5	96	2	4	7	10	31	33	33
SUBTOTAL	**37**	**14.8**	**201**	**3**	**4**	**13**	**16**	**26**	**39**	**80**	**17**	**9.4**	**78**	**2**	**3**	**7**	**10**	**27**	**32**	**33**
GRAND TOTAL	**174**	**12.7**	**194**	**2**	**3**	**8**	**15**	**26**	**46**	**80**	**112**	**8.5**	**113**	**2**	**2**	**6**	**9**	**16**	**22**	**67**

SENILE DELUSION/DEPRESS (290.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	11.0	53	2	3	9	16	21	23	23	3	9.3	11	7	7	8	12	13	13	13
75 +	24	12.0	90	2	4	10	14	20	37	41	11	6.9	17	2	3	6	9	13	16	16
ALL AGES	34	11.7	77	2	4	10	16	20	33	41	14	7.4	16	2	3	7	9	13	15	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	15	14.1	51	5	5	14	19	25	26	26	9	10.4	39	2	3	12	14	19	20	20
75 +	35	12.9	63	4	4	12	18	27	32	99 +	20	11.5	175	2	2	6	13	34	45	50
ALL AGES	51	13.3	57	4	5	12	19	25	31	99	29	11.1	131	2	2	7	13	25	41	50
SUBTOTAL	**85**	**12.6**	**66**	**4**	**4**	**11**	**17**	**24**	**31**	**79**	**43**	**9.9**	**95**	**2**	**2**	7	**12**	**18**	**33**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											2	5.0	2	4	4	5	6	6	6	6
75 +	5	19.8	262	8	8	13	28	47	47	47	3	4.7	30	1	1	2	9	11	11	11
ALL AGES	5	19.8	262	8	8	13	28	47	47	47	5	4.8	16	1	1	4	7	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	7	9.9	47	2	2	9	16	19	20	20										
75 +	4	13.3	113	1	1	13	21	26	26	26	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	11	11.1	66	1	1	9	17	22	26	26	2	11.0	18	8	8	11	14	14	14	14
SUBTOTAL	**16**	**13.8**	**132**	**1**	**2**	**11**	**19**	**26**	**41**	**47**	**7**	**6.6**	**22**	**1**	**1**	**6**	**10**	**13**	**14**	**14**
GRAND TOTAL	**101**	**12.8**	**75**	**3**	**4**	**11**	**17**	**24**	**32**	**72**	**50**	**9.5**	**85**	**2**	**2**	**7**	**12**	**17**	**28**	**50**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	10	12.4	189	2	2	8	16	33	49	49		6	10.7	117	2	2	6	17	29	30	30
75 +	36	11.9	103	2	2	8	19	29	39	99 +		27	8.2	27	3	4	7	10	16	18	24
ALL AGES	46	12.0	119	2	2	8	17	29	42	99 +		33	8.7	40	2	3	6	11	17	23	30
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	23	12.6	264	2	2	10	13	20	48	81		10	6.8	13	2	3	6	9	12	13	13
75 +	32	13.1	174	2	2	10	19	37	56	99 +		64	9.7	93	2	3	7	10	17	33	53
ALL AGES	55	12.9	207	2	2	10	15	30	53	99		74	9.3	83	2	3	7	9	15	30	51
SUBTOTAL	**101**	**12.5**	**165**	**2**	**2**	**9**	**16**	**30**	**45**	**99 +**		**107**	**9.1**	**69**	**2**	**3**	**7**	**10**	**17**	**28**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	5	8.2	16	4	4	6	12	13	13	13		1	5.0		5	5	5	5	5	5	5
75 +	6	6.3	5	3	3	6	8	9	9	9		4	6.3	9	2	2	7	8	9	9	9
ALL AGES	11	7.2	9	3	4	6	9	12	13	13		5	6.0	8	2	2	6	8	9	9	9
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	7	7.7	6	4	5	7	9	11	12	12		3	7.7	12	4	4	8	10	11	11	11
75 +	11	12.7	107	3	4	11	16	26	39	40		7	8.4	21	4	4	7	10	16	17	17
ALL AGES	18	10.8	70	3	4	8	14	17	31	40		10	8.2	16	4	4	8	10	14	17	17
SUBTOTAL	**29**	**9.4**	**50**	**3**	**4**	**7**	**12**	**16**	**18**	**40**		**15**	**7.5**	**13**	**2**	**4**	**7**	**10**	**11**	**15**	**17**
GRAND TOTAL	**130**	**11.8**	**141**	**2**	**2**	**8**	**14**	**28**	**41**	**99 +**		**122**	**8.9**	**63**	**2**	**3**	**7**	**10**	**16**	**26**	**44**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	3	8.3	71	3	3	4	14	18	18	18	1	7.0		7	7	7	7	7	7	7
55-74	26	13.2	55	2	3	13	18	22	26	31	11	8.6	23	3	3	9	11	15	19	19
75 +	27	10.3	121	3	3	7	13	20	27	58	19	8.9	22	2	3	9	12	16	17	18
ALL AGES	56	11.6	86	2	3	10	17	20	24	56	31	8.8	20	3	3	9	11	15	18	19
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	4	10.8	85	1	1	10	18	21	21	21										
55-74	22	15.0	166	4	4	11	17	38	45	54	11	5.1	6	3	3	4	7	9	10	10
75 +	39	9.6	84	2	2	6	13	19	32	42	29	9.8	37	2	3	9	14	18	22	24
ALL AGES	65	11.5	115	2	3	8	15	21	39	52	40	8.5	33	2	3	7	12	17	20	24
SUBTOTAL	**121**	**11.5**	**102**	**2**	**3**	**8**	**16**	**21**	**34**	**55**	**71**	**8.6**	**27**	**3**	**3**	**8**	**11**	**16**	**19**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	11	13.6	99	3	5	9	22	30	31	31	4	9.0	70	2	2	6	14	21	21	21
75 +	8	11.8	58	3	4	11	15	23	27	27	8	23.8	671	3	3	12	37	68	77	77
ALL AGES	20	13.1	75	3	4	9	17	28	30	31	12	18.8	502	2	3	9	24	55	74	77
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74	7	11.7	71	3	3	9	18	25	26	26	1	7.0		7	7	7	7	7	7	7
75 +	13	15.7	129	2	4	11	22	36	38	38	3	10.0	21	5	5	11	13	14	14	14
ALL AGES	20	14.3	108	2	4	11	20	31	37	38	4	9.3	15	5	5	9	12	14	14	14
SUBTOTAL	**40**	**13.7**	**90**	**3**	**4**	**10**	**19**	**28**	**33**	**38**	**16**	**16.4**	**390**	**2**	**3**	**9**	**18**	**44**	**68**	**77**
GRAND TOTAL	**161**	**12.1**	**98**	**2**	**3**	**9**	**16**	**23**	**33**	**53**	**87**	**10.1**	**98**	**3**	**3**	**8**	**12**	**18**	**22**	**65**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	6.0		6	6	6	6	6	6	6										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	7	8.1	116	2	2	3	12	27	30	30	7	3.3	5	1	1	3	5	7	7	7
35-54	36	5.3	20	1	1	5	7	8	13	25	39	4.6	11	1	1	4	6	7	8	20
55-74	24	5.8	24	2	2	4	7	11	18	23	20	6.3	13	2	2	5	9	12	13	14
75 +	2	12.0	200	2	2	12	22	22	22	22	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	71	5.9	32	1	2	4	7	12	22	29	69	5.0	11	1	1	4	7	8	11	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	6.0	18	2	2	5	9	11	11	11	3	2.7	1	2	2	2	4	4	4	4
35-54	9	4.6	4	2	2	5	6	8	8	8	6	3.7	1	2	2	4	4	5	5	5
55-74	7	9.3	44	3	3	7	11	21	23	23	4	5.5	40	2	2	3	9	15	15	15
75 +	2	9.0	32	5	5	9	13	13	13	13										
ALL AGES	22	6.7	24	2	2	5	8	12	17	23	13	4.0	12	2	2	3	4	7	13	15
SUBTOTAL	**93**	**6.1**	**30**	**1**	**2**	**4**	**7**	**12**	**21**	**28**	**82**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**12**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	31	7.2	41	1	2	5	10	16	21	29	14	4.5	4	1	2	5	5	7	9	9
35-54	107	6.9	62	1	2	5	8	11	18	46	54	4.8	21	1	2	4	5	8	10	32
55-74	52	9.3	39	2	3	8	12	17	26	31	36	7.4	45	1	2	5	9	18	24	30
75 +	5	14.4	10	10	10	16	17	17	17	17	3	20.7	415	6	6	12	36	44	44	44
ALL AGES	197	7.7	53	2	2	6	9	16	20	33	108	6.0	42	1	2	5	7	10	19	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	4.0	4	2	2	4	5	6	6	6										
25-34	12	7.7	38	2	2	5	12	18	20	20	4	3.0	2	2	2	3	4	5	5	5
35-54	12	11.6	63	3	4	9	13	23	32	33	12	5.3	6	2	3	5	7	9	11	11
55-74	18	10.6	66	2	3	7	17	24	27	27	9	6.4	18	3	3	5	9	13	15	15
75 +	1	6.0		6	6	6	6	6	6	6	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	46	9.6	54	2	3	7	13	19	26	33	27	5.3	10	2	2	4	7	10	12	15
SUBTOTAL	**243**	**8.0**	**55**	**2**	**2**	**6**	**10**	**17**	**21**	**33**	**135**	**5.9**	**35**	**1**	**2**	**5**	**7**	**10**	**15**	**35**
GRAND TOTAL	**336**	**7.5**	**48**	**2**	**2**	**6**	**9**	**16**	**21**	**33**	**217**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**31**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	4.0		4	4	4	4	4	4	4											
55-74	3	9.0	57	1	1	10	14	16	16	16	1	4.0		4	4	4	4	4	4	4
75 +																					
ALL AGES	4	7.8	43	1	1	7	13	16	16	16	1	4.0		4	4	4	4	4	4	4
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	1	8.0		8	8	8	8	8	8	8											
75 +																					
ALL AGES	1	8.0		8	8	8	8	8	8	8											
SUBTOTAL	**5**	**7.8**	**33**	**1**	**1**	**8**	**11**	**16**	**16**	**16**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	7.0		7	7	7	7	7	7	7											
55-74	2	26.5	481	11	11	26	42	42	42	42	3	6.0	21	2	2	5	9	11	11	11
75 +											1	28.0		28	28	28	28	28	28	28
ALL AGES	3	20.0	367	7	7	11	34	42	42	42	4	11.5	135	2	2	8	19	28	28	28
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	7.0		7	7	7	7	7	7	7											
35-54	1	17.0		17	17	17	17	17	17	17											
55-74	1	21.0		21	21	21	21	21	21	21											
75 +	1	6.0		6	6	6	6	6	6	6											
ALL AGES	4	12.8	53	6	6	12	19	21	21	21											
SUBTOTAL	**7**	**15.9**	**163**	**6**	**6**	**11**	**20**	**38**	**42**	**42**	**4**	**11.5**	**135**	**2**	**2**	**8**	**19**	**28**	**28**	**28**
GRAND TOTAL	**12**	**12.5**	**119**	**1**	**3**	**9**	**16**	**27**	**40**	**42**	**5**	**10.0**	**113**	**2**	**2**	**5**	**15**	**28**	**28**	**28**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	9	10.2	50	1	2	11	14	20	24	24	6	10.5	58	1	1	10	19	19	19	19
75 +	3	7.3	43	1	1	7	12	14	14	14	2	16.5	61	11	11	16	22	22	22	22
ALL AGES	13	9.8	44	1	1	11	14	17	23	24	10	9.9	65	1	1	10	19	21	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74	4	5.8	29	1	1	5	10	11	11	11	3	15.3	172	3	3	14	25	29	29	29
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	8	6.0	21	1	1	5	10	12	12	12	3	15.3	172	3	3	14	25	29	29	29
SUBTOTAL	**21**	**8.4**	**37**	**1**	**1**	**7**	**13**	**15**	**19**	**24**	**13**	**11.2**	**82**	**1**	**1**	**11**	**19**	**23**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	5	4.8	22	2	2	3	6	13	13	13	3	3.3	3	2	2	3	4	5	5	5
55-74	14	22.5	278	4	5	18	32	43	61	66	7	9.6	24	4	4	12	14	15	15	15
75 +	2	2.5	1	2	2	2	3	3	3	3	2	8.0		8	8	8	8	8	8	8
ALL AGES	21	16.4	263	2	2	13	22	37	52	66	13	7.5	21	2	3	5	12	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	10.3		9	9	10	11	11	11	11	2	12.5	265	1	1	12	24	24	24	24
55-74	7	12.7	70	5	6	10	14	27	30	30	7	14.6	270	4	4	7	19	44	49	49
75 +	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
ALL AGES	12	11.9	40	5	7	10	13	19	28	30	10	12.9	225	1	1	6	22	36	49	49
SUBTOTAL	**33**	**14.8**	**182**	**2**	**3**	**11**	**18**	**33**	**40**	**66**	**23**	**9.9**	**110**	**1**	**2**	**5**	**13**	**22**	**33**	**49**
GRAND TOTAL	**54**	**12.3**	**134**	**1**	**2**	**10**	**15**	**25**	**34**	**65**	**36**	**10.3**	**99**	**1**	**2**	**7**	**14**	**22**	**27**	**49**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	9.5	145	1	1	9	18	18	18	18	3	2.3	3	1	1	2	3	4	4	4
35-54	9	7.0	176	1	1	2	5	28	42	42	1	3.0		3	3	3	3	3	3	3
55-74	4	5.3	8	3	3	5	7	9	9	9	2	5.0	2	4	4	5	6	6	6	6
75 +	2	5.5	25	2	2	5	9	9	9	9										
ALL AGES	18	6.4	97	1	1	3	7	15	32	42	6	3.3	3	1	1	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
35-54											1	7.0		7	7	7	7	7	7	7
55-74	2	3.0	2	2	2	3	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	3	2.7	1	2	2	2	4	4	4	4	4	6.5	16	3	3	5	9	12	12	12
SUBTOTAL	**21**	**5.9**	**84**	**1**	**1**	**2**	**6**	**13**	**29**	**42**	**10**	**4.6**	**10**	**1**	**1**	**4**	**6**	**9**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	6	7.5	56	3	3	4	9	21	22	22	4	3.0	2	1	1	3	4	4	4	4
35-54	16	6.4	30	2	2	4	7	16	20	21	7	5.0	5	1	1	5	6	8	8	8
55-74	5	18.2	560	4	4	7	25	60	60	60	3	10.0	37	6	6	7	14	17	17	17
75 +																				
ALL AGES	27	8.9	134	2	3	5	9	20	28	60	14	5.5	15	1	1	5	6	9	15	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
35-54	3	7.7	12	4	4	8	10	11	11	11										
55-74	2	7.0	50	2	2	7	12	12	12	12	3	5.3	1	5	5	5	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	7	6.7	14	2	2	6	10	12	12	12	4	4.8	1	3	3	5	6	6	6	6
SUBTOTAL	**34**	**8.4**	**110**	**2**	**3**	**5**	**9**	**17**	**22**	**60**	**18**	**5.3**	**12**	**1**	**2**	**5**	**6**	**8**	**13**	**17**
GRAND TOTAL	**55**	**7.4**	**100**	**1**	**2**	**4**	**8**	**17**	**22**	**59**	**28**	**5.1**	**11**	**1**	**1**	**5**	**6**	**8**	**12**	**17**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**
GRAND TOTAL	**5**	**1.6**		**1**	**1**	**2**	**2**	**2**	**2**	**2**	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	10.5	41	6	6	10	15	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	10.5	41	6	6	10	15	15	15	15	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**10.5**	**41**	**6**	**6**	**10**	**15**	**15**	**15**	**15**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**7.3**	**51**	**1**	**1**	**6**	**13**	**15**	**15**	**15**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	5	2.4		2	2	2	3	3	3	3	3	2.0	1	1	1	2	3	3	3	3
25-34	32	8.2	99	1	1	3	8	28	29	30	17	2.4	2	1	1	2	3	4	5	5
35-54	101	6.4	57	1	2	4	6	15	28	31	69	4.0	7	1	1	4	5	7	10	15
55-74	41	6.1	47	1	1	4	6	13	27	28	25	4.2	17	1	1	3	5	8	15	18
75 +	4	9.5	62	3	3	7	14	21	21	21	1	15.0		15	15	15	15	15	15	15
ALL AGES	183	6.6	61	1	1	4	6	22	28	30	115	3.9	9	1	1	3	5	7	10	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	13	4.4	10	1	1	3	5	10	10	10	4	3.8	4	2	2	3	5	7	7	7
35-54	20	7.2	89	1	1	3	7	27	28	29	11	3.1	3	1	1	3	4	6	7	7
55-74	8	5.4	13	1	1	5	6	11	13	13	2	4.0	2	3	3	4	5	5	5	5
75 +	1	16.0		16	16	16	16	16	16	16	2	6.0		6	6	6	6	6	6	6
ALL AGES	43	6.1	50	1	1	3	6	14	27	29	19	3.6	4	1	1	3	5	7	7	7
SUBTOTAL	**226**	**6.5**	**59**	**1**	**1**	**4**	**6**	**16**	**28**	**29**	**134**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	10	9.0	92	2	2	5	14	24	32	32	3	3.3	1	3	3	3	4	4	4	4
25-34	64	5.2	40	1	2	4	5	9	16	39	22	3.0	4	1	1	2	4	6	7	8
35-54	197	5.4	32	1	1	4	6	11	19	31	79	3.7	5	1	1	3	5	7	8	11
55-74	85	7.1	47	1	2	5	8	18	22	31	36	5.9	32	2	2	5	6	11	21	28
75 +	8	7.3	16	3	3	6	10	13	14	14	1	6.0		6	6	6	6	6	6	6
ALL AGES	364	5.9	39	1	2	4	6	13	20	33	141	4.1	13	1	1	3	5	7	9	25
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	15	6.2	16	1	3	5	7	11	16	18	3	4.3	6	3	3	3	6	7	7	7
35-54	39	7.4	50	1	1	5	8	21	23	29	19	4.9	33	1	1	3	5	14	20	22
55-74	27	7.6	54	2	2	5	9	18	21	35	12	3.7	1	1	2	4	5	5	5	5
75 +	4	5.5	3	4	4	5	7	8	8	8	2	6.5	41	2	2	6	11	11	11	11
ALL AGES	87	7.1	42	1	2	5	8	18	22	33	36	4.6	19	1	1	3	5	9	16	22
SUBTOTAL	**451**	**6.2**	**39**	**1**	**2**	**4**	**7**	**14**	**20**	**33**	**177**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**24**
GRAND TOTAL	**677**	**6.3**	**45**	**1**	**2**	**4**	**6**	**15**	**25**	**32**	**311**	**4.1**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20	1	1.0		1	1	1	1	1	1	1												
21-24	1	2.0		2	2	2	2	2	2	2												
25-34	3	3.0	7	1	1	2	5	6	6	6	1	1.0		1	1	1	1	1	1	1		
35-54	1	4.0		4	4	4	4	4	4	4												
55-74	1	9.0		9	9	9	9	9	9	9	1	9.0		9	9	9	9	9	9	9		
75 +																						
ALL AGES	7	3.6	9	1	1	2	5	8	9	9	2	5.0	32	1	1	4	9	9	9	9		
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54	1	11.0		11	11	11	11	11	11	11												
55-74	2	5.0	2	4	4	5	6	6	6	6												
75 +	1	9.0		9	9	9	9	9	9	9												
ALL AGES	4	7.5	10	4	4	7	10	11	11	11												
SUBTOTAL	**11**	**5.0**	**12**	**1**	**1**	**4**	**8**	**10**	**11**	**11**	**2**	**5.0**	**32**	**1**	**1**	**4**	**9**	**9**	**9**	**9**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34											1	6.0		6	6	6	6	6	6	6		
35-54	5	7.2	16	3	3	7	10	13	13	13												
55-74	3	10.0	28	6	6	8	14	16	16	16	1	7.0		7	7	7	7	7	7	7		
75 +																						
ALL AGES	8	8.3	18	3	3	7	11	15	16	16	2	6.5	1	6	6	6	7	7	7	7		
B. FEMALE																						
0-12 YRS.																						
13-17											1	1.0		1	1	1	1	1	1	1		
18-20																						
21-24																						
25-34	2	15.5	421	1	1	15	30	30	30	30												
35-54	3	3.0	1	2	2	3	4	4	4	4	1	33.0		33	33	33	33	33	33	33		
55-74	2	12.5	221	2	2	12	23	23	23	23	2	1.5	1	1	1	1	2	2	2	2		
75 +																						
ALL AGES	7	9.3	143	1	1	3	18	29	30	30	4	9.3	250	1	1	1	17	33	33	33		
SUBTOTAL	**15**	**8.7**	**72**	**1**	**2**	**6**	**12**	**23**	**28**	**30**	**6**	**8.3**	**153**	**1**	**1**	**4**	**7**	**30**	**33**	**33**		
GRAND TOTAL	**26**	**7.2**	**48**	**1**	**1**	**5**	**9**	**16**	**24**	**30**	**8**	**7.5**	**116**	**1**	**1**	**4**	**8**	**26**	**33**	**33**		

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-17																				
18-20	2	5.0	32	1	1	5	9	9	9	9										
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
35-54	4	4.3	2	3	3	4	5	6	6	6	5	4.0	13	1	1	3	5	10	10	10
55-74	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
75 +	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
ALL AGES	9	4.2	7	1	1	5	5	8	9	9	10	4.0	12	1	1	3	7	9	10	10
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34	3	6.0	16	2	2	6	9	10	10	10	4	4.5	6	3	3	4	6	8	8	8
35-54	3	3.3	17	1	1	1	6	8	8	8	6	4.3	17	1	1	3	6	11	12	12
55-74	7	11.9	41	3	4	11	18	21	21	21	2	8.5	13	6	6	8	11	11	11	11
75 +	1	1.0		1	1	1	1	1	1	1	3	4.3	1	4	4	4	5	5	5	5
ALL AGES	16	8.0	37	1	1	8	10	19	21	21	15	4.9	11	1	2	4	6	11	12	12
SUBTOTAL	**25**	**6.6**	**29**	**1**	**1**	**6**	**9**	**11**	**20**	**21**	**25**	**4.6**	**10**	**1**	**1**	**4**	**6**	**10**	**11**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	2	6.0	32	2	2	6	10	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	12	8.8	160	1	2	5	7	23	44	48	6	10.7	97	2	2	8	10	28	30	30
35-54	11	9.5	78	1	1	8	11	22	32	33	6	2.0		1	1	2	2	3	3	3
55-74	4	8.5	44	3	3	6	13	18	18	18										
75 +	2	14.5	25	11	11	14	18	18	18	18	1	2.0		2	2	2	2	2	2	2
ALL AGES	32	9.8	105	1	2	6	11	22	33	48	15	5.5	54	1	1	2	7	10	25	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20	1	40.0		40	40	40	40	40	40	40										
21-24																				
25-34	7	6.4	24	2	2	5	9	14	15	15	1	4.0		4	4	4	4	4	4	4
35-54	11	9.5	59	2	3	8	12	22	27	28	5	3.2	7	1	1	2	5	7	7	7
55-74	8	6.8	12	1	1	7	9	12	13	13	5	5.2	9	1	1	5	7	9	9	9
75 +	4	7.5	14	2	2	9	10	10	10	10	1	7.0		7	7	7	7	7	7	7
ALL AGES	32	8.7	62	2	2	8	10	16	27	40	12	4.4	8	1	1	4	7	8	9	9
SUBTOTAL	**64**	**9.3**	**82**	**1**	**2**	**7**	**10**	**18**	**31**	**47**	**27**	**5.0**	**33**	**1**	**1**	**3**	**7**	**9**	**13**	**30**
GRAND TOTAL	**89**	**8.5**	**69**	**1**	**2**	**6**	**10**	**18**	**28**	**45**	**52**	**4.8**	**22**	**1**	**1**	**3**	**7**	**9**	**11**	**30**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24	1	1.0		1	1	1	1	1	1	1												
25-34																						
35-54	3	9.7	96	3	3	5	17	21	21	21		1	5.0		5	5	5	5	5	5	5
55-74	7	6.9	18	2	3	6	7	14	16	16		7	8.0	108	1	1	4	7	26	31	31
75 +	5	2.8	3	1	1	3	4	5	5	5		1	5.0		5	5	5	5	5	5	5
ALL AGES	16	5.8	29	1	1	5	6	15	19	21		9	7.3	83	1	1	5	6	22	31	31
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1												
13-17												2	2.5	5	1	1	2	4	4	4	4
18-20																						
21-24	1	1.0		1	1	1	1	1	1	1												
25-34	3	10.7	96	4	4	6	18	22	22	22												
35-54	5	4.2	2	3	3	4	5	6	6	6		1	1.0		1	1	1	1	1	1	1
55-74	5	5.0	9	2	2	4	6	10	10	10		2	3.5	1	3	3	3	4	4	4	4
75 +	3	7.0	27	4	4	4	11	13	13	13		3	5.7	8	4	4	4	8	9	9	9
ALL AGES	18	5.6	25	1	1	4	6	12	18	22		8	3.8	6	1	1	4	4	8	9	9
SUBTOTAL	**34**	**5.7**	**26**	**1**	**1**	**4**	**6**	**13**	**20**	**22**		**17**	**5.6**	**48**	**1**	**1**	**4**	**5**	**9**	**23**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	2	14.0	338	1	1	14	27	27	27	27												
18-20																						
21-24	1	3.0		3	3	3	3	3	3	3												
25-34	3	10.3	130	1	1	7	19	23	23	23												
35-54	4	10.0	90	3	3	6	15	24	24	24		1	3.0		3	3	3	3	3	3	3
55-74	4	7.5	36	2	2	6	11	16	16	16		4	9.0	38	5	5	7	13	18	18	18
75 +	4	7.8	11	4	4	7	10	12	12	12		1	1.0		1	1	1	1	1	1	1
ALL AGES	18	9.1	65	1	1	6	12	24	26	27		6	6.7	36	1	1	5	8	17	18	18
B. FEMALE																						
0-12 YRS.	1	2.0		2	2	2	2	2	2	2												
13-17	1	54.0		54	54	54	54	54	54	54												
18-20	1	13.0		13	13	13	13	13	13	13												
21-24																						
25-34	3	28.0	1197	1	1	16	54	67	67	67												
35-54	1	6.0		6	6	6	6	6	6	6		2	3.5	13	1	1	3	6	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4		1	2.0		2	2	2	2	2	2	2
75 +	4	12.8	100	4	4	11	21	25	25	25		5	4.4	10	2	2	3	5	10	10	10
ALL AGES	12	17.8	458	1	2	9	21	58	66	67		8	3.9	8	1	1	3	5	9	10	10
SUBTOTAL	**30**	**12.6**	**230**	**1**	**2**	**6**	**16**	**26**	**54**	**67**		**14**	**5.1**	**20**	**1**	**1**	**4**	**6**	**11**	**16**	**18**
GRAND TOTAL	**64**	**8.9**	**132**	**1**	**1**	**5**	**9**	**22**	**26**	**65**		**31**	**5.4**	**34**	**1**	**1**	**4**	**6**	**9**	**18**	**31**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.5	5	2	2	3	5	5	5	5										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	3.0	4	1	1	3	4	5	5	5										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	7	2.6	3	1	1	2	4	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	10.0	128	2	2	10	18	18	18	18										
55-74	2	3.0	2	2	2	3	4	4	4	4										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	6.5	60	2	2	3	11	18	18	18	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**11**	**4.0**	**24**	**1**	**1**	**2**	**5**	**10**	**17**	**18**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	6.2	6	2	2	7	8	8	8	8										
SUBTOTAL	**6**	**6.2**	**4**	**2**	**2**	**7**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**17**	**4.8**	**17**	**1**	**1**	**4**	**6**	**8**	**15**	**18**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	3.5	5	2	2	3	5	5	5	5	2	2.0		2	2	2	2	2	2	2
35-54	6	2.8	3	1	1	3	4	5	5	5	3	8.7	113	2	2	3	16	21	21	21
55-74	10	11.3	132	2	3	7	10	32	35	35	5	8.2	22	3	3	8	11	15	15	15
75 +	9	5.2	13	1	1	5	6	11	13	13	16	5.4	7	1	2	5	7	9	10	10
ALL AGES	29	6.4	61	1	1	4	6	12	30	35	27	5.9	20	1	2	5	8	10	16	21
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
35-54	10	3.1	1	1	1	3	4	5	5	5	4	4.8	18	1	1	3	7	11	11	11
55-74	18	9.6	56	1	2	8	13	19	26	30	14	5.4	4	3	3	5	7	8	10	10
75 +	17	5.5	14	1	2	5	7	12	13	13	14	5.4	11	1	2	5	8	10	10	10
ALL AGES	47	6.6	33	1	2	5	9	13	17	30	35	5.1	8	1	2	4	7	10	10	11
SUBTOTAL	**76**	**6.6**	**42**	**1**	**1**	**5**	**8**	**13**	**19**	**34**	**62**	**5.4**	**14**	**1**	**2**	**5**	**8**	**10**	**11**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	28.0	648	10	10	28	46	46	46	46										
25-34	2	40.5	25	37	37	40	44	44	44	44	1	7.0		7	7	7	7	7	7	7
35-54	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74	11	8.9	40	2	2	9	11	19	24	24	3	8.3	38	3	3	7	13	15	15	15
75 +	7	8.9	18	4	5	8	9	16	18	18	9	6.3	24	2	2	4	9	14	16	16
ALL AGES	23	13.3	157	2	3	9	14	38	45	46	15	6.2	22	1	2	4	8	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34	2	11.5	113	4	4	11	19	19	19	19	2	20.5	145	12	12	20	29	29	29	29
35-54	5	12.2	107	4	4	7	21	27	27	27	2	2.5	1	2	2	2	3	3	3	3
55-74	11	11.8	236	2	2	7	13	31	54	56	8	5.4	2	4	4	5	6	7	8	8
75 +	7	8.0	31	2	2	8	12	16	17	17	7	9.9	36	1	2	9	14	18	19	19
ALL AGES	26	10.6	127	2	2	7	14	19	33	56	19	8.3	46	1	2	6	11	17	24	29
SUBTOTAL	**49**	**11.8**	**141**	**2**	**3**	**8**	**14**	**26**	**44**	**56**	**34**	**7.4**	**36**	**1**	**2**	**6**	**9**	**15**	**18**	**29**
GRAND TOTAL	**125**	**8.6**	**87**	**1**	**2**	**6**	**10**	**18**	**30**	**48**	**96**	**6.1**	**22**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.3	322	2	2	2	25	33	33	33	1	1.0		1	1	1	1	1	1	1
18-20	4	3.5	7	1	1	3	5	7	7	7										
21-24	3	4.0	7	1	1	5	6	6	6	6	2	1.5	1	1	1	1	2	2	2	2
25-34	5	3.0	6	1	1	2	4	7	7	7										
35-54	3	5.3	45	1	1	2	10	13	13	13	1	4.0		4	4	4	4	4	4	4
55-74	1	4.0		4	4	4	4	4	4	4	2	6.0	18	3	3	6	9	9	9	9
75 +	7	8.4	17	4	4	7	12	14	14	14										
ALL AGES	26	6.0	46	1	1	4	7	13	18	33	6	3.3	9	1	1	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	11.0	200	1	1	11	21	21	21	21										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	5.0	18	2	2	5	8	8	8	8	1	13.0		13	13	13	13	13	13	13
55-74	5	9.2	89	3	3	4	14	25	25	25										
75 +											2	2.5	5	1	1	2	4	4	4	4
ALL AGES	9	8.7	76	1	1	4	13	23	25	25	4	5.5	27	1	1	4	9	13	13	13
SUBTOTAL	**35**	**6.7**	**53**	**1**	**1**	**4**	**8**	**14**	**24**	**33**	**10**	**4.2**	**15**	**1**	**1**	**3**	**4**	**11**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	25.0	242	14	14	25	36	36	36	36										
18-20	2	7.5	5	6	6	7	9	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	5	4.8	16	1	1	4	7	11	11	11										
35-54	1	7.0		7	7	7	7	7	7	7	1	13.0		13	13	13	13	13	13	13
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	11	9.8	92	1	2	7	12	23	35	36	3	6.3	38	1	1	5	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	2	14.5	5	13	13	14	16	16	16	16
55-74	2	6.0	18	3	3	6	9	9	9	9										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	5.8	31	1	1	3	10	14	14	14	2	14.5	5	13	13	14	16	16	16	16
SUBTOTAL	**16**	**8.6**	**73**	**1**	**1**	**7**	**11**	**14**	**29**	**36**	**5**	**9.6**	**40**	**1**	**1**	**13**	**14**	**16**	**16**	**16**
GRAND TOTAL	**51**	**7.3**	**58**	**1**	**1**	**4**	**10**	**14**	**25**	**36**	**15**	**6.0**	**28**	**1**	**1**	**4**	**12**	**13**	**15**	**16**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	1	3.0		3	3	3	3	3	3	3										
21-24											1	7.0		7	7	7	7	7	7	7
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54	18	6.7	57	1	1	4	8	17	26	30	6	7.7	99	3	3	4	5	26	28	28
55-74	21	8.9	65	3	3	7	9	26	28	28	30	5.0	15	1	1	4	7	10	13	17
75 +	24	6.3	17	1	2	6	9	11	15	19	29	8.1	58	1	3	6	11	15	17	41
ALL AGES	65	7.2	43	2	2	5	8	14	26	30	70	6.4	40	1	1	5	7	13	16	38
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5										
13-17	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	7.5	61	2	2	7	13	13	13	13										
25-34	6	7.5	42	1	1	6	12	17	18	18	1	3.0		3	3	3	3	3	3	3
35-54	8	3.8	3	2	2	3	5	6	7	7	8	2.4	2	1	1	2	3	5	5	5
55-74	34	6.4	29	2	2	5	8	12	21	24	36	5.6	67	2	2	3	6	10	12	50
75 +	39	7.9	61	2	3	6	8	15	23	45	48	5.8	16	1	2	5	8	11	16	17
ALL AGES	92	6.9	42	2	2	5	8	13	22	36	94	5.4	34	1	2	4	7	10	13	36
SUBTOTAL	**157**	**7.0**	**42**	**2**	**2**	**5**	**8**	**13**	**23**	**30**	**164**	**5.8**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24											1	4.0		4	4	4	4	4	4	4
25-34	2	6.5	1	6	6	6	7	7	7	7	2	13.0	162	4	4	13	22	22	22	22
35-54	4	12.8	74	2	2	13	19	22	22	22	3	2.3	1	2	2	2	3	3	3	3
55-74	14	9.1	76	2	2	6	11	19	31	35	11	5.8	10	1	2	7	7	10	11	11
75 +	15	9.1	43	1	2	7	12	20	22	23	10	7.7	40	1	1	7	11	17	22	22
ALL AGES	38	8.8	55	1	2	7	11	19	23	35	27	6.6	30	1	1	4	7	13	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	5	10.0	60	2	2	12	16	19	19	19	1	7.0		7	7	7	7	7	7	7
55-74	10	9.8	59	3	3	8	10	23	28	28	12	3.8	4	1	1	4	5	7	7	7
75 +	18	11.6	186	3	4	7	10	24	48	61	22	9.4	101	2	3	7	9	18	31	50
ALL AGES	33	10.8	124	2	3	8	12	21	28	61	36	7.3	69	1	2	6	7	12	18	50
SUBTOTAL	**71**	**9.8**	**85**	**2**	**2**	**7**	**12**	**19**	**28**	**56**	**63**	**7.0**	**51**	**1**	**2**	**6**	**7**	**12**	**20**	**46**
GRAND TOTAL	**228**	**7.9**	**57**	**2**	**2**	**6**	**9**	**17**	**23**	**37**	**227**	**6.1**	**41**	**1**	**2**	**4**	**7**	**11**	**16**	**43**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	2	5.0	8	3	3	5	7	7	7	7	2	6.0	18	3	3	6	9	9	9	9
SUBTOTAL	**3**	**10.0**	**79**	**3**	**3**	**7**	**17**	**20**	**20**	**20**	**4**	**4.3**	**11**	**1**	**1**	**3**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	2	16.0	50	11	11	16	21	21	21	21	2	6.0	32	2	2	6	10	10	10	10
SUBTOTAL	**3**	**11.0**	**100**	**1**	**1**	**11**	**18**	**21**	**21**	**21**	**2**	**6.0**	**32**	**2**	**2**	**6**	**10**	**10**	**10**	**10**
GRAND TOTAL	**6**	**10.5**	**72**	**1**	**1**	**9**	**20**	**21**	**21**	**21**	**6**	**4.8**	**15**	**1**	**1**	**3**	**9**	**10**	**10**	**10**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	6	9.5	41	1	1	8	16	18	18	18										
35-54	6	13.3	96	8	8	9	12	31	33	33	1	6.0		6	6	6	6	6	6	6
55-74	23	14.7	93	2	4	12	21	31	34	35	1	6.0		6	6	6	6	6	6	6
75 +	6	13.7	59	3	3	16	17	23	24	24	3	9.0	61	4	4	5	15	18	18	18
ALL AGES	44	13.8	80	2	3	12	18	29	33	35	5	7.8	33	4	4	6	9	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	3	6.3	6	5	5	5	8	9	9	9										
25-34	5	9.2	44	2	2	8	20	92	99 +	99 +										
35-54	7	17.9	229	4	4	14	22	44	49	49										
55-74	27	14.0	44	3	3	15	19	23	25	26	1	22.0		22	22	22	22	22	22	22
75 +	21	14.1	62	3	6	12	18	26	30	33	4	10.0	41	5	5	8	14	19	19	19
ALL AGES	64	13.9	70	3	4	13	19	25	28	92	6	10.5	69	1	1	8	19	22	22	22
SUBTOTAL	**108**	**13.8**	**75**	**2**	**4**	**12**	**19**	**26**	**33**	**70**	**11**	**9.3**	**49**	**1**	**2**	**6**	**16**	**20**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17																				
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	1	30.0		30	30	30	30	30	30	30	2	8.5	85	2	2	8	15	15	15	15
35-54	7	13.7	203	3	3	5	21	37	41	41										
55-74	5	17.0	360	4	4	8	24	50	50	50	1	6.0		6	6	6	6	6	6	6
75 +	4	15.8	27	10	10	15	19	23	23	23										
ALL AGES	19	16.7	188	3	4	15	23	39	46	50	3	7.7	44	2	2	6	13	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	24.0		24	24	24	24	24	24	24										
25-34	4	26.5	360	8	8	22	38	53	53	53										
35-54	7	21.9	310	6	6	16	28	52	57	57	1	4.0		4	4	4	4	4	4	4
55-74	14	15.5	66	4	7	14	21	27	31	32	5	5.8	10	3	3	5	7	11	11	11
75 +	6	14.7	68	6	6	13	20	27	28	28	1	38.0		38	38	38	38	38	38	38
ALL AGES	32	18.4	152	6	7	16	23	31	51	57	7	10.1	159	3	3	5	10	33	38	38
SUBTOTAL	**51**	**17.7**	**165**	**4**	**5**	**15**	**23**	**33**	**50**	**57**	**10**	**9.4**	**116**	**2**	**2**	**5**	**11**	**26**	**38**	**38**
GRAND TOTAL	**159**	**15.1**	**105**	**3**	**4**	**13**	**20**	**28**	**34**	**57**	**21**	**9.3**	**78**	**1**	**3**	**6**	**12**	**20**	**29**	**38**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	19.0	288	7	7	19	31	31	31	31	2	1.5	1	1	1	1	2	2	2	2
35-54	2	3.5	13	1	1	3	6	6	6	6	3	10.0	61	1	1	14	15	15	15	15
55-74	6	7.0	11	3	3	8	9	11	11	11	2	7.0	18	4	4	7	10	10	10	10
75 +	3	5.7	22	2	2	4	9	11	11	11	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	15	7.5	52	1	2	6	9	11	26	31	10	6.1	29	1	1	3	10	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11	2	8.5	61	3	3	8	14	14	14	14
55-74	4	6.3	20	1	1	6	9	12	12	12	3	5.7		5	5	6	6	6	6	6
75 +	8	4.9	5	2	2	4	6	8	9	9	6	4.2	6	1	1	4	5	8	8	8
ALL AGES	14	5.5	12	1	2	5	7	11	12	12	11	5.4	12	1	2	5	6	10	14	14
SUBTOTAL	**29**	**6.5**	**33**	**1**	**2**	**5**	**9**	**11**	**13**	**31**	**21**	**5.7**	**20**	**1**	**1**	**5**	**8**	**14**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	34.0		34	34	34	34	34	34	34	1	1.0		1	1	1	1	1	1	1
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	29.0		29	29	29	29	29	29	29	1	24.0		24	24	24	24	24	24	24
ALL AGES	2	31.5	13	29	29	31	34	34	34	34	3	9.0	169	1	1	2	18	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74	3	10.7	5	8	8	11	12	13	13	13	2	5.5	1	5	5	5	6	6	6	6
75 +	5	8.0	10	6	6	6	10	13	13	13	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	9	8.6	9	5	5	8	11	13	13	13	5	5.0	9	1	1	5	7	9	9	9
SUBTOTAL	**11**	**12.7**	**96**	**5**	**5**	**9**	**13**	**31**	**34**	**34**	**8**	**6.5**	**57**	**1**	**1**	**4**	**7**	**19**	**24**	**24**
GRAND TOTAL	**40**	**8.2**	**56**	**1**	**2**	**6**	**10**	**13**	**30**	**34**	**29**	**5.9**	**29**	**1**	**1**	**5**	**8**	**14**	**15**	**24**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	3.5	1	3	3	3	4	4	4	4										
55-74	3	8.0	19	5	5	6	11	13	13	13	3	3.0	1	2	2	3	4	4	4	4
75 +																				
ALL AGES	6	5.3	17	1	1	4	6	12	13	13	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +	2	14.0	8	12	12	14	16	16	16	16										
ALL AGES	5	9.8	27	2	2	11	13	16	16	16	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**11**	**7.4**	**24**	**1**	**2**	**6**	**12**	**14**	**16**	**16**	**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**12**	**7.3**	**23**	**1**	**2**	**6**	**11**	**14**	**16**	**16**	**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	10.8	11	8	8	9	13	16	16	16										
55-74	4	14.8	166	1	1	14	25	29	29	29	1	11.0		11	11	11	11	11	11	11
75 +	4	14.8	339	1	1	8	25	42	42	42										
ALL AGES	12	13.4	147	1	1	9	19	33	41	42	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	3	16.3	46	12	12	13	21	24	24	24										
55-74	3	4.7		4	4	5	5	5	5	5										
75 +	6	15.3	27	9	9	15	17	23	24	24	1	2.0		2	2	2	2	2	2	2
ALL AGES	13	12.2	48	4	4	12	16	24	24	24	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**25**	**12.8**	**91**	**1**	**4**	**10**	**16**	**24**	**32**	**42**	**2**	**6.5**	**41**	**2**	**2**	**6**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	50.0	578	33	33	50	67	67	67	67										
75 +																				
ALL AGES	2	50.0	578	33	33	50	67	67	67	67										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	9.5	85	3	3	9	16	16	16	16										
SUBTOTAL	**4**	**29.8**	**764**	**3**	**3**	**24**	**50**	**67**	**67**	**67**										
GRAND TOTAL	**29**	**15.1**	**197**	**1**	**3**	**12**	**18**	**31**	**43**	**67**	**2**	**6.5**	**41**	**2**	**2**	**6**	**11**	**11**	**11**	**11**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	10.0		10	10	10	10	10	10	10											
18-20																					
21-24																					
25-34																					
35-54	1	20.0		20	20	20	20	20	20	20	1	10.0		10	10	10	10	10	10	10
55-74	6	16.3	42	8	8	15	21	25	26	26											
75 +	3	11.0	13	8	8	10	14	15	15	15											
ALL AGES	11	14.6	35	8	8	15	19	23	26	26	1	10.0		10	10	10	10	10	10	10
B. FEMALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4											
13-17																					
18-20																					
21-24																					
25-34	1	6.0		6	6	6	6	6	6	6											
35-54	3	10.7	43	3	3	14	15	15	15	15											
55-74	9	16.8	90	4	5	15	23	31	31	31	1	15.0		15	15	15	15	15	15	15
75 +	6	7.5	35	3	3	5	8	18	19	19	1	9.0		9	9	9	9	9	9	9
ALL AGES	20	11.9	75	3	3	10	16	26	31	31	2	12.0	18	9	9	12	15	15	15	15
SUBTOTAL	**31**	**12.9**	**60**	**3**	**4**	**13**	**16**	**23**	**31**	**31**	**3**	**11.3**	**11**	**9**	**9**	**10**	**14**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	11.0		11	11	11	11	11	11	11											
35-54	2	21.0	128	13	13	21	29	29	29	29											
55-74	5	15.2	151	8	8	10	18	37	37	37											
75 +	2	12.0	72	6	6	12	18	18	18	18											
ALL AGES	10	15.3	101	6	7	11	18	33	37	37											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	20.0		20	20	20	20	20	20	20											
25-34																					
35-54	1	21.0		21	21	21	21	21	21	21											
55-74	3	10.0	7	8	8	9	12	13	13	13											
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	5	14.2	37	8	8	13	20	21	21	21	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**15**	**14.9**	**77**	**6**	**8**	**12**	**19**	**29**	**35**	**37**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**46**	**13.5**	**66**	**4**	**4**	**12**	**18**	**26**	**31**	**37**	**4**	**10.3**	**10**	**7**	**7**	**9**	**12**	**15**	**15**	**15**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	25.0		25	25	25	25	25	25	25										
21-24																				
25-34	2	11.5	25	8	8	11	15	15	15	15										
35-54	4	9.8	40	2	2	10	15	16	16	16										
55-74	23	14.2	82	5	7	12	17	22	34	48	6	8.5	24	2	2	8	11	15	16	16
75 +	38	13.8	50	2	6	13	17	23	28	32	4	4.0	13	1	1	3	6	9	9	9
ALL AGES	68	13.8	60	3	6	13	17	23	28	45	10	6.7	23	1	1	6	10	13	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	2	11.5	5	10	10	11	13	13	13	13										
35-54	4	6.8	6	4	4	7	9	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	32	12.8	93	3	4	10	17	31	33	38	4	7.5	8	4	4	7	9	11	11	11
75 +	61	15.0	97	3	5	13	21	29	40	93	7	8.3	41	2	2	7	10	19	21	21
ALL AGES	100	13.8	93	3	4	12	19	29	35	72	12	8.0	25	2	3	7	10	14	20	21
SUBTOTAL	**168**	**13.8**	**79**	**3**	**5**	**12**	**17**	**26**	**33**	**48**	**22**	**7.4**	**24**	**1**	**2**	**7**	**10**	**13**	**18**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	6	20.2	279	5	5	14	37	43	44	44	2	4.5	5	3	3	4	6	6	6	6
75 +	14	18.5	278	2	4	15	23	45	58	62										
ALL AGES	21	18.6	255	3	4	15	24	43	52	62	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	83.0		83	83	83	83	83	83	83										
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28										
25-34																				
35-54	5	17.8	113	8	8	18	22	35	35	35										
55-74	15	16.9	102	4	6	14	25	27	37	40										
75 +	13	17.4	261	5	5	9	21	47	54	56	3	19.0	37	12	12	22	23	23	23	23
ALL AGES	35	19.4	274	5	6	14	26	40	53	83	3	19.0	37	12	12	22	23	23	23	23
SUBTOTAL	**56**	**19.1**	**262**	**4**	**5**	**15**	**25**	**43**	**53**	**82**	**5**	**13.2**	**83**	**3**	**3**	**12**	**22**	**23**	**23**	**23**
GRAND TOTAL	**224**	**15.1**	**130**	**3**	**5**	**13**	**19**	**28**	**38**	**67**	**27**	**8.5**	**37**	**2**	**2**	**7**	**11**	**20**	**22**	**23**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	18.0	200	8	8	18	28	28	28	28										
35-54																				
55-74	3	8.3	10	5	5	9	10	11	11	11	1	4.0		4	4	4	4	4	4	4
75 +	3	19.3	171	6	6	20	29	32	32	32										
ALL AGES	9	14.6	95	5	5	11	22	30	32	32	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	8.7	3	7	7	8	10	11	11	11										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	5	7.4	10	4	4	7	10	12	12	12										
ALL AGES	9	7.2	11	2	3	7	9	12	12	12										
SUBTOTAL	**18**	**10.9**	**64**	**3**	**4**	**8**	**12**	**26**	**30**	**32**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	8.7	33	2	2	11	12	13	13	13										
35-54																				
55-74																				
75 +	2	6.0	8	4	4	6	8	8	8	8										
ALL AGES	5	7.6	21	2	2	8	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	50.0		50	50	50	50	50	50	50										
35-54																				
55-74																				
75 +																				
ALL AGES	1	50.0		50	50	50	50	50	50	50										
SUBTOTAL	**6**	**14.7**	**315**	**2**	**2**	**9**	**13**	**46**	**50**	**50**										
GRAND TOTAL	**24**	**11.8**	**120**	**2**	**4**	**9**	**12**	**28**	**37**	**50**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	7	5.6	90	1	1	2	3	22	27	27	1	17.0		17	17	17	17	17	17	17
35-54	2	18.5	85	12	12	18	25	25	25	25										
55-74																				
75 +																				
ALL AGES	11	10.1	120	1	1	3	22	27	27	27	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24	4	18.0	44	9	9	19	22	25	25	25										
25-34	3	29.7	1314	3	3	15	57	71	71	71										
35-54	7	9.0	40	1	2	8	12	19	20	20										
55-74																				
75 +																				
ALL AGES	15	15.7	283	1	3	12	19	25	59	71										
SUBTOTAL	**26**	**13.3**	**215**	**1**	**1**	**10**	**19**	**27**	**36**	**71**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	13.0		13	13	13	13	13	13	13										
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	3	8.7	13	6	6	7	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	16.0		16	16	16	16	16	16	16
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**4**	**6.8**	**23**	**1**	**1**	**6**	**10**	**13**	**13**	**13**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
GRAND TOTAL	**30**	**12.5**	**191**	**1**	**1**	**9**	**19**	**26**	**27**	**71**	**2**	**16.5**	**1**	**16**	**16**	**16**	**17**	**17**	**17**	**17**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	15.0	162	6	6	15	24	24	24	24										
18-20	4	22.5	259	5	5	20	32	44	44	44	1	7.0		7	7	7	7	7	7	7
21-24	3	30.3	20	27	27	29	33	35	35	35										
25-34	6	21.0	318	4	5	14	30	51	53	53	3	3.7	14	1	1	2	6	8	8	8
35-54	4	11.3	73	3	3	9	17	23	23	23	2	11.5	25	8	8	11	15	15	15	15
55-74	1	28.0		28	28	28	28	28	28	28	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	20	20.5	187	3	4	20	28	39	48	53	7	7.1	23	1	1	8	9	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	59.0		59	59	59	59	59	59	59										
18-20																				
21-24	3	12.0	27	9	9	9	16	18	18	18	2	5.5	41	1	1	5	10	10	10	10
25-34	11	21.1	336	1	2	17	32	49	61	62										
35-54	15	13.9	184	1	1	10	20	36	46	49	2	5.0		5	5	5	5	5	5	5
55-74	8	25.6	815	1	2	19	31	74	90	90	4	12.8	37	7	7	11	17	21	21	21
75 +																				
ALL AGES	38	19.5	384	1	2	13	25	46	61	90	8	9.0	39	1	1	8	12	19	21	21
SUBTOTAL	**58**	**19.8**	**314**	**1**	**3**	**14**	**27**	**43**	**57**	**88**	**15**	**8.1**	**30**	**1**	**1**	**8**	**10**	**15**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	33.5	1625	5	5	33	62	62	62	62										
21-24																				
25-34	4	20.5	510	6	6	11	34	54	54	54										
35-54	1	27.0		27	27	27	27	27	27	27	2	3.0	2	2	2	3	4	4	4	4
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	8	22.9	523	5	5	11	40	60	62	62	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	15.3	46	11	11	12	20	23	23	23										
35-54											1	5.0		5	5	5	5	5	5	5
55-74	1	6.0		6	6	6	6	6	6	6	2	6.0		6	6	6	6	6	6	6
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	13.0	51	6	6	11	17	23	23	23	4	5.5		5	5	5	6	6	6	6
SUBTOTAL	**12**	**19.6**	**371**	**5**	**6**	**11**	**25**	**56**	**61**	**62**	**6**	**4.7**	**2**	**2**	**2**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**70**	**19.8**	**317**	**1**	**4**	**14**	**27**	**46**	**59**	**84**	**21**	**7.1**	**24**	**1**	**1**	**6**	**9**	**14**	**18**	**21**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.5	421	4	4	18	33	33	33	33										
13-17	14	19.7	289	1	1	19	29	41	57	61										
18-20	20	12.8	63	1	2	14	18	20	25	30	1	6.0		6	6	6	6	6	6	6
21-24	46	13.6	178	2	3	13	16	22	28	85	6	9.8	191	1	1	3	17	33	35	35
25-34	280	11.1	83	1	2	9	16	22	28	50	10	7.8	114	1	1	3	5	27	32	32
35-54	203	12.3	100	1	2	10	16	25	36	56	15	10.2	111	1	1	7	12	25	36	40
55-74	43	12.3	65	2	3	11	18	22	29	35	4	18.8	436	6	6	9	30	50	50	50
75 +	6	16.7	8	13	13	16	19	21	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	614	12.1	99	1	2	10	16	23	31	55	37	10.1	147	1	1	5	11	31	38	50
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.7	148	1	1	9	21	25	25	25										
18-20	6	42.2	1084	11	12	29	77	88	89	89	1	18.0		18	18	18	18	18	18	18
21-24	32	14.9	155	1	3	12	18	34	40	54	2	8.5	5	7	7	8	10	10	10	10
25-34	130	12.1	113	2	2	10	16	24	30	55	11	14.2	78	1	2	16	21	25	28	28
35-54	247	12.1	80	2	3	11	16	24	27	50	5	11.0	54	3	3	9	16	22	22	22
55-74	139	16.5	132	4	5	14	21	31	38	53	12	12.7	167	5	5	8	18	60	92	99 +
75 +	12	14.8	69	3	4	15	23	25	26	26										
ALL AGES	569	13.7	125	2	3	12	17	26	33	68	31	12.8	99	3	4	9	19	25	48	99 +
SUBTOTAL	**1183**	**12.9**	**111**	**1**	**3**	**11**	**17**	**25**	**32**	**58**	**68**	**11.4**	**124**	**1**	**1**	**8**	**17**	**27**	**40**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	14.6	259	1	1	19	33	93	99 +	99 +										
18-20	4	35.8	359	13	13	37	51	56	56	56										
21-24	14	14.2	176	1	3	7	20	38	43	44	1	13.0		13	13	13	13	13	13	13
25-34	62	10.4	77	1	2	8	15	21	31	44	1	5.0		5	5	5	5	5	5	5
35-54	61	13.1	83	2	4	11	18	25	31	44	2	12.0	18	9	9	12	15	15	15	15
55-74	12	11.7	65	1	3	9	17	23	29	30	1	7.0		7	7	7	7	7	7	7
75 +	1	29.0		29	29	29	29	29	29	29	1	1.0		1	1	1	1	1	1	1
ALL AGES	159	12.7	113	1	3	9	18	30	35	55	6	8.3	27	1	1	8	13	15	15	15
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	3	14.7	151	1	1	18	23	25	25	25										
18-20																				
21-24	7	17.1	122	4	5	14	23	34	37	37	1	5.0		5	5	5	5	5	5	5
25-34	19	16.1	154	3	4	14	22	44	74	99 +	1	4.0		4	4	4	4	4	4	4
35-54	36	9.8	62	1	3	7	12	22	26	38	1	8.0		8	8	8	8	8	8	8
55-74	28	17.4	146	1	5	14	26	37	56	99 +	1	15.0		15	15	15	15	15	15	15
75 +	3	19.3	60	11	11	21	25	26	26	26										
ALL AGES	97	14.3	118	2	3	12	20	32	40	99 +	4	8.0	25	4	4	6	11	15	15	15
SUBTOTAL	**256**	**13.3**	**115**	**1**	**3**	**11**	**19**	**30**	**38**	**96**	**10**	**8.2**	**23**	**1**	**2**	**7**	**13**	**15**	**15**	**15**
GRAND TOTAL	**1439**	**13.0**	**111**	**1**	**3**	**11**	**17**	**26**	**33**	**60**	**78**	**10.9**	**113**	**1**	**1**	**8**	**16**	**24**	**38**	**86**

AC SCHIZOPHRENIC EPISODE (295.4)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	5	31.2	257	13	13	26	47	49	49	49											
18-20	2	11.5	41	7	7	11	16	16	16	16											
21-24	4	12.8	43	7	7	11	17	22	22	22											
25-34	9	7.8	28	1	2	7	10	16	19	19											
35-54	5	14.2	82	1	1	14	22	24	24	24	1	1.0		1	1	1	1	1	1	1	
55-74																					
75 +																					
ALL AGES	25	14.8	150	1	3	11	21	26	47	49	1	1.0		1	1	1	1	1	1	1	
B. FEMALE																					
0-12 YRS.																					
13-17	2	41.5	421	27	27	41	56	56	56	56											
18-20	2	15.5	61	10	10	15	21	21	21	21											
21-24	2	19.5	61	14	14	19	25	25	25	25	1	3.0		3	3	3	3	3	3	3	
25-34	11	11.6	95	1	2	8	20	26	30	30											
35-54	10	16.0	34	7	8	16	17	25	28	28	2	5.5	41	1	1	5	10	10	10	10	
55-74	1	13.0		13	13	13	13	13	13	13	2	5.0	8	3	3	5	7	7	7	7	
75 +																					
ALL AGES	28	16.2	124	2	5	14	22	28	33	56	5	4.8	13	1	1	3	8	10	10	10	
SUBTOTAL	**53**	**15.6**	**132**	**1**	**4**	**14**	**21**	**27**	**44**	**56**	**6**	**4.2**	**13**	**1**	**1**	**3**	**7**	**10**	**10**	**10**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	2	33.5	481	18	18	33	49	49	49	49											
18-20	1	37.0		37	37	37	37	37	37	37											
21-24	2	13.0	200	3	3	13	23	23	23	23											
25-34	2	9.5	25	6	6	9	13	13	13	13											
35-54	1	18.0		18	18	18	18	18	18	18	1	6.0		6	6	6	6	6	6	6	
55-74	1	4.0		4	4	4	4	4	4	4											
75 +																					
ALL AGES	9	19.0	241	3	3	18	26	44	49	49	1	6.0		6	6	6	6	6	6	6	
B. FEMALE																					
0-12 YRS.																					
13-17	1	3.0		3	3	3	3	3	3	3											
18-20																					
21-24	1	5.0		5	5	5	5	5	5	5											
25-34	2	27.0	200	17	17	27	37	37	37	37											
35-54	2	9.5	5	8	8	9	11	11	11	11											
55-74																					
75 +																					
ALL AGES	6	13.5	157	3	3	9	17	35	37	37											
SUBTOTAL	**15**	**16.8**	**201**	**3**	**3**	**13**	**22**	**37**	**46**	**49**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	
GRAND TOTAL	**68**	**15.8**	**147**	**2**	**3**	**13**	**21**	**29**	**47**	**55**	**7**	**4.4**	**12**	**1**	**1**	**3**	**7**	**9**	**10**	**10**	

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	3	17.3	116	5	5	23	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	63.0		63	63	63	63	63	63	63										
21-24																				
25-34	5	8.6	42	2	2	6	15	16	16	16										
35-54	5	7.8	24	2	2	8	10	15	15	15										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	12	13.3	271	2	2	8	15	30	58	63										
SUBTOTAL	**15**	**14.1**	**232**	**2**	**2**	**9**	**16**	**24**	**53**	**63**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	11.0	117	3	3	7	17	27	27	27										
35-54	10	9.3	33	2	2	8	14	18	19	19										
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	14	9.8	50	2	3	8	14	20	25	27	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**14**	**9.8**	**50**	**2**	**3**	**8**	**14**	**20**	**25**	**27**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**29**	**12.0**	**145**	**2**	**2**	**8**	**15**	**24**	**29**	**63**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	4	12.0	278	3	3	4	21	37	37	37										
18-20	13	15.4	273	1	2	9	22	35	56	61										
21-24	55	13.9	215	2	2	8	18	36	43	77	1	30.0		30	30	30	30	30	30	30
25-34	153	10.3	76	1	2	8	14	23	29	42										
35-54	167	12.1	77	1	2	10	17	25	29	36	2	5.5	25	2	2	5	9	9	9	9
55-74	57	12.2	64	2	5	10	15	22	30	40	2	29.0	882	8	8	29	50	50	50	50
75 +	4	24.5	225	10	10	22	36	44	44	44										
ALL AGES	454	11.9	101	1	2	9	15	26	31	49	5	19.8	397	2	2	9	35	50	50	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	53	99 +	99 +	99 +	99 +										
18-20	9	13.8	189	1	2	9	21	37	42	42										
21-24	25	13.7	96	3	3	11	18	25	30	44	1	6.0		6	6	6	6	6	6	6
25-34	119	10.4	87	1	2	9	13	22	33	46	1	2.0		2	2	2	2	2	2	2
35-54	212	11.9	98	2	3	9	15	24	34	50	7	9.1	56	1	1	7	13	21	23	23
55-74	122	15.4	142	3	4	13	19	30	35	61	5	4.6	29	1	1	3	6	14	14	14
75 +	10	14.9	76	2	4	14	19	28	31	31	1	4.0		4	4	4	4	4	4	4
ALL AGES	498	12.6	109	2	3	10	17	26	35	49	15	6.6	39	1	1	4	9	14	21	23
SUBTOTAL	**952**	**12.3**	**104**	**2**	**3**	**9**	**16**	**26**	**34**	**49**	**20**	**9.9**	**146**	**1**	**1**	**6**	**11**	**26**	**40**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	4	9.5	52	3	3	8	15	19	19	19										
21-24	9	13.1	205	1	1	9	19	36	46	46										
25-34	35	12.1	61	1	2	11	19	25	26	27										
35-54	37	11.3	96	3	3	8	14	24	33	50										
55-74	14	18.6	165	3	4	16	28	41	43	44										
75 +																				
ALL AGES	99	12.7	103	2	3	10	17	26	33	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	20	11.5	80	1	2	9	16	25	30	34										
35-54	42	13.0	71	3	4	12	19	22	29	40	3	13.7	71	4	4	17	19	20	20	20
55-74	32	16.0	140	4	6	12	21	31	33	64	2	23.0	98	16	16	23	30	30	30	30
75 +	6	15.3	66	9	9	11	23	27	28	28										
ALL AGES	103	13.5	95	3	4	11	18	26	32	51	6	15.5	91	4	4	16	20	29	30	30
SUBTOTAL	**202**	**13.1**	**99**	**2**	**3**	**11**	**18**	**26**	**32**	**48**	**6**	**15.5**	**91**	**4**	**4**	**16**	**20**	**29**	**30**	**30**
GRAND TOTAL	**1154**	**12.4**	**104**	**2**	**3**	**10**	**16**	**26**	**33**	**49**	**26**	**11.2**	**135**	**1**	**1**	**7**	**16**	**29**	**34**	**50**

SCHIZOAFFECTIVE TYPE (295.7)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	43.0	338	30	30	43	56	56	56	56										
13-17	6	30.7	172	9	11	30	40	47	48	48										
18-20	10	7.4	38	1	1	7	10	17	19	19	1	2.0		2	2	2	2	2	2	2
21-24	27	20.0	410	4	5	14	21	47	68	94	1	7.0		7	7	7	7	7	7	7
25-34	87	15.6	163	3	4	14	21	29	33	76	4	2.5	1	2	2	2	3	4	4	4
35-54	84	13.8	100	2	3	11	19	26	35	51	4	13.0	34	7	7	13	18	18	18	18
55-74	31	16.9	100	4	5	17	23	32	35	42										
75 +	2	19.5	221	9	9	19	30	30	30	30										
ALL AGES	249	15.9	171	3	4	13	21	31	36	63	10	7.1	39	2	2	5	9	18	18	18
B. FEMALE																				
0-12 YRS.	2	29.0	2	28	28	29	30	30	30	30										
13-17	5	21.0	57	11	11	19	28	29	29	29										
18-20	6	18.5	111	6	6	19	29	31	31	31										
21-24	28	17.8	364	2	2	12	23	47	64	78	1	42.0		42	42	42	42	42	42	42
25-34	144	14.1	107	2	4	11	18	28	35	50	5	34.2	326	9	9	37	49	54	54	54
35-54	248	14.5	157	3	4	12	18	26	37	80	17	12.9	140	1	2	8	21	33	38	39
55-74	96	18.5	196	3	5	15	23	34	46	75	2	42.0	2450	7	7	42	77	77	77	77
75 +	7	21.9	99	12	12	18	27	38	40	40										
ALL AGES	536	15.5	163	3	4	13	19	30	39	78	25	20.6	390	2	3	15	36	47	60	77
SUBTOTAL	**785**	**15.7**	**163**	**3**	**4**	**13**	**20**	**30**	**38**	**75**	**35**	**16.8**	**322**	**2**	**2**	**8**	**22**	**42**	**52**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	2	38.0	288	26	26	38	50	50	50	50										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	7	17.7	101	4	5	16	27	31	31	31										
25-34	34	16.1	235	3	4	11	19	36	59	69	3	10.0	79	3	3	7	17	20	20	20
35-54	23	15.2	97	3	4	14	18	32	35	37	6	11.2	105	1	1	7	23	25	25	25
55-74	5	11.0	17	6	6	11	14	16	16	16										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	74	16.2	170	3	4	13	19	32	40	68	9	10.8	86	1	2	7	21	24	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47										
18-20	5	12.2	130	1	1	9	19	30	30	30	1	14.0		14	14	14	14	14	14	14
21-24	6	13.8	14	9	9	14	16	19	19	19										
25-34	42	18.6	263	4	5	14	24	33	56	82	3	10.3	163	2	2	4	20	25	25	25
35-54	52	14.9	131	4	5	12	19	29	34	68	9	13.8	135	2	3	10	17	34	34	34
55-74	25	19.4	146	3	5	19	26	34	41	52	1	4.0		4	4	4	4	4	4	4
75 +	2	19.0	50	14	14	19	24	24	24	24										
ALL AGES	133	17.1	174	4	5	14	22	31	37	71	14	12.4	115	2	2	9	14	33	34	34
SUBTOTAL	**207**	**16.8**	**171**	**3**	**5**	**14**	**21**	**32**	**38**	**69**	**23**	**11.7**	**102**	**1**	**2**	**9**	**18**	**27**	**33**	**34**
GRAND TOTAL	**992**	**15.9**	**166**	**3**	**4**	**13**	**20**	**31**	**38**	**70**	**58**	**14.8**	**237**	**2**	**2**	**8**	**22**	**37**	**45**	**75**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	4	7.8	36	2	2	8	13	13	13	13										
25-34	14	14.6	207	1	1	14	18	24	51	59	1	1.0		1	1	1	1	1	1	1
35-54	11	9.3	83	1	1	5	15	25	26	26										
55-74	4	9.5	30	2	2	11	13	14	14	14										
75 +																				
ALL AGES	34	11.4	121	1	1	12	14	20	26	59	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20	3	9.0	57	2	2	8	15	17	17	17										
21-24	3	17.0	57	9	9	18	22	24	24	24	1	7.0		7	7	7	7	7	7	7
25-34	13	10.4	50	1	3	9	14	21	26	27										
35-54	16	9.8	32	2	2	10	13	15	21	24	2	7.5	61	2	2	7	13	13	13	13
55-74	7	13.4	19	7	8	12	16	19	20	20	3	4.7	2	3	3	5	6	6	6	6
75 +																				
ALL AGES	43	11.3	45	2	3	11	15	21	25	27	6	6.0	15	2	2	5	7	12	13	13
SUBTOTAL	**77**	**11.4**	**76**	**1**	**2**	**11**	**15**	**20**	**25**	**50**	**7**	**5.3**	**16**	**1**	**1**	**5**	**7**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	2	5.5	25	2	2	5	9	9	9	9										
25-34	5	10.8	87	1	1	11	17	24	24	24										
35-54	4	8.8	38	2	2	9	14	15	15	15	2	5.5	41	1	1	5	10	10	10	10
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	12	9.8	52	1	1	10	15	19	23	24	3	6.7	24	1	1	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	19.0	450	4	4	19	34	34	34	34										
25-34	3	8.3	10	5	5	9	10	11	11	11										
35-54	6	17.0	143	4	4	16	22	35	36	36										
55-74											2	13.0	8	11	11	13	15	15	15	15
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	11	15.0	137	4	4	11	22	35	36	36	3	9.3	45	2	2	11	14	15	15	15
SUBTOTAL	**23**	**12.3**	**95**	**1**	**2**	**11**	**17**	**26**	**35**	**36**	**6**	**8.0**	**30**	**1**	**1**	**9**	**11**	**15**	**15**	**15**
GRAND TOTAL	**100**	**11.6**	**80**	**1**	**2**	**11**	**15**	**23**	**25**	**47**	**13**	**6.5**	**23**	**1**	**1**	**6**	**10**	**13**	**15**	**15**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	52.0		52	52	52	52	52	52	52										
13-17	15	16.9	297	2	4	13	26	63	90	99 +	2	5.0	8	3	3	5	7	7	7	7
18-20	21	16.6	195	3	4	15	22	35	48	60	1	7.0		7	7	7	7	7	7	7
21-24	40	14.7	237	2	2	10	21	30	33	90										
25-34	100	10.0	115	1	1	8	13	20	30	59	4	9.3	84	4	4	5	14	23	23	23
35-54	80	12.3	99	1	2	10	17	26	34	44	6	4.8	12	2	2	4	6	10	11	11
55-74	21	14.2	258	3	4	11	17	21	48	79	2	4.5	13	2	2	4	7	7	7	7
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	279	12.7	160	1	2	9	17	27	36	75	15	6.1	28	2	2	5	7	11	20	23
B. FEMALE																						
0-12 YRS.																						
13-17	17	14.8	138	3	3	15	19	27	43	50	1	9.0		9	9	9	9	9	9	9
18-20	6	21.3	170	10	10	19	40	89	99 +	99 +	2	6.5	41	2	2	6	11	11	11	11
21-24	31	12.5	97	2	3	10	19	28	30	41	4	4.3	2	2	2	4	5	6	6	6
25-34	97	13.7	177	1	3	9	17	30	36	74	3	3.7	9	1	1	3	6	7	7	7
35-54	127	13.0	118	1	3	10	16	27	32	56	9	8.9	34	2	2	7	14	17	18	18
55-74	66	16.1	156	4	5	13	20	32	44	64	10	10.1	90	1	1	6	15	26	27	27
75 +	6	8.0	49	1	1	7	13	17	18	18	1	3.0		3	3	3	3	3	3	3
ALL AGES	350	13.9	140	2	3	11	18	28	40	68	30	7.8	46	1	1	5	11	17	25	27
SUBTOTAL	**629**	**13.3**	**151**	**1**	**3**	**10**	**17**	**28**	**37**	**68**	**45**	**7.2**	**41**	**1**	**2**	**5**	**9**	**16**	**23**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	16.0	392	2	2	16	30	30	30	30										
13-17	5	18.0	357	1	1	11	26	50	50	50	1	2.0		2	2	2	2	2	2	2
18-20	5	12.0	170	3	3	7	15	35	35	35	1	2.0		2	2	2	2	2	2	2
21-24	17	17.5	126	3	4	14	22	35	40	42	1	10.0		10	10	10	10	10	10	10
25-34	26	14.7	152	3	3	11	19	28	41	59	1	7.0		7	7	7	7	7	7	7
35-54	18	13.4	248	1	1	7	21	29	50	64	1	7.0		7	7	7	7	7	7	7
55-74	10	15.8	182	1	2	12	31	34	37	37	1	5.0		5	5	5	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	84	15.1	174	1	3	12	21	35	38	62	7	5.0	10	2	2	5	7	9	10	10
B. FEMALE																						
0-12 YRS.	2	32.5	5	31	31	32	34	34	34	34										
13-17	3	43.3	847	18	18	37	65	75	75	75										
18-20	4	23.0	938	1	1	11	42	68	68	68										
21-24	7	16.1	320	3	4	9	17	48	55	55										
25-34	25	13.9	142	1	2	11	23	26	34	51	1	36.0		36	36	36	36	36	36	36
35-54	32	15.7	260	3	4	12	20	28	34	92	7	12.1	117	2	2	9	21	28	29	29
55-74	12	15.3	98	5	6	12	22	31	34	34	2	4.0	2	3	3	4	5	5	5	5
75 +	2	8.0	8	6	6	8	10	10	10	10	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	87	16.7	256	2	3	12	22	33	52	86	12	11.9	133	2	2	7	19	31	35	36
SUBTOTAL	**171**	**15.9**	**216**	**2**	**3**	**12**	**22**	**34**	**42**	**74**	**19**	**9.4**	**95**	**2**	**2**	**6**	**10**	**27**	**33**	**36**
GRAND TOTAL	**800**	**13.9**	**165**	**1**	**3**	**10**	**18**	**29**	**38**	**68**	**64**	**7.9**	**56**	**1**	**2**	**6**	**10**	**18**	**26**	**35**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.5	1	8	8	8	9	9	9	9										
21-24	3	5.7	65	1	1	1	12	15	15	15										
25-34	9	12.4	68	3	3	13	15	25	29	29	1	6.0		6	6	6	6	6	6	6
35-54	9	10.3	113	1	1	6	19	27	30	30	1	23.0		23	23	23	23	23	23	23
55-74	7	10.7	33	5	5	8	14	20	21	21	3	7.0	3	6	6	6	8	9	9	9
75 +	1	59.0		59	59	59	59	59	59	59	2	10.5	13	8	8	10	13	13	13	13
ALL AGES	31	12.0	139	1	2	8	15	25	30	59	7	10.1	39	6	6	8	12	21	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	58.0		58	58	58	58	58	58	58	1	3.0		3	3	3	3	3	3	3
18-20	4	10.5	36	2	2	12	14	16	16	16										
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	6	19.2	136	2	3	19	22	36	38	38										
35-54	29	8.7	27	1	2	7	14	15	16	19	2	5.0	32	1	1	5	9	9	9	9
55-74	15	15.7	218	3	4	10	18	38	53	58	4	7.5	14	2	2	9	10	10	10	10
75 +	2	25.0	128	17	17	25	33	33	33	33										
ALL AGES	58	13.1	140	1	3	11	16	23	38	58	7	6.1	16	1	1	9	9	10	10	10
SUBTOTAL	**89**	**12.7**	**139**	**1**	**2**	**10**	**15**	**24**	**38**	**59**	**14**	**8.1**	**30**	**1**	**2**	**8**	**9**	**14**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	22.0	242	11	11	22	33	33	33	33										
35-54	2	6.0		6	6	6	6	6	6	6										
55-74	2	19.5	41	15	15	19	24	24	24	24	1	9.0		9	9	9	9	9	9	9
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	14.4	111	6	6	11	22	31	33	33	2	6.5	13	4	4	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	7.0	9	4	4	7	9	10	10	10										
35-54	10	15.3	110	1	2	14	23	30	31	31										
55-74	9	11.7	98	3	4	7	13	29	34	34										
75 +	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
ALL AGES	23	12.5	91	2	4	9	19	29	32	34	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**30**	**13.0**	**91**	**3**	**4**	**9**	**21**	**30**	**33**	**34**	**3**	**5.7**	**8**	**4**	**4**	**4**	**8**	**9**	**9**	**9**
GRAND TOTAL	**119**	**12.8**	**125**	**1**	**3**	**10**	**16**	**27**	**34**	**58**	**17**	**7.7**	**26**	**1**	**2**	**8**	**9**	**12**	**19**	**23**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	2	6.5	13	4	4	6	9	9	9	9										
35-54	9	9.4	15	3	3	10	12	14	14	14										
55-74	6	11.3	37	6	6	10	11	22	23	23										
75 +	2	5.5	5	4	4	5	7	7	7	7										
ALL AGES	20	9.2	20	3	4	9	11	13	18	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	17.0	46	11	11	16	20	28	28	28	1	5.0		5	5	5	5	5	5	5
35-54	11	9.9	9	5	6	10	12	14	16	16	1	5.0		5	5	5	5	5	5	5
55-74	7	9.9	26	5	5	8	13	18	19	19	1	1.0		1	1	1	1	1	1	1
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	23	11.4	29	5	6	10	14	18	22	28	4	5.8	20	1	1	5	9	12	12	12
SUBTOTAL	**43**	**10.4**	**25**	**4**	**5**	**10**	**12**	**17**	**20**	**28**	**4**	**5.8**	**20**	**1**	**1**	**5**	**9**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34	1	16.0		16	16	16	16	16	16	16	1	3.0		3	3	3	3	3	3	3
35-54	6	20.2	205	7	7	17	29	41	42	42	1	4.0		4	4	4	4	4	4	4
55-74	4	26.0	329	10	10	24	41	45	45	45										
75 +	2	13.5	13	11	11	13	16	16	16	16										
ALL AGES	13	20.6	190	7	8	16	31	43	45	45	3	3.7		3	3	4	4	4	4	4
SUBTOTAL	**14**	**20.1**	**178**	**7**	**8**	**14**	**29**	**42**	**44**	**45**	**3**	**3.7**		**3**	**3**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**57**	**12.8**	**77**	**4**	**5**	**10**	**14**	**25**	**35**	**45**	**7**	**4.9**	**11**	**1**	**1**	**4**	**5**	**11**	**12**	**12**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	43.7	468	6	11	50	57	69	72	72										
13-17	44	29.8	411	5	6	28	48	60	71	99+	1	3.0		3	3	3	3	3	3	3
18-20	22	14.9	190	2	3	11	19	29	48	63	2	17.5	421	3	3	17	32	32	32	32
21-24	48	11.3	72	1	2	9	15	27	29	32	2	9.5	113	2	2	9	17	17	17	17
25-34	142	14.3	163	1	3	11	20	32	38	58	25	7.2	75	1	1	4	8	15	32	37
35-54	293	13.1	106	2	3	11	17	24	31	56	44	11.2	90	2	2	8	15	24	28	44
55-74	210	16.1	145	3	4	13	22	30	38	63	48	7.5	61	1	1	6	8	14	25	45
75 +	64	20.1	226	3	6	17	27	38	43	89	19	12.8	71	1	3	11	17	25	31	33
ALL AGES	830	15.7	174	2	3	12	21	32	41	66	141	9.5	79	1	2	7	12	24	29	44
B. FEMALE																				
0-12 YRS.	18	28.3	419	1	3	25	44	56	66	71										
13-17	103	23.6	557	1	2	16	43	73	95	99+	3	3.7	1	3	3	3	5	5	5	5
18-20	39	12.3	125	1	2	9	16	27	40	45	5	5.8	38	1	1	5	8	16	16	16
21-24	79	13.7	132	1	2	11	18	30	40	50	12	11.7	217	1	2	7	14	32	51	54
25-34	354	13.2	101	2	3	11	18	26	31	45	65	10.6	160	1	2	5	15	26	36	61
35-54	630	15.2	150	2	4	12	20	31	39	65	103	8.0	80	2	2	6	10	14	18	54
55-74	514	19.0	216	3	5	15	25	40	48	77	116	10.0	46	3	3	8	14	18	21	36
75 +	194	21.7	290	3	6	17	28	43	62	81	43	12.3	156	2	3	7	16	29	34	63
ALL AGES	1931	17.0	204	2	4	13	22	36	46	77	347	9.8	96	2	3	6	13	21	27	58
SUBTOTAL	**2761**	**16.6**	**196**	**2**	**3**	**13**	**22**	**35**	**46**	**74**	**488**	**9.7**	**91**	**1**	**2**	**7**	**12**	**21**	**28**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	38.1	384	4	10	39	48	65	70	70										
13-17	50	36.0	759	3	6	35	65	92	99+	99+	2	13.5	85	7	7	13	20	20	20	20
18-20	14	12.3	118	2	2	9	15	29	35	37	1	1.0		1	1	1	1	1	1	1
21-24	26	14.7	162	1	1	13	20	31	46	48	4	4.5	14	2	2	3	7	10	10	10
25-34	113	13.0	125	1	2	10	17	26	41	51	22	12.0	134	1	2	10	15	30	37	47
35-54	190	14.5	136	2	3	12	21	30	40	53	24	10.2	54	3	3	9	13	18	27	35
55-74	117	17.1	144	3	5	13	22	34	44	54	13	11.2	103	1	2	8	15	27	34	36
75 +	21	17.9	76	7	9	16	23	29	35	42	8	11.0	381	2	2	4	7	44	59	59
ALL AGES	539	17.2	238	2	3	13	22	41	51	92	74	10.6	116	1	2	8	14	23	34	56
B. FEMALE																				
0-12 YRS.	6	18.2	279	1	1	17	27	43	45	45										
13-17	79	31.1	634	3	5	24	59	81	99+	99+	3	3.3	3	2	2	3	4	5	5	5
18-20	32	18.1	197	1	2	16	22	43	45	55	5	10.4	258	2	2	3	14	39	39	39
21-24	50	16.2	169	1	3	13	21	35	41	59	7	5.1	9	1	1	4	8	8	8	8
25-34	224	16.5	182	2	4	13	23	33	42	66	40	10.0	138	1	2	5	10	29	36	50
35-54	355	17.3	213	3	4	13	23	34	46	87	57	9.0	55	2	3	7	11	19	29	33
55-74	206	18.0	208	3	5	15	23	35	44	78	48	10.6	68	2	3	8	15	24	26	35
75 +	71	22.7	292	5	7	20	27	48	59	86	25	10.4	58	4	4	7	14	20	29	31
ALL AGES	1023	18.7	254	3	4	14	24	40	55	89	185	9.6	79	2	2	6	12	23	29	38
SUBTOTAL	**1562**	**18.2**	**248**	**2**	**4**	**14**	**24**	**40**	**55**	**89**	**259**	**9.9**	**89**	**2**	**2**	**7**	**13**	**23**	**30**	**46**
GRAND TOTAL	**4323**	**17.2**	**215**	**2**	**4**	**13**	**22**	**36**	**49**	**80**	**747**	**9.8**	**90**	**2**	**2**	**7**	**13**	**21**	**29**	**47**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	19.9	134	3	6	19	35	81	99 +	99 +										
18-20	6	9.7	31	3	3	10	14	17	17	17										
21-24	10	10.4	46	1	2	11	16	19	21	21										
25-34	74	14.1	130	2	3	11	17	31	40	56	7	15.9	151	2	3	13	28	33	33	33
35-54	123	15.9	203	2	4	12	20	32	48	67	25	9.4	86	2	2	7	9	21	31	45
55-74	141	16.0	87	4	5	14	23	29	32	44	11	8.5	26	1	1	10	13	14	15	15
75 +	20	18.3	164	4	6	15	26	39	42	44	6	22.2	188	3	4	21	26	43	45	45
ALL AGES	381	15.6	135	3	4	13	21	31	41	58	49	11.7	108	1	2	9	14	27	34	45
B. FEMALE																				
0-12 YRS.	5	25.0	602	1	1	26	42	59	59	59										
13-17	18	24.6	497	2	3	20	30	62	79	85	2	1.5	1	1	1	1	2	2	2	2
18-20	11	4.8	7	1	2	5	6	9	9	9	2	10.0	162	1	1	9	19	19	19	19
21-24	26	15.2	145	1	4	13	20	23	43	57	1	2.0		2	2	2	2	2	2	2
25-34	183	15.0	193	2	3	11	19	32	43	72	29	11.8	227	1	2	6	16	27	41	73
35-54	402	14.7	118	3	4	12	20	29	37	54	52	10.4	82	1	2	8	12	26	30	40
55-74	382	19.2	186	4	6	16	25	35	49	79	55	12.5	95	3	3	9	17	25	33	48
75 +	92	20.3	164	4	7	18	25	36	41	78	16	18.0	163	5	5	14	25	36	46	50
ALL AGES	1119	16.8	174	3	4	14	22	33	41	69	157	12.0	124	1	2	8	16	28	35	50
SUBTOTAL	**1500**	**16.5**	**164**	**3**	**4**	**13**	**22**	**32**	**41**	**67**	**206**	**11.9**	**120**	**1**	**2**	**8**	**16**	**27**	**34**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	15	29.2	569	3	5	21	43	65	81	86	2	8.5	5	7	7	8	10	10	10	10
18-20	2	9.5	25	6	6	9	13	13	13	13										
21-24	14	10.5	39	3	4	9	13	19	24	26	1	3.0		3	3	3	3	3	3	3
25-34	76	14.9	181	2	3	10	20	32	41	67	5	5.8	9	2	2	6	8	10	10	10
35-54	140	15.0	112	3	5	12	20	29	33	50	13	9.7	40	2	3	7	13	19	23	24
55-74	62	18.1	149	6	7	14	23	38	48	95	6	8.3	5	6	6	8	10	11	11	11
75 +	22	21.4	269	6	7	16	28	38	60	76	3	15.3	498	1	1	4	32	41	41	41
ALL AGES	331	16.4	172	3	5	13	22	32	46	74	30	9.0	61	2	3	7	10	17	24	41
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	17	30.2	548	1	2	30	47	56	74	83										
18-20	14	15.6	136	3	4	13	24	28	42	46	1	3.0		3	3	3	3	3	3	3
21-24	24	13.4	77	1	4	12	17	30	32	33	4	5.3	2	3	3	5	6	7	7	7
25-34	149	18.2	180	3	4	16	25	36	45	57	30	9.2	56	1	2	9	11	17	25	36
35-54	270	16.3	146	3	4	14	22	32	38	67	49	9.3	31	2	3	9	12	17	20	28
55-74	222	19.1	179	4	6	16	25	35	46	66	31	9.8	41	3	4	8	12	16	19	36
75 +	54	19.2	218	2	5	15	29	42	50	59	13	11.2	67	[illegible]	5	9	12	20	33	36
ALL AGES	751	17.9	180	3	4	15	24	35	45	63	128	9.4	42	2	3	9	12	16	21	36
SUBTOTAL	**1082**	**17.5**	**175**	**3**	**4**	**14**	**24**	**34**	**45**	**65**	**158**	**9.3**	**46**	**2**	**3**	**8**	**11**	**16**	**22**	**36**
GRAND TOTAL	**2582**	**16.9**	**169**	**3**	**4**	**14**	**23**	**33**	**42**	**67**	**364**	**10.8**	**89**	**2**	**3**	**8**	**13**	**22**	**31**	**45**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	5	29.8	742	11	11	15	44	76	76	76										
18-20	15	16.5	154	2	7	13	18	35	48	52										
21-24	17	11.2	41	2	3	11	15	19	22	24	1	6.0		6	6	6	6	6	6	6
25-34	48	14.6	111	3	4	12	20	32	39	43	3	8.7	55	1	1	9	14	16	16	16
35-54	81	12.0	50	2	3	11	18	21	23	34	4	12.0	58	4	4	11	17	22	22	22
55-74	50	17.1	104	1	4	15	24	32	39	40										
75 +	3	22.0	147	15	15	15	31	36	36	36										
ALL AGES	220	14.7	110	2	4	13	19	27	37	51	8	10.0	46	1	2	9	14	20	22	22
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	5	17.4	158	6	6	12	28	35	35	35										
18-20	8	16.0	53	6	7	16	20	27	29	29										
21-24	17	14.9	98	2	3	12	20	27	36	40	1	7.0		7	7	7	7	7	7	7
25-34	107	15.2	118	2	4	13	19	29	39	57	4	12.8	17	9	9	11	15	19	19	19
35-54	198	14.9	115	3	4	13	20	27	32	61	5	10.4	65	4	4	8	14	24	24	24
55-74	105	15.6	68	5	7	15	20	29	31	41	6	18.3	556	2	2	10	17	60	65	65
75 +	17	16.8	81	5	6	15	24	30	31	31	1	14.0		14	14	14	14	14	14	14
ALL AGES	458	15.4	103	3	5	14	20	29	32	56	17	13.8	207	3	4	11	15	23	51	65
SUBTOTAL	**678**	**15.1**	**107**	**3**	**4**	**13**	**19**	**28**	**34**	**54**	**25**	**12.6**	**154**	**2**	**4**	**9**	**15**	**22**	**34**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	3	29.0	603	8	8	23	48	56	56	56										
21-24	6	12.5	31	7	7	11	13	22	23	23	1	9.0		9	9	9	9	9	9	9
25-34	17	17.2	249	5	6	10	20	44	54	58	1	7.0		7	7	7	7	7	7	7
35-54	23	15.4	140	2	2	13	23	35	62	99 +	1	72.0		72	72	72	72	72	72	72
55-74	10	23.2	124	10	12	20	30	41	44	44										
75 +	2	24.0	98	17	17	24	31	31	31	31										
ALL AGES	61	17.8	180	3	6	14	25	40	51	95	3	29.3	1369	7	7	9	56	72	72	72
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24	7	25.1	352	5	5	20	42	51	52	52										
25-34	25	15.4	97	3	5	16	19	24	35	49	3	14.0	111	3	3	15	22	24	24	24
35-54	24	15.5	171	5	6	12	18	25	54	55	4	13.3	50	9	9	10	17	24	24	24
55-74	20	14.1	83	2	5	10	22	29	31	32	3	17.0	163	6	6	14	27	31	31	31
75 +	7	23.0	97	11	12	21	29	38	40	40	2	12.0	162	3	3	12	21	21	21	21
ALL AGES	85	16.7	138	4	6	14	20	32	46	55	12	14.2	81	3	3	12	22	26	30	31
SUBTOTAL	**146**	**17.2**	**153**	**4**	**6**	**14**	**22**	**33**	**47**	**59**	**15**	**17.2**	**299**	**3**	**3**	**11**	**23**	**31**	**62**	**72**
GRAND TOTAL	**824**	**15.5**	**115**	**3**	**5**	**13**	**20**	**29**	**36**	**56**	**40**	**14.3**	**208**	**2**	**3**	**10**	**16**	**24**	**48**	**72**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	2	10.0	72	4	4	10	16	16	16	16										
18-20	2	3.5	13	1	1	3	6	6	6	6	2	14.5	25	11	11	14	18	18	18	18
21-24	3	11.0	52	5	5	9	16	19	19	19	1	4.0		4	4	4	4	4	4	4
25-34	13	13.2	57	1	7	11	18	22	29	31	4	16.0	241	5	5	10	25	39	39	39
35-54	28	16.7	330	3	4	11	15	45	55	83	5	12.8	47	2	2	14	18	19	19	19
55-74	21	13.5	83	3	3	11	23	25	29	32	5	27.8	133	9	9	28	36	39	39	39
75 +											1	27.0		27	27	27	27	27	27	27
ALL AGES	70	14.5	175	3	4	11	19	28	41	77	18	18.2	140	3	4	16	28	38	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20	4	5.0	10	1	1	5	7	8	8	8										
21-24	8	18.1	80	8	9	18	22	31	35	35										
25-34	24	14.1	65	1	4	15	18	23	28	37	1	6.0		6	6	6	6	6	6	6
35-54	80	15.3	129	3	4	13	21	32	38	88	10	12.6	59	3	3	11	21	22	23	23
55-74	53	19.8	113	5	7	18	25	32	39	57	6	27.2	265	9	10	22	40	52	53	53
75 +	5	27.2	161	8	8	28	38	39	39	39	12	29.4	241	7	9	32	41	47	54	55
ALL AGES	175	16.7	120	3	5	15	23	32	38	60	29	22.3	233	4	6	18	38	42	53	55
SUBTOTAL	**245**	**16.1**	**135**	**3**	**4**	**14**	**22**	**31**	**38**	**62**	**47**	**20.7**	**199**	**4**	**5**	**18**	**28**	**41**	**44**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	16.3	35	13	13	13	21	23	23	23										
25-34	12	9.5	27	4	4	8	13	17	20	20	3	8.0	1	7	7	8	9	9	9	9
35-54	11	13.6	79	2	4	14	17	25	34	35	4	18.8	62	11	11	17	25	29	29	29
55-74	6	17.5	54	8	8	20	22	26	26	26	1	9.0		9	9	9	9	9	9	9
75 +	2	12.5	145	4	4	12	21	21	21	21	1	9.0		9	9	9	9	9	9	9
ALL AGES	34	13.0	57	4	4	12	19	22	25	35	9	13.0	54	7	7	9	16	26	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	9.0		9	9	9	9	9	9	9	1	9.0		9	9	9	9	9	9	9
25-34	19	15.4	215	1	3	11	17	34	51	63	3	9.7	15	6	6	9	13	14	14	14
35-54	32	16.2	117	4	6	15	19	29	30	60	9	10.3	73	2	2	8	13	24	30	30
55-74	13	24.3	306	6	8	18	36	51	62	65	7	14.4	209	3	3	9	22	39	42	42
75 +	8	21.9	564	3	4	8	37	60	69	69	2	18.5	5	17	17	18	20	20	20	20
ALL AGES	74	17.9	220	3	5	14	21	37	57	68	22	12.2	98	2	3	9	14	27	35	42
SUBTOTAL	**108**	**16.3**	**175**	**4**	**4**	**13**	**20**	**34**	**40**	**67**	**31**	**12.5**	**81**	**3**	**4**	**9**	**14**	**27**	**30**	**42**
GRAND TOTAL	**353**	**16.2**	**145**	**3**	**4**	**14**	**21**	**31**	**39**	**65**	**78**	**17.4**	**168**	**3**	**4**	**13**	**25**	**40**	**42**	**54**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	59.5	1013	37	37	59	82	82	82	82	1	10.0		10	10	10	10	10	10	10
13-17	1	11.0		11	11	11	11	11	11	11	1	35.0		35	35	35	35	35	35	35
18-20	2	34.0	2	33	33	34	35	35	35	35	1	28.0		28	28	28	28	28	28	28
21-24	4	19.3	252	5	5	15	31	41	41	41										
25-34	18	11.7	39	3	4	10	16	19	24	27	4	7.5	14	2	2	9	10	10	10	10
35-54	32	12.7	85	1	4	11	18	22	23	48	2	4.5	1	4	4	4	5	5	5	5
55-74	4	28.0	226	14	14	28	41	41	41	41	1	10.0		10	10	10	10	10	10	10
75 +	3	10.0	28	6	6	8	14	16	16	16										
ALL AGES	66	15.7	178	3	4	12	19	35	41	77	10	12.2	114	2	3	9	10	31	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	3	16.0	49	11	11	13	21	24	24	24										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	9	11.2	68	1	3	10	19	64	99 +	99 +										
25-34	38	14.2	107	2	3	13	18	26	35	53	1	10.0		10	10	10	10	10	10	10
35-54	94	15.9	106	4	5	14	21	30	37	51	4	12.0	25	5	5	13	15	17	17	17
55-74	35	20.1	70	9	11	20	23	30	35	47	3	23.7	759	3	3	13	44	55	55	55
75 +	3	36.7	1105	15	15	20	61	75	75	75										
ALL AGES	183	16.4	117	3	5	15	21	30	38	69	8	16.1	269	3	4	13	15	44	55	55
SUBTOTAL	**249**	**16.2**	**134**	**3**	**5**	**14**	**21**	**30**	**39**	**75**	**18**	**13.9**	**176**	**2**	**3**	**10**	**13**	**33**	**47**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	8	15.0	121	4	6	10	21	33	33	33	1	22.0		22	22	22	22	22	22	22
35-54	8	15.1	206	4	4	11	17	40	48	48	2	30.0	338	17	17	30	43	43	43	43
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	17	15.2	144	4	4	10	19	33	43	48	4	23.0	202	10	10	19	32	43	43	43
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	61	99 +	99 +	99 +	99 +										
13-17																				
18-20	1	40.0		40	40	40	40	40	40	40										
21-24	3	14.0	3	12	12	15	15	15	15	15										
25-34	13	19.4	36	8	11	20	22	28	30	30										
35-54	31	15.6	139	3	4	12	24	30	31	55	2	7.0	18	4	4	7	10	10	10	10
55-74	15	25.5	277	6	7	23	30	34	66	77										
75 +																				
ALL AGES	64	19.1	159	4	6	19	26	31	44	97	2	7.0	18	4	4	7	10	10	10	10
SUBTOTAL	**81**	**18.3**	**156**	**4**	**5**	**16**	**26**	**31**	**43**	**93**	**6**	**17.7**	**192**	**4**	**5**	**14**	**22**	**41**	**43**	**43**
GRAND TOTAL	**330**	**16.7**	**140**	**4**	**5**	**14**	**22**	**31**	**40**	**78**	**24**	**14.9**	**173**	**3**	**4**	**10**	**17**	**36**	**47**	**55**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	2	34.0	392	20	20	34	48	48	48	48										
18-20	7	13.9	76	7	7	10	17	29	32	32	2	3.0	8	1	1	3	5	5	5	5
21-24	4	12.8	67	2	2	14	19	21	21	21	1	25.0		25	25	25	25	25	25	25
25-34	29	11.9	138	1	1	8	16	27	35	50	3	17.3	84	9	9	16	24	27	27	27
35-54	40	12.6	95	1	1	11	16	27	35	39	9	19.3	506	3	4	9	27	57	73	73
55-74	21	15.9	80	5	6	15	18	29	35	41	2	19.5	365	6	6	19	33	33	33	33
75 +	5	28.6	38	22	22	26	34	37	37	37										
ALL AGES	109	14.5	121	1	2	13	20	31	38	49	17	17.4	319	2	3	9	26	33	59	73
B. FEMALE																				
0-12 YRS.	4	34.0	681	10	10	30	55	65	65	65										
13-17	6	21.8	312	9	9	14	28	52	55	55										
18-20	7	10.7	40	3	3	11	14	20	21	21										
21-24	13	15.1	22	6	8	15	18	21	23	24										
25-34	51	13.7	116	2	3	11	19	25	35	55	4	15.0	81	2	2	18	21	22	22	22
35-54	91	17.2	179	3	4	14	25	34	42	68	11	16.3	350	5	5	10	16	46	66	68
55-74	68	16.5	96	4	6	15	21	29	40	92	11	16.7	356	3	3	10	19	42	68	70
75 +	6	28.2	172	13	14	26	33	49	51	51	2	8.5	61	3	3	8	14	14	14	14
ALL AGES	246	16.6	149	3	4	14	21	32	42	65	28	15.7	278	3	3	11	18	29	68	70
SUBTOTAL	**355**	**16.0**	**139**	**2**	**4**	**14**	**21**	**32**	**40**	**56**	**45**	**16.4**	**285**	**2**	**3**	**10**	**21**	**33**	**68**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	12.2	66	5	5	8	20	22	22	22										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	6	14.3	33	8	8	13	20	22	22	22										
25-34	23	16.4	220	1	3	12	23	35	52	59	2	10.0	50	5	5	10	15	15	15	15
35-54	31	13.3	136	2	2	8	18	28	43	46	4	7.5	20	4	4	6	10	14	14	14
55-74	12	21.2	154	6	7	20	26	35	50	53										
75 +	3	18.3	74	12	12	15	25	28	28	28										
ALL AGES	81	15.4	150	2	4	12	22	29	45	57	6	8.3	24	4	4	6	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.5	85	17	17	23	30	30	30	30										
18-20	6	38.8	880	3	4	43	46	82	86	86										
21-24	3	36.0	1317	8	8	23	63	77	77	77										
25-34	22	12.6	140	1	1	10	18	24	39	54	1	31.0		31	31	31	31	31	31	31
35-54	39	16.9	193	3	3	15	24	30	38	76	4	9.0	13	5	5	9	12	13	13	13
55-74	31	17.0	151	4	5	15	18	28	35	71	3	17.3	123	6	6	18	25	28	28	28
75 +	2	17.0	200	7	7	17	27	27	27	27										
ALL AGES	105	18.0	253	2	4	15	22	32	48	81	8	14.9	99	5	5	12	23	30	31	31
SUBTOTAL	**186**	**16.8**	**211**	**2**	**4**	**13**	**22**	**30**	**46**	**77**	**14**	**12.1**	**73**	**4**	**5**	**9**	**15**	**28**	**30**	**31**
GRAND TOTAL	**541**	**16.3**	**163**	**2**	**4**	**14**	**21**	**31**	**42**	**71**	**59**	**15.3**	**239**	**3**	**4**	**10**	**19**	**31**	**52**	**73**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN. NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.0	289	2	2	19	32	36	36	36										
18-20	2	6.5	1	6	6	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	27	15.5	237	2	3	12	16	34	43	76	5	5.4	39	1	1	3	8	16	16	16
35-54	35	16.1	262	2	4	10	19	31	55	76	5	10.8	62	1	1	13	16	21	21	21
55-74	13	14.9	214	1	2	10	19	37	48	51	5	7.0	26	1	1	5	11	14	14	14
75 +	2	8.5	113	1	1	8	16	16	16	16										
ALL AGES	83	15.2	231	2	3	10	18	34	51	76	16	7.6	39	1	1	5	13	16	19	21
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	6	11.2	203	3	3	4	14	36	39	39										
18-20	1	40.0		40	40	40	40	40	40	40										
21-24	9	10.0	40	1	1	8	14	19	21	21	2	5.5	1	5	5	5	6	6	6	6
25-34	35	11.7	76	1	2	9	15	28	30	33	2	14.0	288	2	2	14	26	26	26	26
35-54	72	16.0	181	2	3	13	20	36	45	61	11	6.7	19	2	2	5	9	13	17	17
55-74	46	20.3	208	4	5	16	28	36	54	60	12	7.2	13	3	3	6	10	12	15	15
75 +	6	29.8	446	5	6	27	41	62	64	64	1	11.0		11	11	11	11	11	11	11
ALL AGES	176	16.4	182	2	3	13	21	36	44	61	28	7.5	27	2	3	6	10	14	18	26
SUBTOTAL	**259**	**16.0**	**198**	**2**	**3**	**12**	**21**	**35**	**48**	**64**	**44**	**7.5**	**31**	**1**	**2**	**6**	**10**	**15**	**18**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	32.3	55	23	23	37	55	99 +	99 +	99 +										
18-20	2	22.0	648	4	4	22	40	40	40	40										
21-24	2	12.5	145	4	4	12	21	21	21	21										
25-34	15	19.3	448	2	3	12	20	59	72	76	2	15.0	72	9	9	15	21	21	21	21
35-54	26	13.8	86	1	3	13	19	29	31	36	2	8.0		8	8	8	8	8	8	8
55-74	9	14.9	112	5	6	11	17	33	37	37	1	7.0		7	7	7	7	7	7	7
75 +	1	46.0		46	46	46	46	46	46	46										
ALL AGES	59	17.4	216	2	4	13	25	38	52	98	5	10.6	34	7	7	8	12	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	4	44.5	1508	8	9	86	99 +	99 +	99 +	99 +										
18-20																				
21-24	7	14.3	132	4	4	8	23	32	34	34										
25-34	26	17.2	304	1	5	11	20	38	52	86	2	7.0	8	5	5	7	9	9	9	9
35-54	49	18.4	185	2	5	16	25	40	46	99 +	2	8.0	50	3	3	8	13	13	13	13
55-74	21	30.0	666	3	7	19	42	76	85	91	8	12.3	101	3	3	10	14	29	35	35
75 +	2	2.5	5	1	1	2	4	4	4	4										
ALL AGES	109	20.7	379	2	5	16	27	63	86	99 +	12	10.7	75	3	3	9	12	22	33	35
SUBTOTAL	**168**	**19.6**	**320**	**2**	**4**	**15**	**26**	**45**	**79**	**99 +**	**17**	**10.6**	**62**	**3**	**3**	**9**	**12**	**20**	**30**	**35**
GRAND TOTAL	**427**	**17.4**	**249**	**2**	**3**	**13**	**23**	**39**	**56**	**99 +**	**61**	**8.4**	**40**	**1**	**2**	**7**	**11**	**16**	**21**	**34**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-20																				
21-24	3	16.7	233	5	5	11	28	34	34	34										
25-34	5	11.6	106	3	3	10	15	29	29	29	4	16.0	110	7	7	14	24	29	29	29
35-54	11	13.9	81	4	5	11	16	29	34	34	6	10.7	261	1	1	4	10	40	43	43
55-74	1	6.0		6	6	6	6	6	6	6	5	12.2	59	6	6	8	18	24	24	24
75 +	2	13.5	1	13	13	13	14	14	14	14	1	23.0		23	23	23	23	23	23	23
ALL AGES	23	14.1	96	4	5	11	16	32	34	34	16	13.3	135	1	1	8	21	28	39	43
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15	2	8.5	13	6	6	8	11	11	11	11
18-20	2	20.0	72	14	14	20	26	26	26	26										
21-24	4	7.0	11	3	3	7	9	11	11	11										
25-34	8	6.8	8	3	3	7	9	10	10	10	5	5.4	23	1	1	4	8	13	13	13
35-54	22	13.7	111	2	2	10	23	31	32	32	13	14.5	185	5	5	10	18	35	50	53
55-74	10	15.2	125	3	4	12	19	34	37	37	5	10.0	39	6	6	7	12	21	21	21
75 +	7	8.9	25	3	4	8	10	17	19	19	3	13.0	43	7	7	12	18	20	20	20
ALL AGES	54	12.1	84	2	3	9	16	29	32	37	28	11.5	107	2	4	8	12	21	32	53
SUBTOTAL	**77**	**12.7**	**87**	**2**	**3**	**10**	**16**	**30**	**32**	**36**	**44**	**12.1**	**117**	**1**	**4**	**8**	**16**	**24**	**34**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	3	7.7	82	1	1	4	14	18	18	18										
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28	1	29.0		29	29	29	29	29	29	29
25-34	5	16.2	187	3	3	10	28	35	35	35	3	3.7	2	2	2	4	5	5	5	5
35-54	7	12.4	321	5	5	6	7	44	53	53	1	7.0		7	7	7	7	7	7	7
55-74	11	12.5	161	2	3	9	11	32	47	48	2	5.0	18	2	2	5	8	8	8	8
75 +	2	11.5	145	3	3	11	20	20	20	20	2	20.0	2	19	19	20	21	21	21	21
ALL AGES	30	12.7	175	1	2	8	18	31	48	53	9	10.8	94	2	2	7	19	26	29	29
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-20	2	7.0		7	7	7	7	7	7	7										
21-24	2	9.0	72	3	3	9	15	15	15	15										
25-34	14	18.4	417	1	3	10	27	59	65	67	7	7.0	30	2	2	5	13	15	15	15
35-54	24	15.2	172	1	3	11	23	41	62	99 +	8	17.4	84	2	3	21	25	26	26	26
55-74	13	24.5	289	4	9	21	29	56	56	56	9	17.4	158	5	6	14	21	38	45	45
75 +	3	25.3	97	17	17	23	33	36	36	36	1	10.0		10	10	10	10	10	10	10
ALL AGES	59	17.8	250	2	3	12	24	47	57	97	25	14.4	106	2	3	14	20	26	32	45
SUBTOTAL	**89**	**16.1**	**231**	**1**	**3**	**10**	**23**	**42**	**56**	**87**	**34**	**13.5**	**101**	**2**	**2**	**11**	**19**	**26**	**29**	**45**
GRAND TOTAL	**166**	**14.5**	**167**	**2**	**3**	**10**	**20**	**32**	**45**	**65**	**78**	**12.7**	**109**	**2**	**3**	**9**	**19**	**26**	**30**	**51**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12	1	9.0		9	9	9	9	9	9	9
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	8.0	72	2	2	8	14	14	14	14										
35-54	8	10.4	102	4	4	6	12	28	34	34										
55-74	2	8.5	61	3	3	8	14	14	14	14	1	4.0		4	4	4	4	4	4	4
75 +	2	8.0	8	6	6	8	10	10	10	10	1	8.0		8	8	8	8	8	8	8
ALL AGES	15	9.1	64	2	3	6	12	14	29	34	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	11.0	98	4	4	11	18	18	18	18										
35-54	10	11.6	63	1	3	11	14	23	30	30										
55-74	13	12.9	33	8	8	12	14	20	27	29	3	7.3	34	4	4	4	12	14	14	14
75 +	6	11.5	59	3	3	11	19	21	21	21	1	7.0		7	7	7	7	7	7	7
ALL AGES	31	12.1	45	3	4	12	14	20	29	30	4	7.3	21	4	4	6	10	14	14	14
SUBTOTAL	**46**	**11.1**	**53**	**3**	**3**	**10**	**14**	**19**	**29**	**34**	**6**	**6.8**	**16**	**4**	**4**	**6**	**8**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	4	19.8	215	8	8	15	29	41	41	41										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	7	15.6	151	5	5	12	18	36	41	41	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	9	19.2	136	1	3	20	25	36	38	38										
55-74	3	12.3	134	1	1	12	21	24	24	24	1	7.0		7	7	7	7	7	7	7
75 +	3	11.3	163	3	3	5	21	26	26	26										
ALL AGES	16	16.1	124	1	1	15	23	33	37	38	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**23**	**15.9**	**127**	**1**	**3**	**13**	**22**	**35**	**39**	**41**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**69**	**12.7**	**81**	**2**	**3**	**12**	**17**	**25**	**34**	**40**	**8**	**6.4**	**12**	**3**	**3**	**6**	**8**	**12**	**14**	**14**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	1	14.0		14	14	14	14	14	14	14											
75 +	1	20.0		20	20	20	20	20	20	20											
ALL AGES	2	17.0	18	14	14	17	20	20	20	20											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	3	16.3	62	10	10	14	22	25	25	25	2	22.0	128	14	14	22	30	30	30	30
75 +	1	6.0		6	6	6	6	6	6	6											
ALL AGES	4	13.8	65	6	6	12	19	25	25	25	2	22.0	128	14	14	22	30	30	30	30
SUBTOTAL	**6**	**14.8**	**48**	**6**	**6**	**14**	**20**	**24**	**25**	**25**	**2**	**22.0**	**128**	**14**	**14**	**22**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	1	16.0		16	16	16	16	16	16	16	1	10.0		10	10	10	10	10	10	10
75 +																					
ALL AGES	1	16.0		16	16	16	16	16	16	16	1	10.0		10	10	10	10	10	10	10
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	2	44.5	1405	18	18	44	71	71	71	71											
75 +	1	7.0		7	7	7	7	7	7	7											
ALL AGES	3	32.0	1171	7	7	18	58	71	71	71											
SUBTOTAL	**4**	**28.0**	**845**	**7**	**7**	**17**	**44**	**71**	**71**	**71**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**10**	**20.1**	**354**	**6**	**6**	**15**	**20**	**48**	**71**	**71**	**3**	**18.0**	**112**	**10**	**10**	**14**	**26**	**30**	**30**	**30**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
GRAND TOTAL	2	6.0	18	3	3	6	9	9	9	9										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	9.7	11	6	6	10	12	13	13	13										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	9.7	11	6	6	10	12	13	13	13	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**4**	**9.8**	**7**	**6**	**6**	**10**	**12**	**13**	**13**	**13**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	33.0		33	33	33	33	33	33	33										
55-74	2	20.5	5	19	19	20	22	22	22	22										
75 +	3	9.7		9	9	9	11	11	11	11										
ALL AGES	6	17.2	88	9	9	15	22	32	33	33										
SUBTOTAL	**6**	**17.2**	**88**	**9**	**9**	**15**	**22**	**32**	**33**	**33**										
GRAND TOTAL	**10**	**14.2**	**67**	**6**	**7**	**11**	**19**	**27**	**33**	**33**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	11.0	72	5	5	11	17	17	17	17										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	14	10.6	54	2	2	10	13	22	26	27	2	16.5	365	3	3	16	30	30	30	30
35-54	16	12.1	62	3	4	10	18	22	28	31	3	21.3	478	2	2	17	38	45	45	45
55-74	17	17.6	237	1	1	14	26	42	46	48	4	4.5	4	3	3	4	6	7	7	7
75 +	14	18.3	210	4	5	13	24	46	50	51										
ALL AGES	64	14.5	142	2	3	12	20	31	44	51	9	12.8	231	2	2	5	20	39	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	13.0	72	7	7	13	19	19	19	19										
25-34	12	11.0	95	3	4	7	14	26	35	37										
35-54	49	12.8	104	1	2	11	16	25	30	52	1	4.0		4	4	4	4	4	4	4
55-74	37	10.4	56	1	2	10	14	21	24	30	5	5.8	7	3	3	5	8	9	9	9
75 +	18	21.1	332	2	3	16	30	52	57	59	2	10.5	5	9	9	10	12	12	12	12
ALL AGES	118	13.2	129	1	2	11	17	27	36	56	8	6.8	9	3	3	6	9	11	12	12
SUBTOTAL	**182**	**13.6**	**135**	**2**	**2**	**11**	**18**	**28**	**41**	**53**	**17**	**9.9**	**131**	**2**	**3**	**5**	**10**	**27**	**40**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	40.0	72	34	34	40	46	46	46	46										
18-20																				
21-24	3	10.7	75	1	1	13	17	18	18	18										
25-34	6	5.3	16	1	1	5	8	11	11	11										
35-54	5	10.0	80	2	2	7	19	20	20	20	3	14.7	104	6	6	12	22	26	26	26
55-74	8	12.9	19	7	8	12	16	19	20	20	2	19.5	313	7	7	19	32	32	32	32
75 +	1	15.0		15	15	15	15	15	15	15	1	6.0		6	6	6	6	6	6	6
ALL AGES	25	12.5	109	1	2	10	18	20	37	46	6	14.8	130	6	6	9	26	31	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29										
21-24	2	3.0	2	2	2	3	4	4	4	4										
25-34	2	5.5	25	2	2	5	9	9	9	9										
35-54	12	20.9	356	4	6	13	25	55	63	64	1	5.0		5	5	5	5	5	5	5
55-74	26	18.3	244	4	6	14	24	36	52	75	3	7.7	22	4	4	6	11	13	13	13
75 +	6	22.3	303	3	3	23	34	44	45	45	4	15.8	213	2	2	12	26	36	36	36
ALL AGES	49	18.5	263	2	4	14	24	41	52	75	8	11.4	120	2	3	7	14	30	36	36
SUBTOTAL	**74**	**16.5**	**216**	**2**	**2**	**13**	**19**	**35**	**46**	**72**	**14**	**12.9**	**117**	**2**	**4**	**8**	**16**	**32**	**35**	**36**
GRAND TOTAL	**256**	**14.5**	**157**	**2**	**2**	**11**	**18**	**31**	**44**	**59**	**31**	**11.3**	**121**	**2**	**3**	**7**	**13**	**31**	**36**	**45**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	6.0		6	6	6	6	6	6	6
35-54	6	9.3	19	2	3	9	13	14	14	14										
55-74	3	18.7	14	15	15	18	22	23	23	23	2	8.5	5	7	7	8	10	10	10	10
75 +	1	19.0		19	19	19	19	19	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	11	12.0	47	1	2	13	17	21	23	23	4	6.3	10	2	2	6	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34	3	9.3	27	5	5	8	13	15	15	15	3	3.0	1	2	2	3	4	4	4	4
35-54	8	14.8	151	2	3	11	21	35	40	40	2	2.5	5	1	1	2	4	4	4	4
55-74	15	13.7	71	3	4	13	19	22	31	34	3	5.0	3	4	4	4	6	7	7	7
75 +	11	10.2	30	6	6	8	12	18	24	25	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	38	12.7	73	3	5	11	17	23	30	40	10	4.4	5	1	1	4	7	8	8	8
SUBTOTAL	**49**	**12.6**	**65**	**2**	**4**	**11**	**17**	**23**	**25**	**40**	**14**	**4.9**	**7**	**1**	**2**	**4**	**7**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	3	20.3	171	7	7	21	30	33	33	33										
75 +																				
ALL AGES	7	10.9	139	1	1	7	18	31	33	33										
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17																				
18-20																				
21-24																				
25-34	2	34.0	512	18	18	34	50	50	50	50	1	16.0		16	16	16	16	16	16	16
35-54	2	14.5	265	3	3	14	26	26	26	26	4	4.8		4	4	5	5	6	6	6
55-74	7	17.4	99	3	4	21	23	30	32	32	1	6.0		6	6	6	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	13	20.5	202	3	3	21	27	42	48	50	6	6.8	22	4	4	5	6	15	16	16
SUBTOTAL	**20**	**17.2**	**191**	**1**	**2**	**14**	**25**	**36**	**45**	**50**	**6**	**6.8**	**22**	**4**	**4**	**5**	**6**	**15**	**16**	**16**
GRAND TOTAL	**69**	**13.9**	**104**	**2**	**3**	**11**	**20**	**26**	**34**	**48**	**20**	**5.5**	**11**	**1**	**2**	**5**	**7**	**9**	**13**	**16**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	17.0	512	1	1	17	33	33	33	33
25-34	2	10.0	128	2	2	10	18	18	18	18	1	1.0		1	1	1	1	1	1	1
35-54	5	5.0	5	3	3	5	6	8	8	8	4	11.0	39	4	4	11	16	18	18	18
55-74	2	5.0	8	3	3	5	7	7	7	7	7	12.9	157	4	4	9	14	35	40	40
75 +	3	2.3	3	1	1	2	3	4	4	4	7	12.0	46	6	6	11	13	23	26	26
ALL AGES	12	5.2	21	1	2	4	6	11	17	18	21	12.0	103	1	3	9	14	29	36	40
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17											1	2.0		2	2	2	2	2	2	2
18-20											1	2.0		2	2	2	2	2	2	2
21-24											1	6.0		6	6	6	6	6	6	6
25-34	2	15.5	181	6	6	15	25	25	25	25	1	4.0		4	4	4	4	4	4	4
35-54	2	8.5	25	5	5	8	12	12	12	12	5	5.2	20	2	2	4	6	13	13	13
55-74	7	6.4	22	1	1	6	10	13	13	13	8	4.5	21	1	1	3	5	12	15	15
75 +	1	2.0		2	2	2	2	2	2	2	3	19.3	535	6	6	6	36	46	46	46
ALL AGES	12	7.9	46	1	2	6	11	17	24	25	21	6.5	95	1	1	4	6	14	29	46
SUBTOTAL	**24**	**6.5**	**34**	**1**	**2**	**5**	**8**	**13**	**20**	**25**	**42**	**9.3**	**103**	**1**	**2**	**6**	**12**	**20**	**36**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	15.0		15	15	15	15	15	15	15	1	5.0		5	5	5	5	5	5	5
35-54	1	5.0		5	5	5	5	5	5	5	3	15.7	484	1	1	5	32	41	41	41
55-74											5	7.2	36	3	3	4	11	17	17	17
75 +	1	4.0		4	4	4	4	4	4	4	3	10.3	37	4	4	11	15	16	16	16
ALL AGES	3	8.0	37	4	4	5	12	15	15	15	13	9.2	119	1	1	5	12	22	37	41
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	59.0		59	59	59	59	59	59	59
21-24	1	30.0		30	30	30	30	30	30	30										
25-34	1	13.0		13	13	13	13	13	13	13	2	3.0		3	3	3	3	3	3	3
35-54	6	5.8	27	1	1	5	9	13	14	14	6	10.3	58	1	2	9	11	23	24	24
55-74	4	14.3	61	9	9	11	19	25	26	26	6	7.8	16	4	4	7	10	14	14	14
75 +	3	8.7	36	2	2	10	13	14	14	14	6	14.7	60	5	5	15	21	25	25	25
ALL AGES	15	10.7	71	1	1	10	14	26	29	30	22	12.0	157	1	2	9	14	24	39	59
SUBTOTAL	**18**	**10.3**	**63**	**1**	**1**	**9**	**14**	**23**	**28**	**30**	**35**	**10.9**	**142**	**1**	**1**	**8**	**14**	**24**	**37**	**59**
GRAND TOTAL	**42**	**8.1**	**49**	**1**	**2**	**6**	**12**	**16**	**25**	**30**	**77**	**10.0**	**121**	**1**	**1**	**6**	**13**	**23**	**38**	**55**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +											2	9.0	8	7	7	9	11	11	11	11
ALL AGES											2	9.0	8	7	7	9	11	11	11	11
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	1.0		1	1	1	1	1	1	1											
25-34	1	2.0		2	2	2	2	2	2	2											
35-54	1	1.0		1	1	1	1	1	1	1											
55-74	3	2.0	1	1	1	2	3	3	3	3	3	2.7	2	1	1	3	4	4	4	4
75 +	2	9.0	2	8	8	9	10	10	10	10	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	8	3.5	12	1	1	2	5	9	10	10	5	3.0	5	1	1	3	4	6	6	6
SUBTOTAL	**8**	**3.5**	**12**	**1**	**1**	**2**	**5**	**9**	**10**	**10**	**7**	**4.7**	**13**	**1**	**1**	**4**	**7**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24	1	11.0		11	11	11	11	11	11	11											
25-34	1	2.0		2	2	2	2	2	2	2											
35-54	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74																					
75 +																					
ALL AGES	3	4.7	30	1	1	2	9	11	11	11	1	1.0		1	1	1	1	1	1	1
B. FEMALE																					
0-12 YRS.																					
13-17											1	2.0		2	2	2	2	2	2	2
18-20																					
21-24											1	2.0		2	2	2	2	2	2	2
25-34											3	7.7	30	2	2	8	12	13	13	13
35-54																					
55-74	1	24.0		24	24	24	24	24	24	24	1	13.0		13	13	13	13	13	13	13
75 +											1	17.0		17	17	17	17	17	17	17
ALL AGES	1	24.0		24	24	24	24	24	24	24	7	8.1	41	2	2	8	13	16	17	17
SUBTOTAL	**4**	**9.5**	**114**	**1**	**1**	**6**	**17**	**24**	**24**	**24**	**8**	**7.3**	**40**	**1**	**1**	**5**	**13**	**16**	**17**	**17**
GRAND TOTAL	**12**	**5.5**	**48**	**1**	**1**	**2**	**9**	**15**	**23**	**24**	**15**	**6.1**	**27**	**1**	**1**	**4**	**10**	**13**	**16**	**17**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34	2	19.0		19	19	19	19	19	19	19	1	4.0		4	4	4	4	4	4	4
35-54	4	17.5	94	3	3	22	23	23	23	23										
55-74	2	16.5	113	9	9	16	24	24	24	24	1	5.0		5	5	5	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	10	14.8	80	2	2	19	22	23	24	24	3	4.3	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	11.0	104	1	1	9	18	25	25	25										
35-54	5	7.8	15	4	4	8	11	13	13	13	2	12.0	72	6	6	12	18	18	18	18
55-74	2	17.0	242	6	6	17	28	28	28	28	2	4.5	13	2	2	4	7	7	7	7
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	12	10.4	68	1	3	8	12	26	28	28	4	8.3	46	2	2	6	12	18	18	18
SUBTOTAL	**22**	**12.4**	**75**	**2**	**3**	**9**	**22**	**24**	**26**	**28**	**7**	**6.6**	**28**	**2**	**2**	**5**	**7**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34	2	8.5	1	8	8	8	9	9	9	9	2	3.0	8	1	1	3	5	5	5	5
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	3	11.3	75	2	2	13	17	19	19	19	1	6.0		6	6	6	6	6	6	6
75 +											1	52.0		52	52	52	52	52	52	52
ALL AGES	7	9.4	30	2	3	9	12	18	19	19	4	16.0	581	1	1	5	29	52	52	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	6.5	13	4	4	6	9	9	9	9										
35-54																				
55-74	2	24.0	162	15	15	33	83	99 +	99 +	99 +	2	8.0	18	5	5	8	11	11	11	11
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	5	15.6	121	4	4	16	33	93	99 +	99 +	2	8.0	18	5	5	8	11	11	11	11
SUBTOTAL	**12**	**12.0**	**70**	**2**	**4**	**9**	**17**	**46**	**90**	**99 +**	**6**	**13.3**	**370**	**1**	**1**	**6**	**11**	**48**	**52**	**52**
GRAND TOTAL	**34**	**12.3**	**70**	**2**	**3**	**9**	**19**	**25**	**32**	**99 +**	**13**	**9.7**	**180**	**1**	**2**	**5**	**8**	**25**	**47**	**52**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	2	15.0	162	6	6	15	24	24	24	24										
SUBTOTAL	**2**	**15.0**	**162**	**6**	**6**	**15**	**24**	**24**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**3**	**17.0**	**93**	**6**	**6**	**21**	**23**	**24**	**24**	**24**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	18.5	146	6	6	16	26	35	35	35										
18-20	2	12.5	13	10	10	12	15	15	15	15										
21-24	3	13.0	73	4	4	14	19	21	21	21										
25-34	11	8.1	30	1	2	6	13	16	17	17										
35-54	10	9.0	74	1	2	6	11	24	26	26										
55-74	2	8.5	1	8	8	8	9	9	9	9	4	4.5	9	2	2	4	7	8	8	8
75 +	4	9.5	24	4	4	9	13	15	15	15	3	4.7	4	3	3	4	6	7	7	7
ALL AGES	36	10.3	58	1	3	8	15	21	25	35	7	4.6	6	2	2	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	7	9.6	119	2	2	5	11	29	33	33										
18-20	6	13.2	62	6	6	11	15	27	28	28	1	6.0		6	6	6	6	6	6	6
21-24	5	11.0	102	6	6	7	13	29	29	29	1	6.0		6	6	6	6	6	6	6
25-34	20	7.5	32	1	1	7	11	14	19	24	2	5.0	8	3	3	5	7	7	7	7
35-54	30	9.7	53	1	2	9	13	19	20	34	3	2.7	4	1	1	2	4	5	5	5
55-74	12	7.2	21	1	2	6	11	13	15	15	1	3.0		3	3	3	3	3	3	3
75 +	6	12.0	109	1	1	10	17	29	30	30	2	6.0	18	3	3	6	9	9	9	9
ALL AGES	86	9.3	55	1	2	8	12	19	28	34	10	4.5	6	1	1	4	6	8	9	9
SUBTOTAL	**122**	**9.6**	**55**	**1**	**2**	**8**	**13**	**19**	**27**	**34**	**17**	**4.5**	**6**	**1**	**2**	**4**	**6**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.0		4	4	4	4	4	4	4										
21-24	5	9.8	32	1	1	10	14	16	16	16										
25-34	8	7.1	25	1	2	6	9	15	17	17										
35-54	5	18.6	1142	1	1	4	23	79	79	79										
55-74	3	16.3	67	9	9	15	22	25	25	25	1	6.0		6	6	6	6	6	6	6
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	24	11.4	246	1	1	7	14	19	41	79	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.0	75	8	8	25	26	26	26	26										
18-20																				
21-24	7	20.0	269	3	3	24	28	43	47	47	1	5.0		5	5	5	5	5	5	5
25-34	14	12.2	47	2	4	12	18	21	24	25										
35-54	14	11.3	87	1	2	7	19	25	30	31	2	10.5	13	8	8	10	13	13	13	13
55-74	4	13.8	42	4	4	16	18	19	19	19	4	7.3	15	4	4	6	10	13	13	13
75 +	3	29.7	182	19	19	25	40	45	45	45	1	11.0		11	11	11	11	11	11	11
ALL AGES	46	15.2	118	3	3	13	24	27	34	47	8	8.3	12	4	4	7	12	13	13	13
SUBTOTAL	**70**	**13.9**	**162**	**1**	**3**	**11**	**19**	**26**	**31**	**73**	**9**	**8.0**	**12**	**4**	**4**	**6**	**11**	**13**	**13**	**13**
GRAND TOTAL	**192**	**11.2**	**97**	**1**	**2**	**9**	**15**	**24**	**29**	**46**	**26**	**5.7**	**11**	**1**	**2**	**6**	**7**	**11**	**13**	**13**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	21.9	425	1	1	18	31	44	68	81	1	1.0		1	1	1	1	1	1	1
13-17	15	17.1	203	3	5	12	21	34	52	58	2	1.5	1	1	1	1	2	2	2	2
18-20	7	11.3	62	6	6	8	13	25	28	28										
21-24	12	6.9	61	1	1	5	7	17	28	30	1	1.0		1	1	1	1	1	1	1
25-34	41	9.5	68	1	1	7	14	21	28	33	7	3.1	4	1	1	3	5	6	6	6
35-54	36	10.6	101	1	2	7	15	25	34	44	21	5.3	102	1	1	2	4	9	28	48
55-74	92	8.2	50	1	2	6	12	17	24	35	42	6.6	29	1	2	6	9	12	23	99 +
75 +	76	11.2	110	1	2	9	14	22	29	60	48	8.1	48	2	2	6	10	18	22	35
ALL AGES	296	10.7	113	1	2	8	14	23	31	57	122	6.6	48	1	1	5	8	14	22	62
B. FEMALE																				
0-12 YRS.	6	23.7	1344	1	1	9	22	89	97	97	1	2.0		2	2	2	2	2	2	2
13-17	10	11.7	47	2	2	11	15	22	23	23	2	7.0	2	6	6	7	8	8	8	8
18-20	8	8.5	58	1	2	5	13	21	22	22										
21-24	11	6.7	47	1	1	4	8	18	23	23	2	2.5	5	1	1	2	4	4	4	4
25-34	66	10.6	101	2	2	8	14	18	32	59	9	4.0	7	1	1	4	5	8	9	9
35-54	79	10.3	113	1	2	8	15	20	23	67	18	6.4	63	1	1	4	7	17	28	32
55-74	131	10.2	96	2	3	7	14	21	28	49	72	5.7	15	2	2	5	7	12	14	18
75 +	111	10.5	135	2	2	7	14	22	27	99 +	65	5.6	9	2	2	5	8	9	11	14
ALL AGES	422	10.5	123	2	2	7	14	21	26	84	169	5.6	17	1	2	5	7	10	13	20
SUBTOTAL	**718**	**10.6**	**118**	**1**	**2**	**8**	**14**	**22**	**29**	**69**	**291**	**6.0**	**30**	**1**	**2**	**5**	**8**	**11**	**17**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	9	20.1	165	2	3	16	31	37	39	39	1	3.0		3	3	3	3	3	3	3
18-20	5	15.6	354	2	2	5	29	45	45	45	1	1.0		1	1	1	1	1	1	1
21-24	15	12.3	97	3	4	9	16	34	34	34	2	11.5	25	8	8	11	15	15	15	15
25-34	18	7.6	50	1	1	5	10	21	25	25	1	11.0		11	11	11	11	11	11	11
35-54	19	10.1	179	1	2	6	12	16	42	62	9	4.7	4	2	2	4	6	8	8	8
55-74	40	13.7	228	2	3	8	14	28	48	77	13	6.8	13	2	3	7	8	10	15	16
75 +	20	10.1	52	1	1	9	16	18	22	26	13	8.0	38	1	2	6	10	20	21	21
ALL AGES	127	12.2	157	1	2	7	15	27	35	65	40	6.8	22	1	2	6	8	13	18	21
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	7.0		7	7	7	7	7	7	7	1	10.0		10	10	10	10	10	10	10
18-20	7	11.1	76	2	3	9	15	26	28	28										
21-24	6	9.2	19	4	4	8	12	16	16	16	2	7.5	13	5	5	7	10	10	10	10
25-34	22	11.8	70	3	4	9	18	23	29	36	3	6.0	4	4	4	6	7	8	8	8
35-54	32	9.7	45	2	2	8	14	19	20	28	8	8.6	156	1	1	5	7	30	39	39
55-74	40	11.9	124	2	2	8	15	26	37	54	27	7.1	28	2	3	5	9	14	19	24
75 +	40	14.5	192	1	2	10	19	35	45	63	28	7.8	38	2	3	6	9	14	17	33
ALL AGES	149	11.8	112	2	2	9	15	24	34	54	69	7.6	42	2	3	5	9	14	18	38
SUBTOTAL	**276**	**12.0**	**132**	**2**	**2**	**8**	**15**	**26**	**34**	**61**	**109**	**7.3**	**35**	**2**	**3**	**6**	**8**	**14**	**18**	**35**
GRAND TOTAL	**994**	**11.0**	**122**	**1**	**2**	**8**	**14**	**23**	**31**	**64**	**400**	**6.4**	**31**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	11.3	528	1	1	4	68	99+	99+	99+	1	2.0		2	2	2	2	2	2	2
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	11.3	528	1	1	4	68	99+	99+	99+	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	4	8.5	63	1	1	7	15	18	18	18										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.5	63	1	1	7	15	18	18	18										
SUBTOTAL	**12**	**10.3**	**357**	**1**	**1**	**4**	**18**	**99+**	**99+**	**99+**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	5.5	25	2	2	5	9	9	9	9										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**5.5**	**25**	**2**	**2**	**5**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**14**	**9.6**	**307**	**1**	**1**	**4**	**15**	**97**	**99+**	**99+**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	8	6.5	55	2	2	3	7	19	24	24											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	8	6.5	55	2	2	3	7	19	24	24											
B. FEMALE																					
0-12 YRS.	7	16.7	88	5	6	12	25	28	29	29											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	7	16.7	88	5	6	12	25	28	29	29											
SUBTOTAL	**15**	**11.3**	**92**	**2**	**2**	**8**	**21**	**26**	**28**	**29**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	6	18.7	324	2	2	16	33	41	42	42											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	6	18.7	324	2	2	16	33	41	42	42											
B. FEMALE																					
0-12 YRS.	2	22.5	421	8	8	22	37	37	37	37											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	2	22.5	421	8	8	22	37	37	37	37											
SUBTOTAL	**8**	**19.6**	**297**	**2**	**2**	**18**	**35**	**40**	**42**	**42**											
GRAND TOTAL	**23**	**14.2**	**169**	**2**	**2**	**8**	**26**	**34**	**39**	**42**											

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	338	3	3	16	29	29	29	29										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	338	3	3	16	29	29	29	29										
B. FEMALE																				
0-12 YRS.	1	53.0		53	53	53	53	53	53	53										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	53.0		53	53	53	53	53	53	53										
SUBTOTAL	**3**	**28.3**	**628**	**3**	**3**	**29**	**47**	**53**	**53**	**53**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.5	1	21	21	21	22	22	22	22										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	21.5	1	21	21	21	22	22	22	22										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**3**	**24.3**	**27**	**21**	**21**	**22**	**28**	**30**	**30**	**30**										
GRAND TOTAL	**6**	**26.3**	**267**	**3**	**5**	**25**	**30**	**51**	**53**	**53**										

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	1.7		1	1	2	2	2	2	2
13-17	6	7.3	46	1	1	5	13	17	18	18	8	1.4		1	1	1	2	3	3	3
18-20	4	6.8	29	1	1	6	10	14	14	14	4	4.5	7	1	1	5	6	7	7	7
21-24	6	8.3	89	2	2	4	12	25	26	26	5	3.0	4	1	1	3	4	6	6	6
25-34	29	7.2	64	1	1	4	10	16	31	32	21	2.9	3	1	1	2	4	6	7	8
35-54	63	6.1	47	1	1	4	7	11	23	38	45	3.2	5	1	1	3	4	6	8	10
55-74	36	6.7	44	1	2	5	8	15	25	30	24	3.1	4	1	1	3	4	6	7	8
75 +	5	14.0	281	1	1	5	23	42	42	42	12	5.0	30	1	1	3	5	15	18	18
ALL AGES	150	6.8	57	1	1	4	8	15	25	40	122	3.2	7	1	1	2	4	6	8	15
B. FEMALE																				
0-12 YRS.	2	5.5	5	4	4	5	7	7	7	7	2	1.0		1	1	1	1	1	1	1
13-17	9	3.7	9	1	1	3	5	8	10	10	12	2.5	2	1	1	2	3	5	5	5
18-20	8	3.0	8	1	1	2	3	8	10	10	5	2.2	2	1	1	2	3	4	4	4
21-24	12	3.7	12	1	1	2	6	10	11	11	11	4.9	40	1	1	3	5	13	22	23
25-34	55	6.9	50	1	1	5	9	15	20	39	58	3.4	5	1	1	3	4	6	8	13
35-54	111	6.3	41	1	1	4	8	15	20	28	116	4.1	28	1	1	3	4	7	10	32
55-74	88	6.5	36	1	2	4	7	17	21	29	86	4.0	7	1	1	3	5	7	10	13
75 +	34	8.4	124	2	2	4	8	19	27	59	36	4.6	10	1	1	4	6	10	11	13
ALL AGES	319	6.4	48	1	1	4	8	15	21	30	326	3.9	16	1	1	3	5	7	9	25
SUBTOTAL	**469**	**6.6**	**50**	**1**	**1**	**4**	**8**	**15**	**22**	**32**	**448**	**3.7**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	6	12.8	100	3	3	11	20	27	28	28	2	2.5	1	2	2	2	3	3	3	3
25-34	32	10.9	108	2	2	7	16	24	33	43	14	2.9	3	1	1	3	4	6	6	6
35-54	59	6.9	28	2	2	5	10	15	18	22	31	3.5	12	1	1	3	4	5	15	16
55-74	24	9.2	53	1	1	8	14	17	25	31	10	7.0	85	1	1	3	6	23	29	29
75 +	2	8.0	98	1	1	8	15	15	15	15	2	4.5	25	1	1	4	8	8	8	8
ALL AGES	126	8.7	57	1	2	6	13	19	22	35	61	3.9	22	1	1	3	4	6	15	28
B. FEMALE																				
0-12 YRS.	3	4.3	11	2	2	3	7	8	8	8	1	3.0		3	3	3	3	3	3	3
13-17	2	9.5	85	3	3	9	16	16	16	16	4	3.8	14	1	1	3	6	9	9	9
18-20	5	3.2	4	1	1	3	4	6	6	6	3	3.7	5	1	1	5	5	5	5	5
21-24	12	9.2	106	1	1	5	13	28	30	30	13	4.4	9	1	2	4	5	10	12	12
25-34	60	11.3	96	2	2	8	14	29	34	37	27	3.7	8	1	1	3	5	6	9	15
35-54	101	9.3	65	1	2	7	14	21	25	35	58	4.5	9	1	2	4	6	7	9	17
55-74	62	11.2	69	2	3	10	14	22	24	46	33	4.4	4	1	2	4	6	8	8	10
75 +	18	8.6	46	2	2	6	10	20	22	23	6	3.0	5	1	1	2	4	7	7	7
ALL AGES	263	10.0	72	1	2	7	14	22	27	37	145	4.2	8	1	2	4	6	7	9	15
SUBTOTAL	**389**	**9.6**	**67**	**1**	**2**	**7**	**14**	**21**	**27**	**37**	**206**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**
GRAND TOTAL	**858**	**7.9**	**61**	**1**	**2**	**5**	**10**	**19**	**24**	**37**	**654**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	3.5	2	2	2	3	4	6	6	6	3	1.0		1	1	1	1	1	1	1
13-17	7	6.7	30	3	3	4	8	16	18	18	5	2.0	2	1	1	2	3	4	4	4
18-20	4	9.5	246	1	1	2	18	33	33	33	2	2.5	1	2	2	2	3	3	3	3
21-24	4	2.0		2	2	2	2	2	2	2	4	1.5		1	1	1	2	2	2	2
25-34	15	4.1	8	1	2	3	5	8	11	12	9	3.4	3	2	2	3	4	6	7	7
35-54	18	4.7	13	1	2	4	5	11	13	14	15	5.1	12	1	1	4	7	11	12	13
55-74	7	3.0	5	1	1	2	3	7	8	8	4	1.8	2	1	1	1	3	4	4	4
75 +											2	3.0	8	1	1	3	5	5	5	5
ALL AGES	61	4.6	25	1	2	3	5	9	13	31	44	3.3	7	1	1	2	4	7	9	13
B. FEMALE																				
0-12 YRS.	11	5.5	38	1	1	3	5	16	21	22	6	2.3	1	1	1	2	3	4	4	4
13-17	17	8.5	167	1	2	4	8	25	44	52	12	7.0	235	1	1	2	3	23	50	55
18-20	12	9.2	147	1	1	4	9	32	38	39	4	2.5	1	1	1	3	3	3	3	3
21-24	18	4.8	18	1	1	4	6	8	15	19	10	2.3	5	1	1	1	3	6	7	7
25-34	33	7.8	151	1	1	5	8	17	24	68	28	3.9	35	1	1	2	4	8	13	31
35-54	43	5.8	59	1	2	4	6	11	15	50	27	4.1	9	1	1	4	5	10	10	11
55-74	15	5.7	26	1	1	4	7	13	17	19	15	3.8	6	1	1	3	5	8	9	9
75 +	7	9.0	72	2	2	8	13	23	25	25	11	5.8	20	1	1	6	8	12	16	16
ALL AGES	156	6.8	86	1	1	4	7	14	23	52	113	4.2	38	1	1	3	5	9	10	40
SUBTOTAL	**217**	**6.2**	**70**	**1**	**1**	**4**	**7**	**12**	**21**	**51**	**157**	**3.9**	**30**	**1**	**1**	**2**	**4**	**8**	**10**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	2	3.5	13	1	1	3	6	6	6	6	2	4.5	1	4	4	4	5	5	5	5
18-20	2	2.5	5	1	1	2	4	4	4	4										
21-24	2	4.0	2	3	3	4	5	5	5	5										
25-34	9	5.9	40	1	1	3	9	16	20	20	5	4.2	7	2	2	3	6	8	8	8
35-54	6	5.8	22	3	3	4	6	14	15	15	4	2.3	2	1	1	2	3	4	4	4
55-74	4	7.5	28	2	2	7	12	13	13	13	5	5.6	36	1	1	4	8	16	16	16
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	28	5.3	22	1	1	3	6	12	15	20	16	4.2	14	1	1	3	5	8	14	16
B. FEMALE																				
0-12 YRS.	2	12.5	265	1	1	12	24	24	24	24										
13-17	10	7.2	41	1	1	5	13	16	19	19	6	2.8	2	2	2	3	3	5	5	5
18-20	6	9.8	204	1	1	3	11	35	38	38	3	1.3		1	1	1	2	2	2	2
21-24	10	3.0	3	1	1	3	4	5	6	6	5	2.8	7	1	1	1	5	7	7	7
25-34	18	13.6	346	1	2	8	14	33	63	79	13	4.2	17	1	1	3	5	8	15	17
35-54	33	10.6	95	2	2	7	13	21	36	44	18	3.7	9	1	1	3	5	7	11	13
55-74	15	11.3	90	3	3	7	16	26	32	34	8	5.0	6	1	2	5	7	8	8	8
75 +	2	10.0	2	9	9	10	11	11	11	11	4	5.0	9	1	1	5	7	8	8	8
ALL AGES	96	10.1	134	1	2	6	12	23	37	63	57	3.8	9	1	1	3	5	7	8	17
SUBTOTAL	**124**	**9.0**	**113**	**1**	**1**	**6**	**11**	**20**	**28**	**53**	**73**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**17**
GRAND TOTAL	**341**	**7.2**	**87**	**1**	**1**	**4**	**8**	**15**	**24**	**50**	**230**	**3.9**	**23**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																						
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-20																						
21-24																						
25-34	1	7.0		7	7	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
35-54	6	8.8	15	4	4	10	12	12	12	12										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																						
ALL AGES	9	7.9	13	3	3	8	11	12	12	12	3	5.0	13	2	2	4	8	9	9	9
B. FEMALE																						
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17											2	2.5	1	2	2	2	3	3	3	3
18-20																						
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	6	11.3	93	1	1	8	20	25	26	26										
35-54	4	11.8	49	6	6	9	16	22	22	22	3	9.7	25	4	4	11	13	14	14	14
55-74	3	2.7	2	1	1	3	4	4	4	4	2	8.5	113	1	1	8	16	16	16	16
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	17	9.5	78	1	1	6	13	25	27	28	8	6.6	37	1	1	3	12	15	16	16
SUBTOTAL	**26**	**9.0**	**54**	**1**	**2**	**7**	**11**	**22**	**26**	**28**	**11**	**6.2**	**29**	**1**	**1**	**4**	**10**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																						
21-24																						
25-34	4	12.3	47	6	6	10	17	22	22	22	1	5.0		5	5	5	5	5	5	5
35-54	4	18.3	58	12	12	17	24	28	28	28	2	3.0		3	3	3	3	3	3	3
55-74	2	15.0	338	2	2	15	28	28	28	28										
75 +																						
ALL AGES	11	14.1	87	2	3	12	22	28	28	28	3	3.7	1	3	3	3	5	5	5	5
B. FEMALE																						
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17																						
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	2	12.5	25	9	9	12	16	16	16	16	1	7.0		7	7	7	7	7	7	7
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	10	13.8	82	4	5	10	21	28	34	34	2	18.0	578	1	1	18	35	35	35	35
55-74	6	13.3	53	5	5	12	21	22	22	22	1	13.0		13	13	13	13	13	13	13
75 +																						
ALL AGES	21	14.7	68	5	6	13	21	26	33	34	4	14.0	220	1	1	10	24	35	35	35
SUBTOTAL	**32**	**14.5**	**72**	**3**	**5**	**12**	**21**	**28**	**33**	**34**	**7**	**9.6**	**140**	**1**	**1**	**5**	**11**	**31**	**35**	**35**
GRAND TOTAL	**58**	**12.0**	**71**	**2**	**3**	**10**	**17**	**25**	**28**	**34**	**18**	**7.5**	**70**	**1**	**1**	**4**	**11**	**15**	**27**	**35**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	16.5	145	8	8	16	25	25	25	25										
18-20																				
21-24	1	29.0		29	29	29	29	29	29	29										
25-34	4	27.5	882	4	4	17	44	71	71	71										
35-54	6	17.0	62	6	6	17	25	25	25	25										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	14	21.1	266	4	6	19	25	33	63	71										
B. FEMALE																				
0-12 YRS.																				
13-17	1	36.0		36	36	36	36	36	36	36										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	4	8.0	23	4	4	6	11	15	15	15										
25-34	4	20.3	473	5	5	12	34	52	52	52										
35-54											2	8.0	8	6	6	8	10	10	10	10
55-74	2	12.5	5	11	11	12	14	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +	1	35.0		35	35	35	35	35	35	35										
ALL AGES	13	16.2	235	2	4	11	21	39	50	52	3	7.0	7	5	5	6	9	10	10	10
SUBTOTAL	**27**	**18.7**	**249**	**3**	**4**	**15**	**25**	**36**	**55**	**71**	**3**	**7.0**	**7**	**5**	**5**	**6**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	72.0		72	72	72	72	72	72	72	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	2	9.5	1	9	9	9	10	10	10	10										
25-34	5	17.6	237	2	2	13	29	40	40	40										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	10	21.4	433	2	4	14	26	56	72	72	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	11.0		11	11	11	11	11	11	11
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	12.7	71	4	4	13	19	21	21	21										
35-54	2	17.0	8	15	15	17	19	19	19	19										
55-74	6	22.5	350	2	2	18	42	47	48	48										
75 +																				
ALL AGES	13	16.8	199	2	4	15	21	43	47	48	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**23**	**18.8**	**291**	**2**	**4**	**15**	**21**	**43**	**56**	**72**	**2**	**7.5**	**25**	**4**	**4**	**7**	**11**	**11**	**11**	**11**
GRAND TOTAL	**50**	**18.8**	**261**	**2**	**4**	**15**	**25**	**41**	**52**	**72**	**5**	**7.2**	**10**	**4**	**4**	**6**	**10**	**11**	**11**	**11**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	16.7	54	6	6	17	23	26	26	26										
13-17	28	18.5	321	1	2	13	26	36	69	71	2	10.5	145	2	2	10	19	19	19	19
18-20	15	8.3	110	1	2	5	7	30	35	37	3	2.3	3	1	1	2	3	4	4	4
21-24	27	6.4	73	1	2	4	7	11	19	45	7	2.6	1	1	1	3	3	4	4	4
25-34	74	9.3	78	1	2	7	11	18	29	46	34	7.0	196	1	1	3	4	11	45	68
35-54	99	9.6	54	1	2	8	14	21	24	33	56	6.1	33	1	2	5	6	12	21	29
55-74	61	7.5	42	1	2	5	9	15	20	37	22	9.2	256	1	2	5	7	18	46	77
75 +	13	9.6	30	4	5	9	11	20	22	22	11	4.4	9	1	1	2	7	8	9	9
ALL AGES	323	9.7	91	1	2	7	12	21	27	46	135	6.5	107	1	2	4	6	11	23	69
B. FEMALE																				
0-12 YRS.	9	16.6	85	4	5	17	20	30	35	35	1	2.0		2	2	2	2	2	2	2
13-17	61	16.4	163	1	2	14	25	38	44	94	7	2.4	3	1	1	2	4	5	5	5
18-20	34	6.8	23	1	1	6	9	15	16	18	10	3.1	3	1	1	3	4	5	6	6
21-24	46	9.1	55	2	3	7	12	19	26	33	16	4.8	9	1	2	4	7	9	10	11
25-34	208	9.0	59	1	2	7	11	19	27	37	72	5.2	18	1	2	4	7	10	11	26
35-54	322	10.8	80	2	3	8	14	23	29	47	183	5.6	20	1	2	4	7	11	13	27
55-74	210	11.2	91	2	3	9	14	20	25	53	121	6.6	20	2	2	6	8	12	15	25
75 +	57	9.3	26	3	3	8	12	18	19	22	26	6.7	19	2	3	5	7	14	17	20
ALL AGES	947	10.6	80	2	3	8	14	22	28	45	436	5.7	19	1	2	5	7	11	14	25
SUBTOTAL	**1270**	**10.4**	**82**	**1**	**2**	**8**	**14**	**21**	**28**	**45**	**571**	**5.9**	**40**	**1**	**2**	**4**	**7**	**11**	**14**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	26.0	548	3	4	14	41	63	68	68										
13-17	44	23.1	295	4	7	19	30	57	88	99 +										
18-20	18	17.6	349	1	2	13	22	45	63	72										
21-24	21	11.5	76	2	3	9	15	28	30	31	5	4.4	11	2	2	4	6	10	10	10
25-34	86	11.9	152	1	2	9	16	24	30	74	12	8.2	55	2	2	7	11	18	27	28
35-54	119	10.7	107	2	3	8	14	22	29	60	26	5.5	9	1	2	5	7	10	11	12
55-74	37	15.4	126	3	4	13	22	32	35	52	18	7.1	39	1	2	6	9	11	22	29
75 +	7	11.4	174	1	1	5	22	32	34	34	7	8.0	26	2	2	6	13	15	15	15
ALL AGES	339	13.9	181	2	3	10	18	29	39	86	68	6.6	27	2	2	5	9	12	14	29
B. FEMALE																				
0-12 YRS.	12	22.0	177	2	6	21	28	42	48	49	1	2.0		2	2	2	2	2	2	2
13-17	54	24.1	332	2	5	21	38	49	67	99	5	3.4	4	1	1	3	5	6	6	6
18-20	9	8.3	44	3	3	6	10	20	21	21	2	10.0	162	1	1	10	19	19	19	19
21-24	44	12.0	118	1	2	9	16	29	30	54	8	7.4	25	1	2	5	12	15	15	15
25-34	137	12.7	123	2	2	9	18	29	35	49	31	6.5	31	1	2	5	9	14	21	22
35-54	194	13.0	101	2	3	10	19	27	31	45	69	7.1	31	2	2	6	8	13	16	35
55-74	101	14.2	149	2	3	11	20	27	34	67	31	6.6	9	2	3	6	8	11	12	13
75 +	15	12.5	73	3	3	9	17	26	30	32	17	8.9	26	3	4	8	11	15	20	23
ALL AGES	566	14.2	150	2	3	11	20	29	39	61	164	7.0	26	2	2	6	9	13	16	23
SUBTOTAL	**905**	**14.1**	**161**	**2**	**3**	**10**	**20**	**29**	**39**	**70**	**232**	**6.9**	**26**	**2**	**2**	**6**	**9**	**12**	**15**	**28**
GRAND TOTAL	**2175**	**11.9**	**119**	**2**	**3**	**9**	**16**	**26**	**32**	**57**	**803**	**6.2**	**36**	**1**	**2**	**5**	**7**	**11**	**15**	**29**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54											2	2.5	1	2	2	2	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											5	3.0	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											3	4.0	1	3	3	4	5	5	5	5
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	1	6.0		6	6	6	6	6	6	6	5	3.0	3	1	1	3	4	5	5	5
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	**10**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**2**	**6.5**	**1**	**6**	**6**	**6**	**7**	**7**	**7**	**7**	**13**	**2.8**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	4.0	2	3	3	4	5	5	5	5										
SUBTOTAL	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	12.3	106	5	5	8	20	24	24	24										
SUBTOTAL	**4**	**10.3**	**86**	**4**	**4**	**6**	**16**	**24**	**24**	**24**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**7**	**7.4**	**57**	**3**	**3**	**5**	**7**	**21**	**24**	**24**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	2	2.5	1	2	2	2	3	3	3	3											
35-54	1	1.0		1	1	1	1	1	1	1											
55-74																					
75 +	1	3.0		3	3	3	3	3	3	3											
ALL AGES	4	2.3	1	1	1	2	3	3	3	3											
B. FEMALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1											
13-17																					
18-20																					
21-24	1	4.0		4	4	4	4	4	4	4											
25-34	3	4.3	34	1	1	1	8	11	11	11	1	5.0		5	5	5	5	5	5	5
35-54	7	6.6	37	1	1	5	10	17	18	18	24	3.9	2	1	2	4	5	6	7	8
55-74	4	9.3	13	4	4	10	12	13	13	13											
75 +	1	7.0		7	7	7	7	7	7	7											
ALL AGES	17	6.4	25	1	1	5	10	13	16	18	25	3.9	2	1	2	4	5	6	7	8
SUBTOTAL	**21**	**5.6**	**23**	**1**	**1**	**4**	**10**	**12**	**15**	**18**	**25**	**3.9**	**2**	**1**	**2**	**4**	**5**	**6**	**7**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20	1	21.0		21	21	21	21	21	21	21											
21-24	2	5.5	25	2	2	5	9	9	9	9											
25-34	2	11.5	25	8	8	11	15	15	15	15											
35-54																					
55-74											1	9.0		9	9	9	9	9	9	9
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	5	11.0	53	2	2	9	16	21	21	21	2	9.5	1	9	9	9	10	10	10	10
B. FEMALE																					
0-12 YRS.	1	21.0		21	21	21	21	21	21	21											
13-17	2	30.5	481	15	15	30	46	46	46	46											
18-20	1	12.0		12	12	12	12	12	12	12											
21-24	2	29.5	1201	5	5	29	54	54	54	54	1	3.0		3	3	3	3	3	3	3
25-34	5	17.8	223	8	8	11	23	44	44	44											
35-54	12	14.3	115	3	4	11	22	29	37	38											
55-74	7	12.9	36	3	4	16	18	18	18	18											
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	30	16.8	171	3	4	14	21	41	46	54	2	7.0	32	3	3	7	11	11	11	11
SUBTOTAL	**35**	**16.0**	**156**	**3**	**4**	**14**	**20**	**38**	**45**	**54**	**4**	**8.3**	**12**	**3**	**3**	**9**	**10**	**11**	**11**	**11**
GRAND TOTAL	**56**	**12.1**	**130**	**1**	**1**	**9**	**16**	**23**	**42**	**54**	**29**	**4.5**	**6**	**1**	**2**	**4**	**5**	**9**	**10**	**11**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	3	17.3	576	3	3	4	35	45	45	45										
13-17	1	1.0		1	1	1	1	1	1	1	6	1.7	1	1	1	2	2	3	3	3
18-20	3	3.3	5	1	1	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
21-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	11	2.1	2	1	1	2	3	4	5	5	9	2.6	3	1	1	2	3	5	7	7
35-54	9	6.3	42	1	2	4	8	17	22	22	8	2.9	4	1	1	2	4	6	6	6
55-74	11	6.4	27	2	2	5	6	15	20	20	7	2.7	3	1	1	2	3	5	6	6
75 +	5	8.0	24	4	4	6	12	15	15	15	3	2.3	3	1	1	2	3	4	4	4
ALL AGES	45	5.7	57	1	1	4	5	12	20	45	35	2.4	2	1	1	2	3	5	6	7
B. FEMALE																						
0-12 YRS.	4	3.0	2	2	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	2	1.0		1	1	1	1	1	1	1	9	1.6	1	1	1	1	2	3	4	4
18-20	4	2.8	5	1	1	2	4	6	6	6	1	1.0		1	1	1	1	1	1	1
21-24	2	6.0	32	2	2	6	10	10	10	10	2	2.0	2	1	1	2	3	3	3	3
25-34	4	4.8	30	1	1	2	8	13	13	13	6	1.7		1	1	2	2	2	2	2
35-54	6	5.2	15	1	1	4	7	11	12	12	11	4.7	12	1	1	4	7	10	11	11
55-74	11	8.7	94	2	2	4	12	27	29	29	13	3.8	7	1	1	4	5	20	82	99 +
75 +	8	6.4	8	3	3	6	9	10	10	10	3	7.7	20	3	3	8	11	12	12	12
ALL AGES	41	5.7	36	1	1	4	7	12	19	29	46	3.4	8	1	1	2	5	9	11	99 +
SUBTOTAL	**86**	**5.7**	**47**	**1**	**1**	**4**	**6**	**12**	**20**	**39**	**81**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**10**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	3	2.7	2	1	1	3	4	4	4	4										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	5	6.0	30	1	1	4	10	14	14	14	2	1.5	1	1	1	1	2	2	2	2
25-34	5	2.2	3	1	1	2	3	5	5	5	7	2.7	6	1	1	2	3	7	8	8
35-54	11	9.5	126	1	1	6	12	26	39	40	4	2.5	6	1	1	1	4	6	6	6
55-74	4	4.0	3	2	2	4	5	6	6	6	5	9.0	58	3	3	6	12	22	22	22
75 +	5	5.2	7	2	2	5	7	9	9	9	2	7.5	13	5	5	7	10	10	10	10
ALL AGES	34	5.9	51	1	1	4	6	14	16	40	21	4.5	24	1	1	2	6	9	15	22
B. FEMALE																						
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	5	8.0	100	1	1	3	13	25	25	25	2	2.5	1	2	2	2	3	3	3	3
18-20	3	5.7	25	1	1	5	9	11	11	11	2	1.5	1	1	1	1	2	2	2	2
21-24	5	2.4	2	1	1	2	4	4	4	4	3	5.3	25	2	2	3	9	11	11	11
25-34	20	4.3	10	1	1	3	6	10	11	11	5	4.6	13	2	2	3	6	11	11	11
35-54	11	7.2	55	1	1	4	11	18	25	26	11	4.5	17	1	2	3	5	10	15	16
55-74	4	12.8	105	6	6	8	19	28	28	28	10	5.5	11	2	2	5	7	10	13	13
75 +	5	5.8	7	3	3	6	7	10	10	10	4	7.0	7	4	4	7	9	10	10	10
ALL AGES	53	5.9	37	1	1	4	8	11	23	28	38	4.8	12	1	2	4	6	11	12	16
SUBTOTAL	**87**	**5.9**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**36**	**59**	**4.7**	**16**	**1**	**1**	**3**	**6**	**10**	**12**	**21**
GRAND TOTAL	**173**	**5.8**	**44**	**1**	**1**	**4**	**6**	**12**	**19**	**37**	**140**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	2	12.0	8	10	10	12	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	20.0	288	8	8	20	32	32	32	32										
55-74	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	16.3	186	8	8	9	26	32	32	32	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**14.6**	**100**	**8**	**8**	**10**	**18**	**32**	**32**	**32**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	16.5	63	8	8	15	22	27	27	27										
35-54	2	13.0	162	4	4	13	22	22	22	22	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	7	14.0	74	4	4	14	21	26	27	27	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	12.7	64	8	8	8	19	22	22	22	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**10**	**13.6**	**64**	**4**	**5**	**11**	**22**	**25**	**27**	**27**	**2**	**6.0**	**8**	**4**	**4**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**15**	**13.9**	**71**	**4**	**6**	**10**	**21**	**27**	**31**	**32**	**3**	**5.3**	**6**	**4**	**4**	**4**	**7**	**8**	**8**	**8**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	1	24.0		24	24	24	24	24	24	24										
18-20																				
21-24	2	20.0	50	15	15	20	25	25	25	25										
25-34	2	14.0	32	10	10	14	18	18	18	18										
35-54	9	8.1	20	3	3	9	10	15	17	17	1	2.0		2	2	2	2	2	2	2
55-74	7	19.7	59	11	12	15	27	29	29	29										
75 +																				
ALL AGES	22	14.8	63	3	4	14	22	27	28	29	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	2	20.5	145	12	12	29	82	99 +	99 +	99 +										
18-20	1	34.0		34	34	34	34	34	34	34										
21-24	3	7.7	49	1	1	7	13	15	15	15										
25-34	9	8.9	19	1	3	9	12	15	15	15										
35-54	21	11.0	100	1	2	8	13	25	34	41	1	5.0		5	5	5	5	5	5	5
55-74	20	17.5	193	2	3	12	25	40	46	51										
75 +	1	35.0		35	35	35	35	35	35	35										
ALL AGES	57	13.9	141	1	2	10	21	35	42	96	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**79**	**14.2**	**117**	**2**	**3**	**11**	**21**	**29**	**40**	**85**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	23.5	1013	1	1	23	46	46	46	46	2	8.5	61	3	3	8	14	14	14	14
35-54	6	8.2	20	1	2	8	10	14	15	15										
55-74																				
75 +	2	20.0	162	11	11	20	29	29	29	29										
ALL AGES	12	11.8	176	1	1	8	13	34	44	46	2	8.5	61	3	3	8	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.0	2	28	28	29	30	30	30	30										
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34	5	8.8	73	4	4	5	10	24	24	24	1	1.0		1	1	1	1	1	1	1
35-54	11	11.4	108	1	3	6	19	27	33	34	1	8.0		8	8	8	8	8	8	8
55-74	6	17.7	141	7	7	13	27	36	37	37										
75 +																				
ALL AGES	25	14.1	120	3	4	9	23	30	35	37	2	4.5	25	1	1	4	8	8	8	8
SUBTOTAL	**37**	**13.4**	**134**	**1**	**2**	**9**	**22**	**30**	**36**	**46**	**4**	**6.5**	**34**	**1**	**1**	**5**	**11**	**14**	**14**	**14**
GRAND TOTAL	**116**	**13.9**	**123**	**1**	**3**	**10**	**22**	**29**	**38**	**67**	**6**	**5.5**	**24**	**1**	**1**	**4**	**8**	**13**	**14**	**14**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	11.7	80	3	3	11	18	21	21	21										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	4	20.5	113	9	9	20	29	33	33	33	1	1.0		1	1	1	1	1	1	1
35-54	3	16.3	338	2	2	10	30	37	37	37	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	12	15.7	124	2	3	12	23	34	37	37	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-20	2	5.5	41	1	1	5	10	10	10	10										
21-24																				
25-34	4	5.3	2	4	4	5	6	7	7	7	1	23.0		23	23	23	23	23	23	23
35-54	2	29.0	1152	5	5	29	53	53	53	53	1	1.0		1	1	1	1	1	1	1
55-74											3	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	9	12.6	269	1	1	6	13	41	53	53	5	5.4	97	1	1	1	7	23	23	23
SUBTOTAL	**21**	**14.3**	**181**	**1**	**3**	**10**	**21**	**35**	**44**	**53**	**7**	**4.1**	**70**	**1**	**1**	**1**	**1**	**19**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-20																				
21-24	2	29.0	392	15	15	29	43	43	43	43										
25-34	2	20.5	545	4	4	20	37	37	37	37	1	1.0		1	1	1	1	1	1	1
35-54	2	8.5	1	8	8	8	9	9	9	9										
55-74																				
75 +																				
ALL AGES	7	21.0	246	4	5	15	35	42	43	43	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	25.0	450	10	10	25	40	40	40	40										
21-24																				
25-34	2	18.0	50	13	13	18	23	23	23	23										
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74	1	34.0		34	34	34	34	34	34	34										
75 +																				
ALL AGES	7	20.0	162	7	8	13	31	39	40	40										
SUBTOTAL	**14**	**20.5**	**189**	**5**	**7**	**14**	**34**	**40**	**42**	**43**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**35**	**16.8**	**187**	**2**	**4**	**11**	**25**	**37**	**42**	**53**	**8**	**3.8**	**60**	**1**	**1**	**1**	**1**	**17**	**23**	**23**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	6.2	23	1	1	6	10	12	12	12										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	4	8.8	24	5	5	7	12	16	16	16										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	5.3	2	4	4	6	6	6	6	6										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	15	7.5	26	1	2	6	10	16	18	19										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	3	9.7	57	3	3	8	15	18	18	18										
SUBTOTAL	**18**	**7.9**	**28**	**1**	**2**	**6**	**10**	**17**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	18.5	181	9	9	18	28	28	28	28										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	7.5	109	1	1	3	9	26	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	19.0		19	19	19	19	19	19	19										
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	3	13.7	24	9	9	13	17	19	19	19	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**9.6**	**83**	**1**	**1**	**9**	**14**	**24**	**28**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**27**	**8.4**	**46**	**1**	**2**	**6**	**11**	**19**	**21**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	3	9.7	81	3	3	6	16	20	20	20										
SUBTOTAL	**4**	**10.5**	**58**	**3**	**3**	**9**	**16**	**20**	**20**	**20**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74	3	10.0	31	4	4	11	14	15	15	15										
75 +																				
ALL AGES	7	7.6	43	1	1	4	14	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74	2	8.0	18	5	5	8	11	11	11	11	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	3	7.7	9	5	5	7	10	11	11	11	2	7.0		7	7	7	7	7	7	7
SUBTOTAL	**10**	**7.6**	**31**	**1**	**1**	**6**	**11**	**16**	**17**	**17**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**14**	**8.4**	**37**	**1**	**2**	**6**	**13**	**17**	**19**	**20**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	5	2.4	2	1	1	2	4	4	4	4	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	7	18.6	255	2	3	14	33	42	43	43										
18-20	2	7.0	32	3	3	7	11	11	11	11										
21-24	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	6	8.2	109	2	2	4	8	27	29	29										
35-54	2	13.5	1	13	13	13	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	1	25.0		25	25	25	25	25	25	25										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	21	12.2	147	2	2	7	15	33	40	43	3	2.7	1	2	2	2	4	4	4	4
SUBTOTAL	**26**	**10.3**	**134**	**1**	**2**	**5**	**14**	**29**	**39**	**43**	**5**	**3.4**	**2**	**2**	**2**	**4**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	3	15.7	125	6	6	13	24	28	28	28										
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	6	10.2	50	3	3	8	13	22	23	23										
35-54	4	7.5	6	6	6	7	9	11	11	11	1	4.0		4	4	4	4	4	4	4
55-74	2	10.0	32	6	6	10	14	14	14	14										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	18	9.1	51	1	2	7	13	20	26	28	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**21**	**8.1**	**50**	**1**	**1**	**6**	**11**	**18**	**25**	**28**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**47**	**9.4**	**94**	**1**	**2**	**6**	**13**	**25**	**30**	**43**	**7**	**3.1**	**2**	**1**	**1**	**4**	**4**	**5**	**5**	**5**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	3	9.0	1	8	8	9	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17	2	28.0	1458	1	1	28	55	55	55	55										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	6	6.2	15	2	2	5	11	11	11	11										
35-54	1	38.0		38	38	38	38	38	38	38	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	10	13.4	332	1	1	5	11	46	55	55	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**13**	**12.4**	**253**	**1**	**2**	**8**	**11**	**41**	**52**	**55**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	13.6	84	6	6	9	23	25	25	25	1	5.0		5	5	5	5	5	5	5
35-54	2	7.5	5	6	6	7	9	9	9	9										
55-74																				
75 +																				
ALL AGES	7	11.9	65	6	6	9	19	24	25	25	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	52.0		52	52	52	52	52	52	52										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24																				
25-34	4	14.5	156	5	5	10	23	32	32	32										
35-54	5	9.8	42	2	2	10	15	18	18	18										
55-74	1	32.0		32	32	32	32	32	32	32	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	12	17.1	216	2	4	14	25	38	50	52	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**19**	**15.2**	**160**	**3**	**5**	**10**	**21**	**32**	**43**	**52**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**
GRAND TOTAL	**32**	**14.0**	**194**	**2**	**3**	**9**	**16**	**34**	**51**	**55**	**3**	**8.7**	**9**	**5**	**5**	**10**	**11**	**11**	**11**	**11**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	8.3	71	3	3	4	14	18	18	18										
18-20	3	13.7	288	1	1	7	26	33	33	33										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	7.3	73	1	1	4	14	17	17	17										
35-54	2	6.0	32	2	2	6	10	10	10	10										
55-74																				
75 +																				
ALL AGES	12	9.2	89	1	1	6	14	22	31	33										
B. FEMALE																				
0-12 YRS.																				
13-17											2	4.5	13	2	2	4	7	7	7	7
18-20																				
21-24																				
25-34	3	12.7	373	1	1	2	27	35	35	35										
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.7	373	1	1	2	27	35	35	35	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**15**	**9.9**	**126**	**1**	**1**	**4**	**15**	**33**	**34**	**35**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.7	75	1	1	13	17	18	18	18										
18-20	5	4.4	9	2	2	3	7	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	1	34.0		34	34	34	34	34	34	34										
25-34	9	4.9	24	1	1	4	8	13	15	15										
35-54	3	9.0	7	7	7	8	11	12	12	12	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	21	7.6	62	1	1	6	10	16	25	34	2	2.0	2	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	4	11.3	60	7	7	8	15	23	23	23										
35-54																				
55-74																				
75 +																				
ALL AGES	5	10.6	48	7	7	8	12	23	23	23										
SUBTOTAL	**26**	**8.2**	**58**	**1**	**1**	**7**	**10**	**18**	**25**	**34**	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**41**	**8.8**	**81**	**1**	**1**	**7**	**11**	**20**	**33**	**35**	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	16.6	487	1	1	9	22	55	66	66										
18-20	6	11.8	118	4	4	7	16	30	32	32										
21-24	7	12.6	228	2	2	5	25	36	37	37										
25-34	13	7.9	34	1	2	7	11	15	20	21										
35-54	8	15.0	206	1	2	11	21	39	45	45										
55-74	2	5.0	8	3	3	5	7	7	7	7										
75 +																				
ALL AGES	44	11.9	182	1	2	7	15	32	39	66										
B. FEMALE																				
0-12 YRS.																				
13-17	6	42.0	778	8	9	38	64	81	83	83										
18-20	9	6.7	37	2	2	4	7	18	20	20										
21-24	11	14.5	300	2	3	10	14	38	62	64										
25-34	31	7.8	50	1	1	7	10	20	26	26										
35-54	23	12.9	82	2	3	11	17	22	30	43										
55-74	3	7.0	28	3	3	5	11	13	13	13										
75 +																				
ALL AGES	83	12.4	207	2	2	8	14	25	43	77										
SUBTOTAL	**127**	**12.3**	**195**	**1**	**2**	**8**	**14**	**26**	**43**	**70**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	26.3	335	10	10	23	41	48	48	48										
18-20	7	20.9	208	1	2	23	25	42	46	46										
21-24	10	8.6	97	1	1	6	9	26	31	31										
25-34	18	6.6	49	1	1	3	11	14	22	27										
35-54	10	12.7	95	1	1	12	17	27	29	29	1	12.0		12	12	12	12	12	12	12
55-74	2	19.5	113	12	12	19	27	27	27	27										
75 +																				
ALL AGES	51	12.2	141	1	1	9	19	28	35	48	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	4	35.5	504	3	3	50	63	99 +	99 +	99 +	1	4.0		4	4	4	4	4	4	4
18-20	9	16.0	196	2	3	14	25	38	45	45	1	2.0		2	2	2	2	2	2	2
21-24	19	22.2	518	1	2	16	28	65	72	77										
25-34	38	10.9	134	1	1	7	13	26	36	54	1	7.0		7	7	7	7	7	7	7
35-54	16	14.8	396	1	2	7	16	58	63	64	2	6.0	8	4	4	6	8	8	8	8
55-74	4	10.3	118	1	1	7	18	25	25	25	1	4.0		4	4	4	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	92	15.6	306	1	2	8	23	46	63	90	6	4.8	5	2	2	4	7	8	8	8
SUBTOTAL	**143**	**14.4**	**248**	**1**	**1**	**8**	**22**	**37**	**52**	**78**	**7**	**5.9**	**11**	**2**	**2**	**4**	**8**	**11**	**12**	**12**
GRAND TOTAL	**270**	**13.4**	**224**	**1**	**2**	**8**	**17**	**32**	**48**	**75**	**7**	**5.9**	**11**	**2**	**2**	**4**	**8**	**11**	**12**	**12**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-20	5	3.4	5	1	1	3	5	7	7	7										
21-24	4	10.0	53	2	2	10	16	18	18	18	1	2.0		2	2	2	2	2	2	2
25-34	5	5.4	32	1	1	2	11	13	13	13										
35-54	1	28.0		28	28	28	28	28	28	28										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	17	6.9	57	1	1	4	11	17	24	28	3	5.0	27	2	2	2	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	6	18.5	186	4	4	20	30	33	33	33										
18-20	5	7.2	20	1	1	9	11	11	11	11										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	16	11.3	85	1	1	7	18	22	30	33	2	3.5	5	2	2	3	5	5	5	5
35-54	6	13.2	23	7	7	12	16	20	21	21										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	35	11.9	85	1	2	10	17	29	32	33	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**52**	**10.3**	**79**	**1**	**1**	**7**	**15**	**24**	**30**	**33**	**5**	**4.4**	**15**	**2**	**2**	**2**	**6**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
18-20	2	5.0	8	3	3	5	7	7	7	7										
21-24	6	10.8	47	1	2	10	13	21	22	22										
25-34	11	8.3	83	1	1	4	9	26	26	26										
35-54	7	13.9	85	1	2	14	21	27	28	28										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	44.0		44	44	44	44	44	44	44										
ALL AGES	29	11.1	106	1	1	9	14	26	29	44	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	15.5	365	2	2	15	29	29	29	29										
18-20	3	20.3	259	5	5	19	32	37	37	37										
21-24	5	15.6	187	2	2	12	24	37	37	37	1	1.0		1	1	1	1	1	1	1
25-34	9	8.4	73	1	2	6	10	23	29	29	1	8.0		8	8	8	8	8	8	8
35-54	13	7.2	57	1	2	5	7	17	28	30	5	6.0	19	1	1	4	10	11	11	11
55-74	1	40.0		40	40	40	40	40	40	40										
75 +																				
ALL AGES	33	11.5	137	1	2	6	15	31	37	40	7	5.6	17	1	1	4	9	11	11	11
SUBTOTAL	**62**	**11.3**	**121**	**1**	**2**	**7**	**14**	**29**	**37**	**44**	**8**	**5.8**	**14**	**1**	**1**	**6**	**9**	**11**	**11**	**11**
GRAND TOTAL	**114**	**10.8**	**102**	**1**	**1**	**7**	**14**	**28**	**32**	**41**	**13**	**5.2**	**15**	**1**	**1**	**4**	**8**	**11**	**11**	**11**

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	13.0		13	13	13	13	13	13	13										
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	2	4	4	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	5.0	2	4	4	5	6	6	6	6										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	5.0	2	4	4	5	6	6	6	6										

PSYCHOSEX IDENTITY DIS (302.6)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**2**	**17.0**	**338**	**4**	**4**	**17**	**30**	**30**	**30**	**30**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	2.0	2	1	1	1	3	3	3	3
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	18	2.4	3	1	1	2	3	5	7	7	9	3.0	5	1	1	2	4	7	8	8
55-74	19	2.8	2	1	1	2	4	5	6	6	14	2.6	2	1	1	2	3	4	6	6
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	38	2.7	3	1	1	2	3	5	6	7	27	2.6	3	1	1	2	3	5	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**38**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**7**	**28**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**38**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**7**	**29**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	30.0		30	30	30	30	30	30	30										
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	61	6	6	11	17	17	17	17										
SUBTOTAL	**3**	**17.7**	**143**	**6**	**6**	**17**	**27**	**30**	**30**	**30**										
GRAND TOTAL	**5**	**13.2**	**111**	**5**	**5**	**8**	**20**	**30**	**30**	**30**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

PSYCHOSEXUAL DIS NOS (302.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	1.0		1	1	1	1	1	1	1	4	1.3		1	1	1	1	2	2	2
18-20	2	1.5	1	1	1	1	2	2	2	2	5	1.6	1	1	1	1	2	3	3	3
21-24	6	4.5	9	1	1	4	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	47	6.6	50	1	1	4	8	19	22	28	16	3.4	4	1	1	3	4	6	7	8
35-54	104	6.3	53	1	1	4	6	15	23	34	93	3.6	16	1	1	3	4	6	7	25
55-74	87	6.7	34	2	2	5	7	17	20	28	72	4.3	13	1	1	3	6	8	11	20
75 +	9	7.9	18	2	2	7	12	13	13	13	6	4.0	12	1	1	3	5	10	10	10
ALL AGES	257	6.5	42	1	1	4	7	16	21	30	197	3.7	14	1	1	3	4	7	9	22
B. FEMALE																						
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																						
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	5	6.4	44	2	2	3	9	18	18	18	1	4.0		4	4	4	4	4	4	4
25-34	13	6.8	81	1	1	2	9	21	29	31	7	3.7	3	1	1	4	5	6	6	6
35-54	34	7.3	56	1	2	4	12	17	23	32	23	4.2	29	1	1	3	5	5	14	28
55-74	30	6.5	76	1	1	3	7	18	25	42	19	5.1	9	1	2	5	6	10	12	12
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	83	6.8	64	1	1	3	8	18	24	39	54	4.3	16	1	1	4	5	6	11	27
SUBTOTAL	**340**	**6.5**	**48**	**1**	**1**	**4**	**7**	**17**	**22**	**31**	**251**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-17	6	23.7	224	1	2	27	33	41	42	42	5	14.0	395	1	1	1	27	46	46	46
18-20	6	26.3	344	1	1	33	42	42	42	42	4	6.0	38	2	2	4	10	15	15	15
21-24	24	13.8	140	1	2	9	22	29	38	42	11	19.3	257	1	1	30	30	37	44	45
25-34	101	14.9	159	1	2	9	28	34	36	41	78	9.9	136	1	1	4	15	30	31	41
35-54	275	9.2	79	2	2	5	11	28	28	34	224	8.5	107	1	1	4	8	30	30	39
55-74	152	10.6	102	2	3	6	13	28	28	57	156	7.6	65	1	2	4	8	21	29	30
75 +	8	9.5	57	3	4	8	10	22	27	27	16	11.1	147	3	3	6	13	29	42	47
ALL AGES	572	11.1	113	2	2	6	17	28	32	42	495	8.8	107	1	2	4	10	30	30	41
B. FEMALE																						
0-12 YRS.																						
13-17	5	29.8	58	21	21	28	33	42	42	42										
18-20	1	30.0		30	30	30	30	30	30	30	2	17.0	450	2	2	17	32	32	32	32
21-24	4	16.0	307	5	5	8	26	42	42	42	5	13.0	171	1	1	8	26	28	28	28
25-34	30	9.4	85	1	1	5	14	27	28	31	26	11.4	169	1	1	4	28	30	32	39
35-54	54	9.2	77	2	2	5	13	25	28	37	59	11.2	133	1	1	4	26	30	30	34
55-74	47	11.9	101	2	2	7	16	28	29	37	40	11.6	94	2	2	6	21	26	30	30
75 +	3	15.0	112	7	7	11	23	27	27	27	5	10.0	101	2	2	3	21	21	21	21
ALL AGES	144	11.3	106	2	2	7	16	28	30	42	137	11.5	126	1	2	5	21	30	30	35
SUBTOTAL	**716**	**11.1**	**112**	**2**	**2**	**6**	**17**	**28**	**32**	**42**	**632**	**9.4**	**112**	**1**	**2**	**4**	**13**	**30**	**30**	**39**
GRAND TOTAL	**1056**	**9.7**	**95**	**1**	**2**	**5**	**13**	**28**	**29**	**41**	**883**	**7.8**	**90**	**1**	**1**	**4**	**7**	**28**	**30**	**36**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	11	25.4	216	4	4	27	38	43	48	48	11	19.4	182	1	1	21	28	37	39	39
18-20	15	15.1	82	2	3	18	23	24	28	30	9	32.3	188	20	22	28	33	56	65	65
21-24	48	13.5	135	1	1	9	28	30	30	32	24	19.7	197	2	3	28	30	35	38	42
25-34	287	13.8	138	1	2	9	27	29	30	37	165	20.8	166	2	3	28	29	35	40	44
35-54	638	11.9	115	1	2	6	22	28	30	35	454	19.0	164	2	3	25	28	34	39	45
55-74	297	11.6	91	1	2	7	18	28	29	33	252	17.4	169	2	3	14	28	35	39	42
75 +	21	12.3	74	2	3	12	18	25	26	27	11	17.6	207	1	2	17	29	38	42	42
ALL AGES	1318	12.5	116	1	2	7	22	28	30	36	926	19.0	170	2	3	24	28	35	39	44
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	1	10.0		10	10	10	10	10	10	10
13-17	3	23.0	252	5	5	29	33	35	35	35	2	42.5	365	29	29	42	56	56	56	56
18-20	8	10.1	100	1	1	6	16	26	28	28	2	21.5	545	5	5	21	38	38	38	38
21-24	20	14.2	106	2	3	13	20	28	33	37	15	26.1	213	1	1	30	38	40	41	42
25-34	86	14.9	117	2	3	13	27	30	31	33	48	20.7	140	2	3	28	28	30	32	42
35-54	150	11.5	117	1	2	6	18	29	31	40	119	17.7	187	2	3	18	28	35	40	45
55-74	78	15.2	117	1	3	12	26	30	31	41	79	20.1	159	3	4	27	29	35	38	44
75 +	7	10.9	140	1	1	3	24	27	27	27	9	13.9	163	3	3	7	24	35	35	35
ALL AGES	353	13.4	118	1	2	9	24	29	31	38	275	19.4	179	2	3	27	29	35	39	44
SUBTOTAL	**1671**	**12.7**	**116**	**1**	**2**	**8**	**23**	**29**	**30**	**37**	**1201**	**19.1**	**172**	**2**	**3**	**25**	**28**	**35**	**39**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	33	26.8	87	7	15	28	30	36	41	52	12	29.3	142	4	15	29	43	55	92	99 +
18-20	31	15.0	159	1	1	12	27	32	37	39	21	23.1	242	2	2	27	29	42	48	54
21-24	69	17.8	134	1	3	18	28	30	33	42	18	26.6	167	2	3	28	31	43	45	46
25-34	297	15.4	124	2	3	14	28	30	31	42	128	21.5	165	2	3	26	29	36	42	48
35-54	384	12.6	101	2	2	9	21	28	30	36	161	18.5	171	1	2	25	28	31	39	45
55-74	183	13.0	85	3	4	10	19	28	29	39	68	16.0	226	2	2	9	27	33	46	71
75 +	9	14.8	160	1	3	8	28	33	35	35	4	12.5	138	2	2	10	21	28	28	28
ALL AGES	1007	14.4	117	2	3	11	25	29	31	42	412	19.9	186	2	2	25	28	36	42	53
B. FEMALE																				
0-12 YRS.											1	26.0		26	26	26	26	26	26	26
13-17	11	17.9	209	1	2	10	28	38	46	47	1	4.0		4	4	4	4	4	4	4
18-20	19	24.6	273	2	3	24	33	50	57	58	9	29.4	227	4	5	30	42	43	44	44
21-24	18	9.3	104	1	2	5	8	27	33	37	6	22.3	167	1	2	28	28	35	36	36
25-34	102	15.9	152	2	3	12	28	32	36	51	44	19.0	194	2	3	26	29	33	42	49
35-54	122	12.1	102	1	2	9	20	28	29	40	45	16.1	189	1	2	12	27	36	40	47
55-74	65	17.5	209	2	3	14	26	40	43	61	21	21.2	177	4	5	25	29	36	45	52
75 +	8	15.5	119	5	5	12	23	33	35	35	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	345	15.1	157	2	2	10	25	31	39	55	129	19.0	194	2	3	21	28	37	42	50
SUBTOTAL	**1352**	**14.6**	**126**	**2**	**3**	**11**	**25**	**29**	**32**	**43**	**541**	**19.7**	**187**	**2**	**3**	**25**	**28**	**36**	**42**	**52**
GRAND TOTAL	**3023**	**13.5**	**123**	**1**	**2**	**9**	**24**	**29**	**31**	**42**	**1742**	**19.3**	**176**	**2**	**3**	**25**	**28**	**35**	**41**	**46**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	8.0	72	2	2	8	14	14	14	14	2	20.0	50	15	15	20	25	25	25	25
25-34	26	12.7	131	2	2	9	15	30	39	40	24	15.3	174	2	2	8	27	28	36	52
35-54	19	12.8	104	2	3	10	19	30	32	33	3	5.7	16	2	2	5	9	10	10	10
55-74	3	6.7	8	5	5	5	9	10	10	10	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	50	12.2	110	2	2	9	15	30	33	40	30	14.4	153	2	2	9	26	28	29	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	3	3.7	2	2	2	4	5	5	5	5	2	33.0	128	25	25	33	41	41	41	41
25-34	22	12.7	113	3	3	7	22	30	31	31	10	15.5	216	1	1	7	31	35	35	35
35-54	7	10.6	83	4	4	6	14	26	29	29	3	32.3	14	30	30	31	35	36	36	36
55-74	4	10.8	107	3	3	8	18	25	25	25										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	38	11.2	93	3	3	7	16	29	30	31	15	21.2	219	1	2	28	34	36	40	41
SUBTOTAL	**88**	**11.8**	**101**	**2**	**3**	**7**	**15**	**29**	**31**	**40**	**45**	**16.7**	**180**	**2**	**2**	**10**	**28**	**35**	**37**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	7	12.7	86	3	3	8	20	27	28	28										
25-34	37	14.9	131	3	4	12	20	29	37	58	19	17.5	208	1	2	16	31	34	39	42
35-54	17	12.1	75	1	3	9	17	26	30	31	9	20.0	258	4	4	17	34	42	42	42
55-74											3	23.3	33	18	18	23	27	29	29	29
75 +											2	19.5	113	12	12	19	27	27	27	27
ALL AGES	61	13.8	111	2	4	11	19	28	32	56	33	18.8	192	2	3	18	30	36	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	13.3	123	2	2	11	21	28	28	28	1	25.0		25	25	25	25	25	25	25
25-34	22	14.1	133	2	3	10	22	30	40	42	3	22.3	15[illegible]	8	8	28	30	31	31	31
35-54	9	13.1	87	5	5	11	17	29	30	30	6	25.2	220	10	10	22	41	44	44	44
55-74	4	14.0	109	3	3	12	21	28	28	28	7	11.7	74	4	4	9	15	26	29	29
75 +																				
ALL AGES	39	13.8	110	2	3	11	21	28	34	42	17	19.1	159	4	6	16	28	39	43	44
SUBTOTAL	**100**	**13.8**	**109**	**2**	**3**	**11**	**19**	**28**	**32**	**50**	**50**	**18.9**	**177**	**3**	**4**	**17**	**29**	**38**	**42**	**44**
GRAND TOTAL	**188**	**12.9**	**105**	**2**	**3**	**9**	**18**	**29**	**31**	**41**	**95**	**17.9**	**176**	**2**	**3**	**16**	**28**	**35**	**42**	**48**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	26.0	21	21	21	27	29	30	30	30	2	1.5	1	1	1	1	2	2	2	2
35-54	5	21.6	241	3	3	25	35	38	38	38	1	8.0		8	8	8	8	8	8	8
55-74	2	17.0	200	7	7	17	27	27	27	27	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	10	22.0	145	3	5	26	30	36	38	38	4	4.0	10	1	1	3	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	21.5	368	1	1	20	36	45	45	45	3	16.3	498	2	2	5	33	42	42	42
35-54	8	16.8	69	5	7	14	25	28	28	28	6	18.5	221	3	3	18	30	36	37	37
55-74	6	20.8	73	10	10	23	28	29	29	29	8	19.9	89	6	7	24	27	29	29	29
75 +											1	29.0		29	29	29	29	29	29	29
ALL AGES	18	19.2	119	3	6	17	28	29	39	45	18	19.3	169	2	3	24	29	35	40	42
SUBTOTAL	**28**	**20.2**	**125**	**3**	**6**	**21**	**28**	**33**	**39**	**45**	**22**	**16.5**	**176**	**1**	**2**	**10**	**28**	**32**	**39**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	22.5	841	2	2	22	43	43	43	43	1	42.0		42	42	42	42	42	42	42
18-20	4	24.8	205	9	9	23	35	43	43	43	2	15.5	421	1	1	15	30	30	30	30
21-24	5	21.0	174	5	5	20	32	37	37	37										
25-34	7	22.4	115	5	6	28	28	30	31	31	2	7.0	2	6	6	7	8	8	8	8
35-54	7	16.4	153	1	1	17	25	34	35	35	4	25.5	274	2	2	30	36	40	40	40
55-74	3	25.3	137	13	13	27	34	36	36	36	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	28	21.3	160	2	4	23	30	37	43	43	10	21.6	250	1	1	27	33	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	17.0		17	17	17	17	17	17	17	2	7.0	8	5	5	7	9	9	9	9
25-34	7	13.4	35	5	5	15	17	20	21	21	6	19.0	288	1	1	18	35	39	39	39
35-54	15	19.3	109	5	6	18	28	32	36	38	4	15.3	115	4	4	13	22	30	30	30
55-74	17	18.1	99	5	6	17	23	34	37	38	6	22.2	202	5	5	26	28	41	42	42
75 +	1	8.0		8	8	8	8	8	8	8	1	8.0		8	8	8	8	8	8	8
ALL AGES	41	17.4	92	5	6	16	23	31	36	38	19	17.4	182	2	3	13	28	37	41	42
SUBTOTAL	**69**	**19.0**	**121**	**5**	**5**	**18**	**28**	**35**	**38**	**43**	**29**	**18.8**	**203**	**1**	**2**	**14**	**30**	**40**	**42**	**42**
GRAND TOTAL	**97**	**19.4**	**119**	**4**	**5**	**18**	**28**	**35**	**38**	**44**	**51**	**17.8**	**189**	**1**	**2**	**13**	**29**	**38**	**42**	**42**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	24.0		24	24	24	24	24	24	24
18-20	3	21.7	50	17	17	18	27	30	30	30	4	34.0	37	30	30	31	37	43	43	43
21-24	8	11.6	104	2	2	9	19	27	28	28	9	25.4	143	1	8	28	32	39	42	42
25-34	22	15.5	155	2	3	9	28	30	36	43	44	22.0	206	1	2	28	30	41	42	49
35-54	9	17.1	127	1	1	22	28	28	28	28	15	20.0	203	2	3	28	28	37	44	47
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	43	15.5	126	2	2	14	28	29	31	43	73	22.7	189	1	2	28	30	41	42	49
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-20	1	7.0		7	7	7	7	7	7	7	3	36.7	113	29	29	32	45	49	49	49
21-24	5	8.0	19	3	3	7	12	13	13	13	8	18.6	128	3	3	22	28	29	30	30
25-34	14	14.0	28	4	6	15	16	21	21	21	12	26.9	221	3	4	30	36	44	48	49
35-54	1	8.0		8	8	8	8	8	8	8	6	25.2	83	10	11	28	29	35	36	36
55-74																				
75 +																				
ALL AGES	21	12.0	30	4	5	13	16	20	21	21	30	25.4	166	3	4	29	30	41	49	49
SUBTOTAL	**64**	**14.3**	**98**	**2**	**3**	**13**	**21**	**28**	**29**	**41**	**103**	**23.5**	**182**	**2**	**3**	**28**	**30**	**41**	**43**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.0	128	12	12	20	28	28	28	28	3	22.3	365	4	4	21	37	42	42	42
18-20	6	23.5	254	5	6	20	41	44	44	44	1	32.0		32	32	32	32	32	32	32
21-24	8	21.3	165	4	5	21	29	39	43	43	17	22.1	180	1	3	27	32	38	41	42
25-34	34	17.5	123	1	3	18	28	32	35	37	47	27.2	173	3	4	28	42	42	42	43
35-54	6	12.3	80	2	2	10	20	24	25	25	7	30.3	256	7	8	41	43	45	45	45
55-74	1	30.0		30	30	30	30	30	30	30										
75 +																				
ALL AGES	57	18.4	137	2	4	19	28	33	40	44	75	26.2	184	3	4	28	40	42	43	45
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	1	16.0		16	16	16	16	16	16	16										
18-20	2	27.5	5	26	26	27	29	29	29	29	3	13.3	122	7	7	7	21	26	26	26
21-24	6	13.7	88	2	2	12	22	26	27	27	10	35.2	55	25	26	35	41	45	48	48
25-34	22	16.6	158	1	3	15	18	34	42	52	18	20.0	259	1	2	19	34	42	42	42
35-54	2	16.0	50	11	11	16	21	21	21	21	1	27.0		27	27	27	27	27	27	27
55-74																				
75 +																				
ALL AGES	34	16.6	125	2	3	15	22	31	35	52	32	24.3	229	2	4	27	37	42	42	48
SUBTOTAL	**91**	**17.7**	**133**	**2**	**3**	**16**	**27**	**32**	**37**	**49**	**107**	**25.6**	**198**	**3**	**4**	**28**	**39**	**42**	**43**	**46**
GRAND TOTAL	**155**	**16.3**	**120**	**2**	**3**	**15**	**25**	**30**	**35**	**44**	**210**	**24.6**	**189**	**2**	**3**	**28**	**33**	**42**	**42**	**49**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	28.0	374	1	1	34	42	42	42	42	5	34.6	888	5	5	40	52	77	77	77
18-20	1	33.0		33	33	33	33	33	33	33	5	26.0	164	4	4	29	33	37	37	37
21-24	4	17.8	204	5	5	16	30	33	33	33	1	30.0		30	30	30	30	30	30	30
25-34	3	17.3	124	7	7	16	26	29	29	29	3	13.3	214	3	3	7	24	30	30	30
35-54											1	29.0		29	29	29	29	29	29	29
55-74																				
75 +																				
ALL AGES	12	22.3	219	1	4	27	33	42	42	42	15	26.8	393	3	4	29	36	44	69	77
B. FEMALE																				
0-12 YRS.																				
13-17											4	36.8	787	2	2	37	56	70	70	70
18-20																				
21-24											1	46.0		46	46	46	46	46	46	46
25-34											1	35.0		35	35	35	35	35	35	35
35-54											1	41.0		41	41	41	41	41	41	41
55-74																				
75 +																				
ALL AGES											7	38.4	413	2	8	41	45	65	70	70
SUBTOTAL	**12**	**22.3**	**219**	**1**	**4**	**27**	**33**	**42**	**42**	**42**	**22**	**30.5**	**410**	**3**	**4**	**31**	**41**	**53**	**73**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	17.1	186	3	4	15	23	39	43	43	5	49.6	204	31	31	46	59	70	70	70
18-20	2	17.0	392	3	3	17	31	31	31	31	2	40.5	1861	10	10	40	71	71	71	71
21-24	4	22.8	91	9	9	26	29	30	30	30	3	25.3	244	8	8	30	36	38	38	38
25-34	5	17.6	22	15	15	16	19	26	26	26	6	31.3	44	25	25	30	35	41	42	42
35-54	3	15.0	36	9	9	15	19	21	21	21										
55-74																				
75 +																				
ALL AGES	21	18.0	103	3	6	16	25	30	36	43	16	37.1	316	9	11	33	46	68	71	71
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14	1	58.0		58	58	58	58	58	58	58
18-20	6	20.0	160	8	8	16	28	40	41	41	2	23.0	72	17	17	23	29	29	29	29
21-24	1	27.0		27	27	27	27	27	27	27	1	35.0		35	35	35	35	35	35	35
25-34	3	21.7	210	5	5	28	31	32	32	32	1	25.0		25	25	25	25	25	25	25
35-54	1	29.0		29	29	29	29	29	29	29										
55-74																				
75 +																				
ALL AGES	12	21.3	123	5	7	23	29	35	40	41	5	32.8	241	17	17	29	41	58	58	58
SUBTOTAL	**33**	**19.2**	**109**	**4**	**7**	**16**	**28**	**31**	**40**	**43**	**21**	**36.0**	**295**	**9**	**14**	**32**	**46**	**63**	**70**	**71**
GRAND TOTAL	**45**	**20.0**	**137**	**3**	**5**	**18**	**29**	**33**	**42**	**43**	**43**	**33.2**	**352**	**4**	**6**	**32**	**43**	**60**	**71**	**77**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	34.0	72	28	28	34	40	40	40	40
21-24	3	27.7	370	6	6	34	41	43	43	43	7	29.7	3	28	28	30	30	32	32	32
25-34	7	18.0	166	3	4	11	30	34	35	35	7	21.0	117	5	6	28	30	30	30	30
35-54											1	29.0		29	29	29	29	29	29	29
55-74																				
75 +																				
ALL AGES	10	20.9	215	3	4	20	34	39	43	43	17	26.6	73	6	10	29	30	32	37	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	32.0	32	28	28	32	36	36	36	36	1	28.0		28	28	28	28	28	28	28
21-24											3	31.3	15	28	28	31	34	35	35	35
25-34	2	22.5	181	13	13	22	32	32	32	32	3	21.7	206	5	5	30	30	30	30	30
35-54																				
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	5	27.4	76	13	13	28	33	36	36	36	7	26.7	98	5	10	30	31	34	35	35
SUBTOTAL	**15**	**23.1**	**169**	**4**	**6**	**28**	**33**	**36**	**41**	**43**	**24**	**26.6**	**78**	**5**	**9**	**29**	**30**	**32**	**36**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.3	427	1	1	32	38	40	40	40	1	43.0		43	43	43	43	43	43	43
18-20	6	30.3	245	1	4	35	41	42	42	42										
21-24	4	27.3	283	2	2	34	36	38	38	38	1	28.0		28	28	28	28	28	28	28
25-34	8	21.0	224	2	2	24	32	40	42	42	5	19.4	282	1	1	26	32	37	37	37
35-54	3	2.3	2	1	1	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	24	22.5	268	1	1	29	36	41	42	42	7	24.0	269	1	1	28	35	42	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	27.0		27	27	27	27	27	27	27	2	22.5	685	4	4	22	41	41	41	41
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	10	31.4	211	1	9	32	41	49	56	56										
35-54	1	44.0		44	44	44	44	44	44	44										
55-74																				
75 +																				
ALL AGES	13	31.0	188	3	14	32	41	46	54	56	2	22.5	685	4	4	22	41	41	41	41
SUBTOTAL	**37**	**25.5**	**250**	**1**	**1**	**31**	**38**	**42**	**43**	**56**	**9**	**23.7**	**286**	**1**	**1**	**28**	**38**	**42**	**43**	**43**
GRAND TOTAL	**52**	**24.8**	**224**	**1**	**2**	**30**	**35**	**41**	**43**	**56**	**33**	**25.8**	**130**	**2**	**5**	**29**	**31**	**38**	**41**	**43**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	15.0		15	15	15	15	15	15	15										
GRAND TOTAL	1	15.0		15	15	15	15	15	15	15										

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	9.0	119	1	1	6	12	28	28	28	1	1.0		1	1	1	1	1	1	1
35-54	3	21.0	76	11	11	25	26	27	27	27	2	7.0	50	2	2	7	12	12	12	12
55-74	2	7.0	2	6	6	7	8	8	8	8										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	10	12.2	107	1	1	7	25	27	28	28	4	7.3	44	1	1	7	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	3	16.7	128	4	4	20	24	26	26	26	1	6.0		6	6	6	6	6	6	6
35-54	1	7.0		7	7	7	7	7	7	7	4	11.8	150	3	3	7	19	30	30	30
55-74											2	7.5	25	4	4	7	11	11	11	11
75 +																				
ALL AGES	5	13.0	90	4	4	8	21	26	26	26	8	8.8	81	2	2	6	9	24	30	30
SUBTOTAL	**15**	**12.5**	**94**	**1**	**3**	**8**	**24**	**27**	**28**	**28**	**12**	**8.3**	**64**	**1**	**2**	**6**	**11**	**19**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
35-54	3	9.3	51	3	3	8	15	17	17	17	1	21.0		21	21	21	21	21	21	21
55-74	1	24.0		24	24	24	24	24	24	24	2	24.5	25	21	21	24	28	28	28	28
75 +																				
ALL AGES	5	12.8	66	3	3	12	19	24	24	24	4	17.8	133	1	1	21	25	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	2	32.5	13	30	30	32	35	35	35	35	2	9.0	32	5	5	9	13	13	13	13
35-54	2	20.0	162	11	11	20	29	29	29	29	3	9.3	27	5	5	8	13	15	15	15
55-74	4	22.5	220	5	5	23	34	38	38	38										
75 +																				
ALL AGES	9	22.6	155	5	6	29	32	37	38	38	5	9.2	21	5	5	8	13	15	15	15
SUBTOTAL	**14**	**19.1**	**139**	**3**	**5**	**16**	**30**	**35**	**37**	**38**	**9**	**13.0**	**82**	**1**	**2**	**13**	**21**	**25**	**28**	**28**
GRAND TOTAL	**29**	**15.7**	**122**	**3**	**4**	**11**	**26**	**31**	**35**	**38**	**21**	**10.3**	**74**	**1**	**1**	**7**	**14**	**24**	**29**	**30**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	28.0		28	28	28	28	28	28	28										
21 24	5	19.2	188	1	1	22	30	35	35	35	3	32.3	80	25	25	30	39	42	42	42
25-34	13	9.5	61	2	3	8	10	18	30	33	7	31.4	120	18	18	32	42	45	45	45
35-54	4	4.5	7	1	1	5	6	7	7	7	4	23.8	326	1	1	26	38	42	42	42
55-74											1	18.0		18	18	18	18	18	18	18
75 +																				
ALL AGES	23	11.5	106	1	2	8	13	29	34	35	15	28.7	152	5	18	30	40	44	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	28.0		28	28	28	28	28	28	28
21-24	8	8.8	78	2	3	5	10	24	29	29										
25-34	13	8.8	39	1	2	8	9	16	24	26	4	19.0	353	1	1	17	34	41	41	41
35-54	6	16.7	83	10	10	13	19	32	34	34										
55-74	1	7.0		7	7	7	7	7	7	7	1	48.0		48	48	48	48	48	48	48
75 +																				
ALL AGES	28	10.4	65	2	3	8	13	24	29	34	6	25.3	350	1	1	28	41	47	48	48
SUBTOTAL	**51**	**10.9**	**82**	**1**	**2**	**8**	**13**	**28**	**33**	**35**	**21**	**27.7**	**198**	**1**	**4**	**28**	**41**	**44**	**46**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	25.0		25	25	25	25	25	25	25										
21-24	3	18.7	127	6	6	22	26	28	28	28	1	23.0		23	23	23	23	23	23	23
25-34	9	13.6	117	4	5	7	23	31	31	31	2	18.5	421	4	4	18	33	33	33	33
35-54	6	24.2	39	13	14	26	29	30	30	30										
55-74																				
75 +																				
ALL AGES	19	18.3	104	5	6	21	28	30	31	31	3	20.0	217	4	4	23	30	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	6.5	13	4	4	6	9	9	9	9										
25-34	9	13.2	113	1	3	10	16	31	35	35	2	29.5	5	28	28	29	31	31	31	31
35-54	2	4.0	8	2	2	4	6	6	6	6										
55-74																				
75 +																				
ALL AGES	13	10.8	91	1	2	9	11	28	34	35	2	29.5	5	28	28	29	31	31	31	31
SUBTOTAL	**32**	**15.3**	**108**	**2**	**4**	**10**	**25**	**30**	**31**	**35**	**5**	**23.8**	**137**	**4**	**4**	**28**	**31**	**33**	**33**	**33**
GRAND TOTAL	**83**	**12.6**	**95**	**2**	**3**	**9**	**20**	**29**	**32**	**35**	**26**	**27.0**	**180**	**1**	**4**	**28**	**35**	**44**	**46**	**48**

COMB DRUG DEPENDENCE NEC (304.8)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											3	51.3	71	42	42	55	56	57	57	57
18-20	5	25.2	185	2	2	29	31	38	38	38	1	3.0		3	3	3	3	3	3	3
21-24	2	38.0	32	34	34	38	42	42	42	42	3	34.3	54	28	28	33	40	42	42	42
25-34	10	19.3	152	1	3	20	31	32	33	33	5	14.0	203	1	1	10	28	31	31	31
35-54	1	34.0		34	34	34	34	34	34	34	2	21.5	841	1	1	21	42	42	42	42
55-74																				
75 +																				
ALL AGES	18	23.8	170	1	3	29	33	37	40	42	14	26.6	410	1	1	29	42	55	57	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	5	19.6	204	4	4	28	31	31	31	31	1	39.0		39	39	39	39	39	39	39
25-34	3	13.0	103	2	2	15	20	22	22	22										
35-54											1	28.0		28	28	28	28	28	28	28
55-74	3	14.0	93	3	3	18	20	21	21	21	1	44.0		44	44	44	44	44	44	44
75 +																				
ALL AGES	13	14.4	132	1	2	15	23	31	31	31	3	37.0	67	28	28	39	43	44	44	44
SUBTOTAL	**31**	**19.9**	**170**	**1**	**2**	**22**	**31**	**34**	**38**	**42**	**17**	**28.5**	**355**	**1**	**1**	**31**	**42**	**53**	**56**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.0	192	4	4	28	28	28	28	28	7	32.4	353	3	5	40	48	50	50	50
18-20	3	6.7	1	6	6	6	8	8	8	8	3	38.7	138	25	25	44	46	47	47	47
21-24	4	21.3	132	8	8	23	31	31	31	31	2	34.5	41	30	30	34	39	39	39	39
25-34	7	15.3	112	3	3	17	25	28	28	28	3	38.7	90	28	28	41	45	47	47	47
35-54	6	20.3	94	5	6	20	23	34	35	35										
55-74																				
75 +																				
ALL AGES	23	17.1	112	4	5	18	27	31	33	35	15	35.2	196	5	11	40	46	49	50	50
B. FEMALE																				
0-12 YRS.																				
13-17	2	18.5	221	8	8	18	29	29	29	29	3	49.0	109	37	37	54	55	56	56	56
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30	1	42.0		42	42	42	42	42	42	42
25-34	4	9.3	28	5	5	7	13	17	17	17										
35-54	3	25.0	37	18	18	28	29	29	29	29										
55-74	2	29.5	85	23	23	29	36	36	36	36	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	12	19.8	119	5	6	20	29	32	35	36	5	43.2	146	27	27	42	54	56	56	56
SUBTOTAL	**35**	**18.1**	**110**	**4**	**5**	**18**	**28**	**31**	**34**	**36**	**20**	**37.2**	**188**	**7**	**18**	**40**	**47**	**52**	**55**	**56**
GRAND TOTAL	**66**	**18.9**	**118**	**2**	**4**	**20**	**29**	**33**	**35**	**41**	**37**	**33.2**	**276**	**1**	**3**	**39**	**44**	**53**	**56**	**57**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	18	32.7	167	14	18	31	41	44	58	66	3	36.3	58	28	28	39	41	42	42	42
18-20	4	29.0	383	1	1	36	42	43	43	43	3	23.0	325	3	3	28	35	38	38	38
21-24	5	13.8	209	1	1	5	29	31	31	31	4	21.8	171	2	2	28	29	29	29	29
25-34	10	17.2	216	1	1	17	28	35	42	42	6	20.8	164	4	4	28	28	32	32	32
35-54	4	6.8	5	4	4	6	8	10	10	10	8	19.4	157	3	4	18	29	37	39	39
55-74											1	2.0		2	2	2	2	2	2	2
75 +											1	30.0		30	30	30	30	30	30	30
ALL AGES	41	23.7	262	1	3	26	39	42	44	66	26	22.2	173	2	3	28	30	39	40	42
B. FEMALE																				
0-12 YRS.																				
13-17	4	34.3	32	29	29	33	39	42	42	42										
18-20																				
21-24	3	19.7	118	7	7	26	26	26	26	26	2	28.5	1	28	28	28	29	29	29	29
25-34	7	11.3	85	1	2	9	17	26	28	28	10	15.3	167	1	2	15	27	30	31	31
35-54	1	9.0		9	9	9	9	9	9	9	3	23.3	119	11	11	28	30	31	31	31
55-74	2	6.5	5	5	5	6	8	8	8	8	5	13.4	311	1	1	6	23	43	43	43
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	17	17.5	160	2	5	10	28	35	40	42	21	16.9	177	1	1	16	28	31	37	43
SUBTOTAL	**58**	**21.9**	**236**	**1**	**4**	**26**	**31**	**42**	**43**	**64**	**47**	**19.8**	**180**	**1**	**2**	**27**	**29**	**37**	**40**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	18	28.7	303	2	4	28	42	51	56	58										
18-20	1	29.0		29	29	29	29	29	29	29	1	1.0		1	1	1	1	1	1	1
21-24	5	15.2	133	1	1	18	24	29	29	29	6	5.7	28	1	1	3	9	14	15	15
25-34	14	19.3	174	2	3	28	30	34	35	35	3	2.0	3	1	1	1	3	4	4	4
35-54	4	14.0	110	5	5	11	22	28	28	28										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	43	22.2	238	2	3	26	30	42	48	58	10	4.1	21	1	1	2	4	12	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	11	32.5	179	4	10	36	39	47	52	52										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	2	11.5	61	6	6	11	17	17	17	17	4	16.0	198	1	1	17	28	28	28	28
35-54	5	14.6	288	1	1	6	28	40	40	40	2	23.5	761	4	4	23	43	43	43	43
55-74	5	15.0	194	2	2	9	25	36	36	36	4	13.0	125	4	4	9	20	29	29	29
75 +																				
ALL AGES	25	22.0	254	2	2	22	36	40	46	52	10	16.3	208	1	2	10	28	36	43	43
SUBTOTAL	**68**	**22.1**	**241**	**2**	**3**	**23**	**35**	**42**	**46**	**57**	**20**	**10.2**	**148**	**1**	**1**	**4**	**13**	**29**	**36**	**43**
GRAND TOTAL	**126**	**22.0**	**237**	**2**	**3**	**25**	**34**	**42**	**44**	**60**	**67**	**17.0**	**185**	**1**	**1**	**15**	**28**	**32**	**40**	**43**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	5	1.0		1	1	1	1	1	1	1
13-17	28	2.4	11	1	1	1	2	8	10	15	38	6.4	253	1	1	1	2	29	43	75
18-20	13	5.6	89	1	1	2	3	24	29	30	24	2.9	70	1	1	1	2	2	14	42
21-24	23	4.7	74	1	1	2	2	20	29	30	15	4.9	96	1	1	1	2	27	30	31
25-34	58	6.1	80	1	1	2	5	26	29	31	44	4.6	74	1	1	1	3	11	29	35
35-54	111	5.4	53	1	1	3	5	10	28	33	62	7.0	91	1	1	2	5	28	29	30
55-74	44	5.8	41	1	1	3	8	13	22	28	41	7.3	114	1	1	2	5	29	31	34
75 +	3	5.0	7	2	2	6	7	7	7	7	6	2.8	4	1	1	2	4	6	6	6
ALL AGES	282	5.2	55	1	1	2	5	13	28	31	235	5.7	112	1	1	2	3	27	30	42
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	4	3.8	30	1	1	1	6	12	12	12
13-17	22	3.0	26	1	1	1	2	10	18	19	20	7.3	161	1	1	1	7	26	39	47
18-20	4	1.3		1	1	1	2	2	2	2	9	5.0	135	1	1	1	2	22	36	36
21-24	12	2.9	8	1	1	2	3	7	10	11	5	1.2		1	1	1	1	2	2	2
25-34	19	5.1	92	1	1	2	3	19	32	35	15	2.7	14	1	1	1	2	10	12	13
35-54	35	4.2	20	1	1	3	5	11	12	23	19	4.3	63	1	1	1	3	16	26	31
55-74	10	3.0	3	1	1	3	4	5	6	6	13	5.2	83	1	1	2	4	12	31	35
75 +	4	6.3	9	2	2	7	8	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	108	3.8	29	1	1	2	4	9	13	32	86	4.7	80	1	1	1	3	13	31	43
SUBTOTAL	**390**	**4.8**	**48**	**1**	**1**	**2**	**5**	**11**	**26**	**31**	**321**	**5.4**	**104**	**1**	**1**	**1**	**3**	**22**	**30**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	14	11.4	262	1	1	3	18	39	43	44	8	30.1	604	1	1	43	48	55	56	56
18-20	12	12.8	204	1	1	4	30	32	35	36	5	3.8	27	1	1	2	5	13	13	13
21-24	21	10.1	114	1	1	6	16	29	31	33	5	6.6	143	1	1	1	8	28	28	28
25-34	38	6.8	84	1	1	4	6	19	30	42	12	6.3	104	1	1	2	4	28	28	28
35-54	56	6.8	53	1	1	4	7	17	26	34	17	3.2	8	1	1	3	3	8	10	11
55-74	25	6.1	14	1	2	6	7	12	14	16	14	8.8	97	2	2	5	8	29	31	32
75 +	3	4.7		4	4	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	169	7.9	89	1	1	4	8	24	31	41	63	8.8	191	1	1	3	6	30	44	55
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	8	20.4	562	1	1	13	35	59	63	63	6	19.3	405	1	1	16	30	48	50	50
18-20	6	11.0	108	1	1	9	15	28	29	29	2	1.0		1	1	1	1	1	1	1
21-24	4	1.5	1	1	1	1	2	3	3	3	2	5.0	18	2	2	5	8	8	8	8
25-34	16	7.6	68	1	2	4	10	21	27	29	6	10.3	148	1	1	5	19	30	31	31
35-54	36	9.9	88	1	1	6	14	28	29	30	10	3.9	9	1	1	3	6	8	9	9
55-74	20	8.7	78	1	2	5	11	27	28	28	6	9.0	111	3	3	4	9	28	30	30
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	91	9.8	126	1	1	5	13	28	29	58	33	8.6	142	1	1	4	8	30	31	50
SUBTOTAL	**260**	**8.5**	**104**	**1**	**1**	**5**	**10**	**27**	**30**	**44**	**96**	**8.7**	**173**	**1**	**1**	**3**	**8**	**30**	**43**	**54**
GRAND TOTAL	**650**	**6.3**	**73**	**1**	**1**	**3**	**6**	**18**	**28**	**36**	**417**	**6.2**	**121**	**1**	**1**	**2**	**4**	**28**	**31**	**48**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	8.5	61	3	3	8	14	14	14	14	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	4.7	14	2	2	3	7	9	9	9										
55-74																				
75 +																				
ALL AGES	4	4.3	10	2	2	3	6	9	9	9										
SUBTOTAL	**6**	**5.7**	**23**	**2**	**2**	**3**	**9**	**13**	**14**	**14**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**6**	**5.7**	**23**	**2**	**2**	**3**	**9**	**13**	**14**	**14**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	6	19.5	232	5	5	18	30	40	41	41	12	39.1	371	5	8	42	52	58	67	69
18-20	1	24.0		24	24	24	24	24	24	24	2	23.5	925	2	2	23	45	45	45	45
21-24	1	30.0		30	30	30	30	30	30	30	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	22.1	163	5	5	27	30	37	41	41	15	34.5	471	1	2	40	52	54	65	69
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42	7	44.3	99	34	34	43	54	59	59	59
18-20																				
21-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	35.5	85	29	29	35	42	42	42	42	7	44.3	99	34	34	43	54	59	59	59
SUBTOTAL	**11**	**24.5**	**170**	**5**	**5**	**28**	**30**	**41**	**42**	**42**	**22**	**37.6**	**366**	**2**	**4**	**41**	**52**	**58**	**63**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	26.1	343	4	4	30	43	49	49	49	6	33.8	149	18	18	35	42	49	50	50
18-20	3	29.0	67	20	20	31	35	36	36	36	4	8.3	80	1	1	5	14	21	21	21
21-24	3	31.7	107	21	21	32	39	42	42	42	1	1.0		1	1	1	1	1	1	1
25-34	7	17.0	120	2	3	18	26	31	32	32	1	28.0		28	28	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	20	24.2	197	3	4	24	32	44	48	49	12	22.1	276	1	1	22	35	44	49	50
B. FEMALE																				
0-12 YRS.																				
13-17	4	27.3	216	14	14	26	40	42	42	42	1	42.0		42	42	42	42	42	42	42
18-20											1	21.0		21	21	21	21	21	21	21
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	3.0	7	1	1	2	5	6	6	6										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	8	15.6	253	1	1	10	26	41	42	42	3	21.3	422	1	1	21	37	42	42	42
SUBTOTAL	**28**	**21.8**	**217**	**2**	**3**	**20**	**32**	**42**	**47**	**49**	**15**	**21.9**	**279**	**1**	**1**	**21**	**37**	**42**	**48**	**50**
GRAND TOTAL	**39**	**22.5**	**204**	**2**	**4**	**24**	**32**	**42**	**45**	**49**	**37**	**31.2**	**385**	**1**	**1**	**35**	**44**	**54**	**58**	**69**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	18.0		18	18	18	18	18	18	18										
21-24	2	1.5	1	1	1	1	2	2	2	2	2	1.0		1	1	1	1	1	1	1
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.8	72	1	1	8	16	18	18	18	3	1.7	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**8.8**	**72**	**1**	**1**	**8**	**16**	**18**	**18**	**18**	**3**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	3	5.0	9	2	2	5	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	14.0		14	14	14	14	14	14	14	1	10.0		10	10	10	10	10	10	10
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**4**	**7.3**	**25**	**2**	**2**	**6**	**11**	**14**	**14**	**14**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**8**	**8.0**	**43**	**1**	**1**	**6**	**14**	**17**	**18**	**18**	**4**	**3.8**	**18**	**1**	**1**	**2**	**6**	**10**	**10**	**10**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	6.0		6	6	6	6	6	6	6	2	14.5	265	3	3	14	26	26	26	26
75 +																				
ALL AGES	2	5.0	2	4	4	5	6	6	6	6	3	11.0	169	3	3	4	20	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	9.0	109	2	2	4	17	21	21	21	1	3.0		3	3	3	3	3	3	3
35-54	1	14.0		14	14	14	14	14	14	14	2	8.0	72	2	2	8	14	14	14	14
55-74	1	7.0		7	7	7	7	7	7	7	3	12.7	309	2	2	3	25	33	33	33
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	5	9.6	61	2	2	7	16	21	21	21	7	9.4	129	2	2	3	13	29	33	33
SUBTOTAL	**7**	**8.3**	**46**	**2**	**2**	**6**	**12**	**20**	**21**	**21**	**10**	**9.9**	**124**	**2**	**2**	**4**	**14**	**29**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	22.0		22	22	22	22	22	22	22	1	15.0		15	15	15	15	15	15	15
25-34	5	20.2	128	3	3	24	29	30	30	30	2	2.0	2	1	1	2	3	3	3	3
35-54																				
55-74	3	8.3	37	2	2	9	13	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	9	16.4	112	2	2	15	25	30	30	30	4	5.5	41	1	1	3	9	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	15.5	421	1	1	15	30	30	30	30										
21-24																				
25-34	6	12.2	57	3	4	9	21	22	22	22	3	1.7	1	1	1	1	3	3	3	3
35-54	2	21.0	50	16	16	21	26	26	26	26	3	4.0	12	2	2	2	7	8	8	8
55-74	2	26.0	338	13	13	26	39	39	39	39	2	8.0	8	6	6	8	10	10	10	10
75 +																				
ALL AGES	12	16.5	130	1	2	14	24	33	38	39	8	4.1	12	1	1	3	7	9	10	10
SUBTOTAL	**21**	**16.5**	**115**	**1**	**2**	**15**	**24**	**30**	**34**	**39**	**12**	**4.6**	**19**	**1**	**1**	**3**	**7**	**11**	**14**	**15**
GRAND TOTAL	**28**	**14.4**	**110**	**2**	**2**	**13**	**22**	**30**	**31**	**39**	**22**	**7.0**	**70**	**1**	**1**	**3**	**9**	**18**	**29**	**33**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	1	29.0		29	29	29	29	29	29	29										
25-34	3	13.3	118	1	1	18	20	21	21	21	3	13.0	208	1	1	9	24	29	29	29
35-54	4	10.3	182	1	1	5	19	30	30	30	3	24.0	351	3	3	30	37	39	39	39
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	8	13.8	150	1	1	13	25	30	30	30	8	15.4	219	1	2	8	29	36	39	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24											1	13.0		13	13	13	13	13	13	13
25-34	3	20.0	244	2	2	28	29	30	30	30	3	13.0	331	2	2	3	26	34	34	34
35-54	1	10.0		10	10	10	10	10	10	10	3	15.0	217	6	6	7	26	32	32	32
55-74	1	14.0		14	14	14	14	14	14	14	2	31.5	221	21	21	31	42	42	42	42
75 +																				
ALL AGES	5	16.8	143	2	2	14	28	30	30	30	10	16.5	217	2	2	10	32	38	42	42
SUBTOTAL	**13**	**14.9**	**139**	**1**	**1**	**14**	**28**	**30**	**30**	**30**	**18**	**16.0**	**206**	**1**	**2**	**8**	**30**	**37**	**41**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	1	42.0		42	42	42	42	42	42	42										
25-34											1	41.0		41	41	41	41	41	41	41
35-54	1	10.0		10	10	10	10	10	10	10	2	6.0	8	4	4	6	8	8	8	8
55-74																				
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	3	25.0	259	10	10	23	37	42	42	42	4	18.5	278	4	4	14	31	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	5.3	10	2	2	5	8	9	9	9	2	5.5	5	4	4	5	7	7	7	7
35-54	5	16.6	88	4	4	17	23	29	29	29										
55-74											2	11.0	200	1	1	11	21	21	21	21
75 +																				
ALL AGES	10	11.0	78	2	2	8	17	25	29	29	4	8.3	77	1	1	5	14	21	21	21
SUBTOTAL	**13**	**14.2**	**140**	**2**	**3**	**10**	**21**	**32**	**40**	**42**	**8**	**13.4**	**182**	**1**	**2**	**7**	**21**	**35**	**41**	**41**
GRAND TOTAL	**26**	**14.6**	**133**	**1**	**2**	**11**	**23**	**30**	**33**	**42**	**26**	**15.2**	**192**	**1**	**2**	**8**	**29**	**38**	**41**	**42**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17											1	30.0		30	30	30	30	30	30	30
18-20	3	12.0	243	3	3	3	23	30	30	30	5	10.6	140	3	3	3	18	30	30	30
21-24	13	13.1	144	1	2	6	27	28	28	28	14	15.3	158	3	3	9	28	30	30	30
25-34	29	11.7	148	1	1	5	26	28	35	35	31	15.1	147	1	3	8	29	30	30	30
35-54	7	16.6	141	1	2	20	28	28	28	28	14	18.4	159	2	2	24	30	31	32	32
55-74																				
75 +																				
ALL AGES	52	12.7	144	1	1	6	27	28	30	35	66	15.6	148	2	3	9	30	30	30	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	13.5	41	9	9	13	18	18	18	18	2	16.5	265	5	5	16	28	28	28	28
21-24	4	17.0	125	5	5	16	26	30	30	30	6	9.3	102	3	3	5	11	27	29	29
25-34	8	10.5	115	1	1	5	20	26	28	28	15	21.3	137	2	5	28	28	31	34	35
35-54	1	1.0		1	1	1	1	1	1	1	2	25.5	41	21	21	25	30	30	30	30
55-74																				
75 +																				
ALL AGES	16	11.3	105	1	1	7	20	27	29	30	25	18.4	144	2	3	27	28	30	32	35
SUBTOTAL	**68**	**12.4**	**133**	**1**	**1**	**6**	**27**	**28**	**30**	**35**	**91**	**16.4**	**146**	**2**	**3**	**13**	**29**	**30**	**30**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	5	15.4	240	1	1	8	30	35	35	35	2	20.0	200	10	10	20	30	30	30	30
21-24	7	14.0	150	2	2	11	25	30	31	31	8	13.6	186	1	1	5	30	30	30	30
25-34	40	11.5	113	1	1	6	23	28	29	30	22	16.7	135	1	2	17	28	30	30	30
35-54	7	17.0	107	3	3	22	24	27	28	28	10	20.9	139	5	6	30	30	30	30	30
55-74																				
75 +																				
ALL AGES	60	12.6	123	1	1	7	24	29	30	35	42	17.3	141	1	2	17	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.3	422	2	2	3	29	38	38	38										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	11	9.9	107	1	1	6	14	28	32	32	2	33.5	25	30	30	33	37	37	37	37
25-34	14	11.1	119	1	2	6	23	30	30	30	5	24.8	135	4	4	30	30	30	30	30
35-54	2	7.0	72	1	1	7	13	13	13	13										
55-74																				
75 +																				
ALL AGES	31	10.7	119	1	1	6	15	30	32	38	7	27.3	111	4	9	30	30	36	37	37
SUBTOTAL	**91**	**11.9**	**122**	**1**	**1**	**6**	**23**	**29**	**30**	**37**	**49**	**18.7**	**148**	**2**	**3**	**26**	**30**	**30**	**30**	**37**
GRAND TOTAL	**159**	**12.1**	**127**	**1**	**1**	**6**	**24**	**28**	**30**	**35**	**140**	**17.2**	**147**	**2**	**3**	**19**	**30**	**30**	**30**	**35**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	37.0	128	29	29	37	45	45	45	45
18-20																				
21-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	4	28.3	30	22	22	27	32	36	36	36
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	6	31.2	64	22	22	28	36	44	45	45
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**7**	**31.0**	**55**	**22**	**23**	**29**	**34**	**43**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	39.0		39	39	39	39	39	39	39
18-20																				
21-24	2	30.0	450	15	15	30	45	45	45	45										
25-34	3	32.0	43	26	26	31	37	39	39	39										
35-54	2	13.0	242	2	2	13	24	24	24	24										
55-74																				
75 +																				
ALL AGES	7	26.0	209	2	5	26	37	44	45	45	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	3	29.0	475	4	4	39	43	44	44	44										
18-20	1	3.0		3	3	3	3	3	3	3	1	18.0		18	18	18	18	18	18	18
21-24	1	31.0		31	31	31	31	31	31	31										
25-34	1	28.0		28	28	28	28	28	28	28	2	13.5	313	1	1	13	26	26	26	26
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	7	23.3	270	3	3	28	37	43	44	44	3	15.0	163	1	1	18	24	26	26	26
SUBTOTAL	**14**	**24.6**	**226**	**2**	**3**	**27**	**39**	**44**	**45**	**45**	**4**	**21.0**	**253**	**1**	**1**	**22**	**32**	**39**	**39**	**39**
GRAND TOTAL	**17**	**20.8**	**255**	**2**	**2**	**24**	**33**	**43**	**45**	**45**	**11**	**27.4**	**132**	**2**	**11**	**28**	**34**	**41**	**45**	**45**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL											**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	2	16.0	288	4	4	16	28	28	28	28	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**12.0**	**192**	**4**	**4**	**4**	**22**	**28**	**28**	**28**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**3**	**12.0**	**192**	**4**	**4**	**4**	**22**	**28**	**28**	**28**	**4**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	9.7	176	1	1	3	19	25	25	25	1	5.0		5	5	5	5	5	5	5
13-17	38	22.9	224	1	2	18	39	42	45	50	7	25.4	622	1	1	28	47	58	60	60
18-20	19	11.5	95	1	1	9	16	28	29	29	6	2.7	6	1	1	2	4	7	7	7
21-24	19	11.8	135	1	1	5	26	28	29	29	3	18.0	175	3	3	23	27	28	28	28
25-34	52	11.8	117	1	2	7	20	28	30	42	24	16.0	196	1	2	9	28	31	43	47
35-54	27	9.9	85	2	2	7	14	25	29	39	10	12.3	131	2	3	6	23	30	32	32
55-74	6	7.2	48	1	1	4	10	19	20	20	4	6.5	7	4	4	6	8	10	10	10
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	165	13.8	156	1	2	9	23	30	40	45	55	14.3	221	1	1	6	28	32	46	60
B. FEMALE																				
0-12 YRS.																				
13-17	22	22.6	238	3	5	18	38	43	44	45	5	16.2	941	1	1	2	21	71	71	71
18-20	9	14.4	178	1	1	8	27	33	36	36	3	2.0	3	1	1	1	3	4	4	4
21-24	13	15.8	178	2	3	11	22	31	48	52	1	1.0		1	1	1	1	1	1	1
25-34	35	15.5	106	3	4	12	28	31	31	32	6	18.7	212	5	5	16	28	41	42	42
35-54	20	8.8	58	1	1	8	10	22	27	28	11	8.5	81	1	1	5	10	25	28	28
55-74	7	8.6	33	2	2	10	12	17	18	18	4	13.3	134	1	1	11	21	29	29	29
75 +	2	18.0	98	11	11	18	25	25	25	25	1	7.0		7	7	7	7	7	7	7
ALL AGES	108	15.2	150	2	3	11	24	32	42	48	31	11.4	233	1	1	5	12	29	41	71
SUBTOTAL	**273**	**14.4**	**152**	**1**	**2**	**10**	**23**	**31**	**41**	**45**	**86**	**13.2**	**226**	**1**	**1**	**6**	**24**	**29**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	29	24.9	171	3	11	26	32	42	44	53	6	5.2	68	1	1	2	3	20	22	22
18-20	10	10.4	176	1	1	3	23	32	36	36	2	23.5	85	17	17	23	30	30	30	30
21-24	18	16.8	141	1	2	15	28	32	34	36	1	4.0		4	4	4	4	4	4	4
25-34	33	16.2	206	1	2	11	26	36	41	58	12	13.9	138	1	2	8	26	29	31	31
35-54	21	8.2	44	1	1	7	13	19	20	21	6	13.7	132	2	2	12	21	29	30	30
55-74	5	13.4	107	4	4	14	19	29	29	29	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	116	16.4	179	1	2	14	27	36	42	55	28	11.9	125	1	1	5	22	29	30	31
B. FEMALE																				
0-12 YRS.																				
13-17	21	22.8	232	3	4	21	33	40	49	59	5	12.8	226	3	3	8	18	39	39	39
18-20	6	18.2	130	3	3	20	23	34	35	35	2	9.0	128	1	1	8	17	17	17	17
21-24	5	8.2	17	2	2	9	11	13	13	13	2	1.5	1	1	1	1	2	2	2	2
25-34	23	15.2	175	2	3	10	23	37	44	47	4	2.3	2	1	1	2	3	4	4	4
35-54	18	11.9	101	2	4	8	14	30	36	37	4	2.8	1	2	2	3	3	4	4	4
55-74	10	12.2	62	4	4	9	17	25	28	28	2	8.0	2	7	7	8	9	9	9	9
75 +	3	15.0	37	8	8	18	19	19	19	19										
ALL AGES	86	15.8	157	2	4	11	22	35	40	55	19	6.4	79	1	1	3	8	15	29	39
SUBTOTAL	**202**	**16.1**	**170**	**2**	**2**	**13**	**26**	**36**	**41**	**55**	**47**	**9.7**	**111**	**1**	**1**	**4**	**17**	**28**	**30**	**39**
GRAND TOTAL	**475**	**15.1**	**161**	**1**	**2**	**11**	**24**	**34**	**41**	**49**	**133**	**12.0**	**187**	**1**	**1**	**5**	**22**	**29**	**38**	**62**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9										
35-54	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	3	4.0	19	1	1	2	7	9	9	9	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	6.5	61	1	1	6	12	12	12	12	1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
35-54	2	6.0	8	4	4	6	8	8	8	8										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	7	9.9	82	1	1	8	11	26	29	29	3	4.0	7	2	2	3	6	7	7	7
SUBTOTAL	**10**	**8.1**	**68**	**1**	**1**	**7**	**9**	**20**	**29**	**29**	**4**	**4.3**	**4**	**2**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54											3	3.0	1	2	2	3	4	4	4	4
55-74	1	18.0		18	18	18	18	18	18	18	2	19.0	338	6	6	19	32	32	32	32
75 +																				
ALL AGES	2	23.5	61	18	18	23	29	29	29	29	5	9.4	162	2	2	4	12	32	32	32
SUBTOTAL	**2**	**23.5**	**61**	**18**	**18**	**23**	**29**	**29**	**29**	**29**	**5**	**9.4**	**162**	**2**	**2**	**4**	**12**	**32**	**32**	**32**
GRAND TOTAL	**12**	**10.7**	**96**	**1**	**1**	**8**	**15**	**29**	**29**	**29**	**9**	**7.1**	**90**	**2**	**2**	**4**	**6**	**22**	**32**	**32**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4										
13-17	3	2.7	1	2	2	2	4	4	4	4										
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	4	2.3	1	1	1	2	3	3	3	3	2	3.0		3	3	3	3	3	3	3
35-54	5	2.8	4	1	1	2	4	6	6	6	5	4.0	5	1	1	4	6	6	6	6
55-74	5	2.2	1	1	1	2	3	3	3	3										
75 +	4	10.0	81	3	3	7	16	23	23	23	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	26	3.5	19	1	1	2	3	6	12	23	10	3.4	4	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	3	1.7		1	1	2	2	2	2	2
13-17	2	3.0	2	2	2	3	4	4	4	4	4	1.5		1	1	1	2	2	2	2
18-20											2	4.5	1	4	4	4	5	5	5	5
21-24	3	3.3	5	1	1	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34	4	3.3	6	2	2	2	5	7	7	7	7	3.6	10	1	1	1	7	8	8	8
35-54	14	3.6	5	1	2	3	4	5	10	11	18	2.9	2	1	1	3	4	5	6	6
55-74	16	3.9	4	1	1	4	5	7	8	8	6	4.5	6	3	3	4	5	9	9	9
75 +	7	2.9	3	1	1	3	4	6	6	6	5	2.8	9	1	1	2	4	8	8	8
ALL AGES	48	3.5	4	1	1	3	4	6	7	11	46	3.0	5	1	1	2	4	6	8	9
SUBTOTAL	**74**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**20**	**56**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
35-54	3	3.3	1	3	3	3	4	4	4	4										
55-74	3	4.3	17	2	2	2	7	9	9	9	3	2.7	1	2	2	2	4	4	4	4
75 +	3	4.3	3	3	3	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	11	3.5	5	1	1	3	4	7	9	9	8	2.1	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24											2	3.5	5	2	2	3	5	5	5	5
25-34	5	3.8	6	2	2	3	5	8	8	8	3	1.7		1	1	2	2	2	2	2
35-54	7	2.9	3	1	1	2	5	5	5	5	8	2.9	1	1	1	3	4	5	5	5
55-74	5	2.2	2	1	1	2	3	4	4	4	11	3.7	4	1	1	4	5	6	6	6
75 +	3	3.3	11	1	1	2	6	7	7	7	4	5.8	24	2	2	4	9	13	13	13
ALL AGES	20	3.0	4	1	1	2	4	6	7	8	29	3.4	6	1	1	3	5	6	7	13
SUBTOTAL	**31**	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**8**	**9**	**37**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**13**
GRAND TOTAL	**105**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**16**	**93**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	3.5	5	2	2	3	5	5	5	5										
55-74	1	2.0		2	2	2	2	2	2	2	3	7.7	80	2	2	3	14	18	18	18
75 +	1	14.0		14	14	14	14	14	14	14	3	4.3	2	3	3	5	5	5	5	5
ALL AGES	5	4.8	29	1	1	2	7	14	14	14	7	5.6	31	2	2	3	5	15	18	18
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	3	3.0	3	1	1	4	4	4	4	4	2	9.5	61	4	4	9	15	15	15	15
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	4	3.3	2	1	1	4	4	4	4	4	6	4.8	27	1	1	3	4	14	15	15
SUBTOTAL	**9**	**4.1**	**16**	**1**	**1**	**4**	**4**	**10**	**14**	**14**	**13**	**5.2**	**27**	**1**	**2**	**3**	**5**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	3.7	2	2	2	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	13.5	145	5	5	13	22	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74	4	3.8	2	2	2	3	5	6	6	6	1	10.0		10	10	10	10	10	10	10
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	7.0	56	2	2	4	6	20	22	22	3	4.7	21	2	2	2	8	10	10	10
SUBTOTAL	**9**	**5.9**	**38**	**2**	**2**	**4**	**5**	**16**	**22**	**22**	**4**	**3.8**	**17**	**1**	**1**	**2**	**6**	**10**	**10**	**10**
GRAND TOTAL	**18**	**5.0**	**26**	**1**	**1**	**4**	**5**	**12**	**19**	**22**	**17**	**4.9**	**24**	**1**	**1**	**3**	**5**	**14**	**17**	**18**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	83.0		83	83	83	83	83	83	83										
SUBTOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.3	1	2	2	2	3	3	3	3										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24											1	1.0		1	1	1	1	1	1	1
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	7.5	13	5	5	7	10	10	10	10	2	9.0	72	3	3	9	15	15	15	15
55-74	5	4.0	7	1	1	3	6	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	12	4.2	7	1	1	3	6	9	10	10	6	4.5	27	1	1	3	3	14	15	15
B. FEMALE																				
0-12 YRS.	4	6.0	47	1	1	3	10	16	16	16	2	4.5	13	2	2	4	7	7	7	7
13-17	2	4.0	2	3	3	4	5	5	5	5	2	2.5	5	1	1	2	4	4	4	4
18-20											2	3.0		3	3	3	3	3	3	3
21-24											1	3.0		3	3	3	3	3	3	3
25-34	4	4.3	6	2	2	4	6	7	7	7	9	5.8	6	3	3	5	7	10	10	10
35-54	9	3.4	4	1	1	3	4	7	7	7	3	14.3	388	2	2	4	29	37	37	37
55-74	7	5.3	4	2	2	6	7	8	8	8	4	3.8	2	2	2	3	5	6	6	6
75 +	3	5.7	10	2	2	7	8	8	8	8	3	3.7	1	3	3	3	5	5	5	5
ALL AGES	29	4.6	10	1	2	4	6	8	9	16	26	5.5	46	2	2	4	6	9	15	37
SUBTOTAL	**41**	**4.5**	**9**	**1**	**2**	**4**	**6**	**8**	**9**	**16**	**32**	**5.3**	**42**	**1**	**2**	**4**	**5**	**9**	**14**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	—																			
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	5.7		5	5	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	5	5.6		5	5	6	6	6	6	6	3	3.0	3	2	2	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	3	6.3	35	2	2	4	11	13	13	13	2	3.5	5	2	2	3	5	5	5	5
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	1	4.0		4	4	4	4	4	4	4	4	4.8	10	2	2	5	7	8	8	8
25-34	2	4.5	5	3	3	4	6	6	6	6	1	4.0		4	4	4	4	4	4	4
35-54	3	8.3	5	6	6	9	10	10	10	10	7	8.9	102	2	2	6	9	27	31	31
55-74	2	5.0	2	4	4	5	6	6	6	6	8	3.3	2	1	1	3	5	5	5	5
75 +	2	8.5	1	8	8	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
ALL AGES	15	6.4	9	2	3	6	9	10	12	13	23	5.2	37	1	2	4	6	8	17	31
SUBTOTAL	**20**	**6.2**	**7**	**2**	**3**	**6**	**8**	**10**	**11**	**13**	**26**	**4.9**	**34**	**1**	**2**	**3**	**5**	**8**	**13**	**31**
GRAND TOTAL	**61**	**5.0**	**9**	**1**	**2**	**5**	**6**	**9**	**10**	**16**	**58**	**5.2**	**37**	**1**	**2**	**4**	**5**	**9**	**13**	**37**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	5	3.2	6	1	1	2	5	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	2	7.5	25	4	4	7	11	11	11	11										
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	4.4	14	2	2	3	6	11	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**10**	**3.8**	**9**	**1**	**1**	**3**	**4**	**9**	**11**	**11**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	2	6.0	32	2	2	6	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	8.0		8	8	8	8	8	8	8
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	3	5.0	9	2	2	5	7	3	8	8
SUBTOTAL	**3**	**8.7**	**36**	**2**	**2**	**10**	**13**	**14**	**14**	**14**	**3**	**5.0**	**9**	**2**	**2**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**13**	**4.9**	**18**	**1**	**1**	**3**	**8**	**12**	**14**	**14**	**4**	**4.5**	**7**	**2**	**2**	**4**	**6**	**8**	**8**	**8**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.7		1	1	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	3.3	2	1	1	3	4	5	5	5										
SUBTOTAL	**7**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54											2	12.0		12	12	12	12	12	12	12
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28	3	9.3	22	4	4	12	12	12	12	12
SUBTOTAL	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**	**3**	**9.3**	**22**	**4**	**4**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL	**8**	**5.8**	**82**	**1**	**1**	**3**	**4**	**21**	**28**	**28**	**4**	**8.3**	**18**	**4**	**4**	**8**	**12**	**12**	**12**	**12**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	4	4.3	20	2	2	2	7	11	11	11										
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	4	11.8	245	1	1	5	21	35	35	35	2	5.0	18	2	2	5	8	8	8	8
55-74											4	2.5	4	1	1	2	4	5	5	5
75 +																				
ALL AGES	11	6.4	99	1	1	2	6	21	34	35	9	3.3	6	1	1	2	5	7	8	8
SUBTOTAL	**12**	**6.2**	**90**	**1**	**1**	**3**	**6**	**18**	**33**	**35**	**10**	**3.1**	**6**	**1**	**1**	**2**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.5	685	3	3	21	40	40	40	40										
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	3	14.7	481	1	1	3	31	40	40	40										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54	6	13.2	80	1	2	12	13	27	29	29										
55-74	1	5.0		5	5	5	5	5	5	5	2	12.5	145	4	4	12	21	21	21	21
75 +																				
ALL AGES	8	11.0	74	1	2	11	13	24	29	29	3	9.3	103	3	3	4	17	21	21	21
SUBTOTAL	**11**	**12.0**	**151**	**1**	**1**	**11**	**13**	**33**	**39**	**40**	**3**	**9.3**	**103**	**3**	**3**	**4**	**17**	**21**	**21**	**21**
GRAND TOTAL	**23**	**9.0**	**122**	**1**	**1**	**4**	**12**	**30**	**37**	**40**	**13**	**4.5**	**29**	**1**	**1**	**3**	**5**	**11**	**19**	**21**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**2**	**8.5**	**5**	**7**	**7**	**8**	**10**	**10**	**10**	**10**										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
13-17											1	3.0		3	3	3	3	3	3	3
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	3	5.7	25	1	1	5	9	11	11	11	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.	5	31.2	591	3	3	31	47	66	66	66										
13-17	12	34.8	696	2	6	30	48	74	88	90	2	4.0		4	4	4	4	4	4	4
18-20	8	24.9	252	5	7	28	40	81	99 +	99 +	1	8.0		8	8	8	8	8	8	8
21-24	11	21.7	78	3	11	23	27	32	36	36	1	2.0		2	2	2	2	2	2	2
25-34	11	16.3	164	1	1	13	30	58	94	99 +	6	30.3	995	1	1	26	48	74	77	77
35-54	5	10.4	76	3	3	10	24	92	99 +	99 +	2	7.5	5	6	6	7	9	9	9	9
55-74	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
75 +	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	54	23.3	346	2	3	22	36	63	96	99 +	14	15.9	554	1	2	5	9	51	71	77
SUBTOTAL	**57**	**22.4**	**343**	**1**	**3**	**20**	**35**	**59**	**95**	**99 +**	**16**	**14.5**	**494**	**1**	**2**	**5**	**8**	**48**	**68**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	65	99 +	99 +	99 +	99 +										
18-20																				
21-24																				
25-34											1	10.0		10	10	10	10	10	10	10
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	24.0		24	24	24	24	24	24	24	2	4.5	1	4	4	4	5	5	5	5
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	3	21.0	117	9	9	27	65	99 +	99 +	99 +	4	6.8	7	4	4	6	9	10	10	10
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	9	23.0	525	3	3	20	43	86	99 +	99 +	3	11.3	13	8	8	11	14	15	15	15
18-20	4	18.3	92	10	10	15	25	32	32	32	4	15.3	366	5	5	6	25	44	44	44
21-24	5	9.0	171	1	1	5	12	32	32	32	2	11.5	85	5	5	11	18	18	18	18
25-34	12	25.3	501	2	4	18	45	81	96	99 +	6	11.3	46	2	2	12	16	19	19	19
35-54	12	20.3	290	3	5	16	28	46	58	60	6	8.2	35	3	3	7	9	18	19	19
55-74	2	24.0	648	6	6	24	42	42	42	42	2	10.5	41	6	6	10	15	15	15	15
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	45	20.6	358	2	3	16	32	58	80	99 +	24	11.4	80	3	3	9	16	19	27	44
SUBTOTAL	**48**	**20.6**	**341**	**2**	**3**	**18**	**32**	**65**	**98**	**99 +**	**28**	**10.8**	**70**	**3**	**3**	**8**	**15**	**19**	**22**	**44**
GRAND TOTAL	**105**	**21.6**	**339**	**1**	**3**	**18**	**34**	**62**	**99**	**99 +**	**44**	**12.1**	**221**	**2**	**3**	**6**	**15**	**22**	**47**	**77**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	4.2	19	1	1	3	6	11	12	12										
13-17	3	19.0	379	4	4	12	34	41	41	41										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	2	23.0	512	7	7	23	39	39	39	39										
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	13	11.3	181	1	1	6	13	39	41	41	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	3.7		3	3	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**16**	**9.9**	**154**	**1**	**1**	**5**	**12**	**36**	**40**	**41**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	1	17.0		17	17	17	17	17	17	17										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.0	72	17	17	23	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.5	13	27	27	29	32	32	32	32										
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	20.7	238	3	3	27	31	32	32	32										
SUBTOTAL	**5**	**21.6**	**140**	**3**	**3**	**27**	**30**	**32**	**32**	**32**										
GRAND TOTAL	**21**	**12.7**	**169**	**1**	**1**	**6**	**19**	**35**	**40**	**41**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	33.7	2819	2	2	4	72	95	95	95										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	33.7	2819	2	2	4	72	95	95	95										
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**21.0**	**1712**	**2**	**2**	**2**	**27**	**95**	**95**	**95**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**5**	**21.0**	**1712**	**2**	**2**	**2**	**27**	**95**	**95**	**95**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	2.2	1	1	1	2	3	4	4	4										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	2	2.0		2	2	2	2	2	2	2										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	2	5.0	2	4	4	5	6	6	6	6										
ALL AGES	12	2.5	2	1	1	2	3	5	6	6										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	5	3.2	19	1	1	1	4	11	11	11										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	9	2.4	11	1	1	1	2	8	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**21**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**8**	**11**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	3.0	4	2	2	2	4	6	6	6										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34	3	2.3	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	3	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	8	2.4		2	2	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**12**	**2.6**	**1**	**2**	**2**	**2**	**3**	**5**	**6**	**6**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**33**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	20.3	494	2	2	14	37	45	45	45	2	2.5	1	2	2	2	3	3	3	3
13-17	1	18.0		18	18	18	18	18	18	18										
18-20	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	3.0		3	3	3	3	3	3	3
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	12.9	245	1	1	9	17	40	45	45	5	3.0	1	2	2	3	3	4	4	4
B. FEMALE																				
0-12 YRS.	5	24.8	849	5	5	8	40	74	74	74	2	3.0	8	1	1	3	5	5	5	5
13-17	11	24.4	209	5	9	22	34	45	54	55										
18-20	11	26.5	462	3	6	25	32	57	78	80	1	7.0		7	7	7	7	7	7	7
21-24	8	23.6	252	2	4	22	37	44	46	46	2	48.0	450	33	33	48	63	63	63	63
25-34	8	16.9	139	1	2	21	25	30	32	32	4	39.3	373	26	26	31	51	68	68	68
35-54	9	21.9	386	1	2	20	41	49	53	53										
55-74	2	18.0	200	8	8	18	28	28	28	28	1	9.0		9	9	9	9	9	9	9
75 +	2	4.5	1	4	4	4	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	56	22.3	316	2	4	20	31	43	54	80	11	25.5	539	1	3	26	34	65	68	68
SUBTOTAL	**63**	**21.3**	**311**	**1**	**3**	**18**	**31**	**43**	**54**	**79**	**16**	**18.5**	**475**	**1**	**2**	**6**	**31**	**60**	**66**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	64	99 +	99 +	99 +	99 +										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	14.0		14	14	14	14	14	14	14
35-54											1	33.0		33	33	33	33	33	33	33
55-74											1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	3	15.0	163	4	4	20	64	99 +	99 +	99 +	3	19.3	144	11	11	14	28	33	33	33
B. FEMALE																				
0-12 YRS.	2	13.0	32	9	9	13	17	17	17	17	1	3.0		3	3	3	3	3	3	3
13-17	19	27.5	367	4	7	28	41	84	99 +	99 +	2	3.5	1	3	3	3	4	4	4	4
18-20	11	26.3	186	11	11	23	35	48	53	53										
21-24	12	25.0	88	8	11	27	31	35	39	40	1	8.0		8	8	8	8	8	8	8
25-34	14	22.7	236	3	5	24	39	46	86	99 +	4	18.5	414	1	1	15	35	42	42	42
35-54	9	21.7	132	2	3	24	29	34	38	38	5	4.2	5	2	2	3	6	7	7	7
55-74											6	11.0	104	1	1	7	20	26	27	27
75 +																				
ALL AGES	67	24.6	217	5	6	26	33	49	73	99 +	19	9.4	132	1	1	4	8	28	36	42
SUBTOTAL	**70**	**24.2**	**215**	**4**	**6**	**26**	**33**	**53**	**94**	**99 +**	**22**	**10.8**	**138**	**1**	**2**	**6**	**14**	**30**	**37**	**42**
GRAND TOTAL	**133**	**22.8**	**262**	**2**	**4**	**23**	**32**	**46**	**68**	**99 +**	**38**	**14.0**	**287**	**1**	**2**	**6**	**26**	**34**	**55**	**68**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	27.0		27	27	27	27	27	27	27
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**4**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	32.0		32	32	32	32	32	32	32										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.5	421	3	3	17	32	32	32	32										
SUBTOTAL	**3**	**12.3**	**292**	**2**	**2**	**3**	**25**	**32**	**32**	**32**										
GRAND TOTAL	**4**	**10.0**	**215**	**2**	**2**	**3**	**18**	**32**	**32**	**32**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.5	5	4	4	5	7	7	7	7	4	2.5		2	2	2	3	3	3	3
13-17	3	2.3	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
18-20	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	18	3.6	10	1	1	2	5	7	11	14	14	2.7	2	1	2	2	3	5	6	7
35-54	15	3.5	4	1	2	3	5	6	7	8	21	4.6	18	1	2	3	4	13	15	15
55-74	7	3.7	10	1	1	3	6	8	9	9	11	2.7	3	1	1	2	4	6	6	6
75 +																				
ALL AGES	46	3.6	7	1	1	3	5	7	8	14	53	3.4	9	1	1	2	3	6	11	15
B. FEMALE																				
0-12 YRS.	4	3.3	3	2	2	3	4	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	12	3.6	9	1	1	2	5	9	9	9	9	5.3	21	2	2	4	8	13	15	15
18-20	5	3.2	3	2	2	3	4	6	6	6	6	3.8	9	1	1	3	7	8	8	8
21-24	11	3.7	11	1	1	2	5	9	12	12	16	3.4	4	1	1	3	5	6	7	7
25-34	34	4.7	18	1	1	4	5	9	16	18	67	4.1	8	1	1	4	5	7	9	16
35-54	42	5.7	103	2	2	4	5	8	12	68	72	4.4	10	1	2	3	5	8	13	16
55-74	12	5.2	18	2	2	4	6	11	16	17	22	3.9	7	1	1	3	5	7	10	13
75 +	5	4.4	1	3	3	5	5	5	5	5	9	5.1	11	2	2	4	7	10	12	12
ALL AGES	125	4.8	43	1	2	3	5	8	12	30	202	4.2	9	1	1	3	5	7	10	16
SUBTOTAL	**171**	**4.5**	**33**	**1**	**1**	**3**	**5**	**8**	**10**	**18**	**255**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**11**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	3.0	1	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	3	5.0	4	3	3	5	6	7	7	7
25-34	6	7.3	149	1	1	2	5	29	32	32	6	2.8	2	1	1	3	4	4	4	4
35-54	2	6.0	2	5	5	6	7	7	7	7	9	3.3	3	2	2	3	4	6	7	7
55-74	2	5.0	2	4	4	5	6	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	14	5.6	61	1	1	4	5	9	27	32	21	3.6	3	1	2	3	4	7	7	7
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	2	3.0	2	2	2	3	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
18-20	1	13.0		13	13	13	13	13	13	13										
21-24	4	10.3	62	2	2	9	15	21	21	21	6	5.3	3	3	3	6	6	7	7	7
25-34	15	6.5	18	1	2	5	8	14	16	17	25	5.6	13	2	3	5	6	10	14	17
35-54	35	6.1	21	1	2	4	7	14	16	19	37	5.2	11	1	2	4	6	8	13	16
55-74	8	9.9	60	2	2	9	11	22	27	27	8	4.5	7	2	2	4	6	9	10	10
75 +	2	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
ALL AGES	68	6.7	29	1	2	5	9	14	17	26	80	5.3	10	2	3	4	6	9	12	17
SUBTOTAL	**82**	**6.5**	**34**	**1**	**2**	**5**	**8**	**14**	**18**	**30**	**101**	**4.9**	**10**	**1**	**2**	**4**	**6**	**8**	**11**	**16**
GRAND TOTAL	**253**	**5.1**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**27**	**356**	**4.3**	**9**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.5	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-54	2	11.0	98	4	4	11	18	18	18	18	1	5.0		5	5	5	5	5	5	5
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	9	4.0	29	1	1	2	4	12	18	18	5	2.8	4	1	1	2	5	5	5	5
B. FEMALE																				
0-12 YRS.	3	3.3	3	2	2	3	4	5	5	5										
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34																				
35-54											2	4.5	5	3	3	4	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3	2	7.0	8	5	5	7	9	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2	5	4.6	8	2	2	3	7	9	9	9
ALL AGES	6	2.7	2	1	1	2	3	5	5	5	10	4.9	7	2	2	4	6	9	9	9
SUBTOTAL	**15**	**3.5**	**17**	**1**	**1**	**2**	**4**	**5**	**15**	**18**	**15**	**4.2**	**6**	**1**	**1**	**3**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
55-74	1	9.0		9	9	9	9	9	9	9	1	31.0		31	31	31	31	31	31	31
75 +	3	5.3	3	4	4	5	6	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	6	5.3	8	1	1	5	7	9	9	9	5	11.0	127	4	4	6	14	31	31	31
B. FEMALE																				
0-12 YRS.											1	15.0		15	15	15	15	15	15	15
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4	3	7.0	52	1	1	5	12	15	15	15
ALL AGES	4	4.8	4	3	3	4	6	8	8	8	5	7.4	51	1	1	5	15	15	15	15
SUBTOTAL	**10**	**5.1**	**6**	**1**	**1**	**5**	**7**	**8**	**9**	**9**	**10**	**9.2**	**83**	**1**	**1**	**6**	**15**	**23**	**31**	**31**
GRAND TOTAL	**25**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**18**	**25**	**6.2**	**41**	**1**	**1**	**5**	**7**	**15**	**19**	**31**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	3	13.7	373	2	2	3	28	36	36	36										
35-54	5	4.0		4	4	4	4	4	4	4	8	1.8	1	1	1	1	2	4	4	4
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	10	7.8	115	1	1	4	4	26	36	36	9	1.7	1	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											3	1.7	1	1	1	1	2	3	3	3
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24											1	5.0		5	5	5	5	5	5	5
25-34	5	3.2	4	1	1	3	4	6	6	6	11	3.6	4	1	1	3	5	7	7	7
35-54	8	4.0	10	1	1	3	6	9	10	10	5	2.4	4	1	1	1	4	5	5	5
55-74	5	5.0	13	1	1	4	8	10	10	10	12	2.8	2	1	1	3	4	5	5	5
75 +	2	5.5	5	4	4	5	7	7	7	7	5	4.2	4	1	1	5	5	6	6	6
ALL AGES	21	4.0	9	1	1	3	6	9	10	10	38	3.1	3	1	1	3	4	5	6	7
SUBTOTAL	**31**	**5.3**	**43**	**1**	**1**	**4**	**6**	**10**	**16**	**36**	**47**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	4.5	13	2	2	4	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	5	5.8	23	1	1	6	8	13	13	13	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											3	2.7	8	1	1	1	5	6	6	6
25-34	2	2.5	5	1	1	2	4	4	4	4	4	2.3		2	2	2	3	3	3	3
35-54	4	5.8	32	1	1	4	9	14	14	14	11	5.4	13	1	1	4	7	11	14	14
55-74	9	5.3	14	2	2	4	6	12	13	13	2	3.0		3	3	3	3	3	3	3
75 +	1	10.0		10	10	10	10	10	10	10	3	7.7	9	5	5	7	10	11	11	11
ALL AGES	16	5.4	17	1	1	4	8	13	14	14	23	4.6	11	1	1	4	6	9	12	14
SUBTOTAL	**21**	**5.5**	**17**	**1**	**1**	**4**	**8**	**13**	**14**	**14**	**25**	**4.3**	**11**	**1**	**1**	**4**	**6**	**9**	**12**	**14**
GRAND TOTAL	**52**	**5.3**	**33**	**1**	**1**	**4**	**6**	**11**	**14**	**36**	**72**	**3.3**	**7**	**1**	**1**	**3**	**5**	**6**	**7**	**13**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**7.0**	**50**	**2**	**2**	**7**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**4**	**4.0**	**29**	**1**	**1**	**2**	**7**	**12**	**12**	**12**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.0	50	1	1	6	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES											2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**2**	**6.0**	**50**	**1**	**1**	**6**	**11**	**11**	**11**	**11**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**2**	**6.0**	**50**	**1**	**1**	**6**	**11**	**11**	**11**	**11**	**3**	**5.7**	**10**	**2**	**2**	**7**	**8**	**8**	**8**	**8**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-20											2	2.5	1	2	2	2	3	3	3	3
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	9.5	89	1	1	7	15	23	23	23	2	2.0		2	2	2	2	2	2	2
35-54	4	3.3	2	1	1	3	4	5	5	5	3	3.7	4	2	2	3	5	6	6	6
55-74	2	7.5	41	3	3	7	12	12	12	12	4	4.0	3	2	2	4	5	6	6	6
75 +																				
ALL AGES	12	5.8	40	1	1	4	7	15	22	23	12	3.3	2	2	2	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-20	2	3.0	8	1	1	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
21-24	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	13	5.8	25	1	1	4	10	14	16	16	1	4.0		4	4	4	4	4	4	4
35-54	8	7.0	31	2	2	6	7	16	20	20	8	2.3	1	1	1	2	3	4	4	4
55-74	3	6.7	54	1	1	4	12	15	15	15	3	1.3		1	1	1	2	2	2	2
75 +	2	6.0	8	4	4	6	8	8	8	8	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	32	5.5	24	1	1	4	7	14	16	20	17	2.2	1	1	1	2	3	4	4	4
SUBTOTAL	**44**	**5.6**	**27**	**1**	**1**	**4**	**7**	**13**	**17**	**23**	**29**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	2	24.0	72	18	18	24	30	30	30	30										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	6	5.5	20	2	2	3	9	13	13	13	3	5.7	16	2	2	5	9	10	10	10
35-54	6	11.7	228	1	1	4	20	37	39	39	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	16	9.8	130	1	2	4	15	29	36	39	4	5.3	11	2	2	4	7	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	113	1	1	8	16	16	16	16	1	1.0		1	1	1	1	1	1	1
18-20											2	1.0		1	1	1	1	1	1	1
21-24	4	22.0	407	6	6	15	35	51	51	51	1	3.0		3	3	3	3	3	3	3
25-34	6	9.5	199	1	1	3	12	34	37	37	2	1.5	1	1	1	1	2	2	2	2
35-54	9	12.2	166	1	2	7	15	34	42	42	6	2.7	5	1	1	2	3	7	7	7
55-74	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	24	12.0	185	1	1	7	14	37	45	51	13	2.0	3	1	1	1	2	4	6	7
SUBTOTAL	**40**	**11.1**	**161**	**1**	**1**	**6**	**15**	**33**	**40**	**51**	**17**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**9**	**10**
GRAND TOTAL	**84**	**8.2**	**98**	**1**	**1**	**5**	**10**	**20**	**32**	**48**	**46**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											2	6.0	2	5	5	6	7	7	7	7
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	6.0	2	5	5	6	7	7	7	7
SUBTOTAL	**3**	**4.3**	**10**	**1**	**1**	**5**	**6**	**7**	**7**	**7**	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	15.0	196	5	5	9	25	31	31	31										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	12.3	159	4	4	7	20	31	31	31										
SUBTOTAL	**4**	**12.3**	**159**	**4**	**4**	**7**	**20**	**31**	**31**	**31**										
GRAND TOTAL	**7**	**8.9**	**101**	**1**	**2**	**5**	**8**	**27**	**31**	**31**	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54	6	1.8	1	1	1	2	2	3	3	3	4	3.8	12	1	1	2	6	9	9	9
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	10	2.3	3	1	1	2	3	5	7	7	7	3.1	8	1	1	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	3.0	2	2	2	3	4	4	4	4										
25-34	3	5.0	28	1	1	3	9	11	11	11	1	23.0		23	23	23	23	23	23	23
35-54	4	2.8	1	2	2	3	3	4	4	4	5	3.8	4	2	2	3	5	7	7	7
55-74	2	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	13	3.7	7	1	2	3	4	8	10	11	6	7.0	64	2	2	4	7	21	23	23
SUBTOTAL	**23**	**3.1**	**6**	**1**	**1**	**3**	**3**	**7**	**9**	**11**	**13**	**4.9**	**35**	**1**	**1**	**3**	**5**	**12**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	2	2.5	5	1	1	2	4	4	4	4										
25-34											1	5.0		5	5	5	5	5	5	5
35-54	2	10.5	25	7	7	10	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	5.6	27	1	1	4	9	14	14	14	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	5.0		5	5	5	5	5	5	5	2	4.0	2	3	3	4	5	5	5	5
25-34											1	3.0		3	3	3	3	3	3	3
35-54	3	7.7	17	3	3	9	10	11	11	11	4	3.5	3	2	2	3	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5	3	5.3	7	3	3	5	7	8	8	8
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	8.2	23	3	3	7	11	15	16	16	12	3.8	3	1	2	3	5	6	8	8
SUBTOTAL	**11**	**7.0**	**24**	**1**	**1**	**5**	**10**	**15**	**16**	**16**	**14**	**3.8**	**3**	**1**	**2**	**3**	**5**	**6**	**7**	**8**
GRAND TOTAL	**34**	**4.4**	**14**	**1**	**1**	**3**	**5**	**11**	**13**	**16**	**27**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	15.3	28	11	11	14	19	21	21	21										
13-17	61	13.1	214	1	2	8	17	38	52	96	4	2.8	5	1	1	2	4	6	6	6
18-20	20	4.9	26	1	1	3	6	10	17	23	2	2.0		2	2	2	2	2	2	2
21-24	34	3.8	14	1	1	3	6	8	11	17	4	8.3	157	1	1	2	15	27	27	27
25-34	82	4.8	16	1	1	3	7	11	13	19	11	1.6	1	1	1	2	2	3	3	3
35-54	85	7.1	52	1	1	4	9	17	22	36	15	5.3	16	1	1	4	8	11	13	14
55-74	24	10.0	41	1	2	9	15	19	20	21	10	3.1	3	1	1	3	4	5	6	6
75 +	4	10.3	94	1	1	8	16	24	24	24										
ALL AGES	313	7.5	78	1	1	5	9	18	24	51	46	3.8	21	1	1	2	4	9	12	27
B. FEMALE																				
0-12 YRS.	5	12.0	69	6	6	8	16	26	26	26	2	1.5	1	1	1	1	2	2	2	2
13-17	122	11.8	198	1	2	7	12	30	45	89	5	4.0	16	1	1	3	5	11	11	11
18-20	60	6.3	48	1	1	5	8	12	19	42	8	2.0	1	1	1	2	3	4	4	4
21-24	66	4.4	14	1	1	3	6	10	11	18	6	2.7	2	1	1	2	4	5	5	5
25-34	153	6.3	37	1	1	4	9	14	19	28	17	6.2	55	1	1	4	6	10	25	33
35-54	187	7.2	56	1	1	5	9	17	25	43	60	3.5	5	1	1	3	4	6	8	13
55-74	48	9.4	64	1	1	8	13	18	23	44	15	4.7	4	1	2	5	6	7	8	8
75 +	14	7.7	45	1	1	4	14	17	21	22	8	6.0	20	4	4	5	5	13	17	17
ALL AGES	655	7.7	78	1	1	5	10	17	24	49	121	4.0	14	1	1	3	5	7	10	22
SUBTOTAL	**968**	**7.6**	**78**	**1**	**1**	**5**	**10**	**17**	**24**	**48**	**167**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	33.0	1800	3	3	33	63	63	63	63										
13-17	29	13.1	203	1	2	9	21	37	65	99 +	3	2.0		2	2	2	2	2	2	2
18-20	24	7.6	42	1	1	6	11	18	22	23	2	4.5	1	4	4	4	5	5	5	5
21-24	37	7.7	64	1	1	5	9	24	27	30	2	5.5	5	4	4	5	7	7	7	7
25-34	72	8.2	75	1	2	5	9	20	27	46	3	3.0	3	1	1	4	4	4	4	4
35-54	62	8.5	45	2	3	6	13	18	27	91	7	3.1	3	1	1	3	5	5	5	5
55-74	17	12.2	126	3	4	8	15	23	40	49	2	3.5	13	1	1	3	6	6	6	6
75 +	6	13.3	27	8	8	12	16	21	22	22	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	249	9.3	93	1	2	6	12	22	28	65	21	3.3	3	1	1	4	5	6	6	7
B. FEMALE																				
0-12 YRS.	4	37.3	249	20	20	36	50	56	56	56										
13-17	36	11.3	136	1	1	7	12	34	37	42	2	3.0	2	2	2	3	4	4	4	4
18-20	31	5.8	24	1	1	5	7	12	18	21										
21-24	47	7.4	36	1	1	6	11	15	20	29	3	2.3	3	1	1	2	3	4	4	4
25-34	115	10.3	101	1	2	7	14	23	26	49	8	3.8	5	1	1	3	5	7	8	8
35-54	108	8.0	59	1	2	6	10	17	23	40	22	5.2	15	1	2	4	6	9	13	19
55-74	28	7.6	23	2	2	7	10	15	18	19	4	2.0	2	1	1	2	3	4	4	4
75 +	7	14.9	90	1	2	14	23	27	27	27	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	376	9.2	83	1	2	6	12	20	26	43	41	4.3	11	1	1	4	6	8	9	19
SUBTOTAL	**625**	**9.2**	**88**	**1**	**2**	**6**	**12**	**21**	**27**	**56**	**62**	**4.0**	**8**	**1**	**1**	**4**	**5**	**7**	**8**	**18**
GRAND TOTAL	**1593**	**8.3**	**81**	**1**	**1**	**6**	**10**	**19**	**26**	**53**	**229**	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	13.0		13	13	13	13	13	13	13
25-34	2	6.0		6	6	6	6	6	6	6										
35-54	4	10.0	54	6	6	7	14	21	21	21										
55-74	2	33.5	1513	6	6	33	61	61	61	61	1	5.0		5	5	5	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	9	13.9	336	6	6	6	10	45	61	61	2	9.0	32	5	5	9	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.5	303	3	3	20	35	42	42	42	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	8	8.1	27	1	1	7	12	16	16	16										
35-54	8	10.8	54	1	1	11	17	19	20	20	5	4.6	8	2	2	4	7	8	8	8
55-74	6	8.8	38	3	3	7	16	16	16	16	5	7.6	35	2	2	5	14	14	14	14
75 +	2	12.5	25	9	9	12	16	16	16	16	1	4.0		4	4	4	4	4	4	4
ALL AGES	29	11.0	81	1	3	9	16	19	30	42	12	5.6	19	2	2	4	7	14	14	14
SUBTOTAL	**38**	**11.7**	**135**	**1**	**3**	**7**	**16**	**21**	**37**	**61**	**14**	**6.1**	**20**	**2**	**2**	**4**	**8**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	2	7.0	18	4	4	7	10	10	10	10	2	5.5	1	5	5	5	6	6	6	6
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	3	12.0	49	5	5	12	17	19	19	19	1	12.0		12	12	12	12	12	12	12
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	10	9.5	24	3	3	10	12	16	19	19	4	6.3	17	2	2	5	9	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
25-34	3	8.0	43	1	1	9	13	14	14	14	2	5.0	18	2	2	5	8	8	8	8
35-54	5	9.6	55	3	3	10	13	21	21	21	3	8.0	61	3	3	4	14	17	17	17
55-74	1	1.0		1	1	1	1	1	1	1	6	5.5	15	1	1	6	7	11	11	11
75 +	3	15.7	80	7	7	15	22	25	25	25										
ALL AGES	14	10.4	53	1	1	10	14	21	24	25	12	5.8	22	1	1	5	8	13	16	17
SUBTOTAL	**24**	**10.0**	**40**	**1**	**3**	**10**	**14**	**19**	**22**	**25**	**16**	**5.9**	**20**	**1**	**1**	**5**	**8**	**12**	**15**	**17**
GRAND TOTAL	**62**	**11.0**	**99**	**1**	**3**	**9**	**15**	**20**	**27**	**59**	**30**	**6.0**	**19**	**1**	**2**	**5**	**8**	**13**	**14**	**17**

ADJUST REACT/OTH EMOTION (309.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	17.9	503	2	5	11	12	51	80	80										
13-17	31	12.4	131	1	3	9	14	28	32	56	2	11.5	145	3	3	11	20	20	20	20
18-20	8	5.3	14	2	2	4	7	11	13	13										
21-24	9	8.7	84	1	1	3	16	23	27	27	2	2.0	2	1	1	1	3	3	3	3
25-34	28	5.8	29	1	1	4	8	10	17	26	4	3.0	2	2	2	3	4	5	5	5
35-54	31	7.8	64	1	2	6	10	19	22	39	5	7.4	160	1	1	2	10	30	30	30
55-74	6	6.7	23	2	2	5	11	14	14	14										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	123	9.2	112	1	2	6	11	19	27	62	14	5.6	73	1	1	3	3	21	28	30
B. FEMALE																				
0-12 YRS.	10	15.3	237	3	3	9	15	43	45	45										
13-17	51	14.1	241	1	3	9	17	31	42	94	2	2.0	2	1	1	2	3	3	3	3
18-20	15	9.1	217	1	1	5	10	14	49	60	4	8.8	183	1	1	3	16	29	29	29
21-24	20	6.1	27	1	1	4	10	14	16	18	4	2.0	2	1	1	2	3	4	4	4
25-34	34	8.7	85	1	1	8	11	17	30	44	10	5.6	76	1	1	3	5	18	30	30
35-54	51	9.0	62	1	3	7	11	22	29	33	8	5.3	20	2	2	4	5	13	16	16
55-74	16	9.8	31	1	2	10	15	17	18	19	6	3.8	2	2	2	4	5	5	5	5
75 +	5	13.8	175	5	5	8	18	37	37	37	5	4.6	5	1	1	5	6	7	7	7
ALL AGES	202	10.4	132	1	1	8	12	20	32	57	39	4.9	40	1	1	4	5	7	23	30
SUBTOTAL	**325**	**10.0**	**123**	**1**	**1**	**7**	**12**	**20**	**32**	**57**	**53**	**5.1**	**48**	**1**	**1**	**3**	**5**	**9**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	20.4	224	4	4	16	29	44	45	45										
13-17	18	20.1	406	2	3	14	29	70	89	99 +										
18-20	4	14.0	98	1	1	15	20	25	25	25	1	4.0		4	4	4	4	4	4	4
21-24	6	4.7	7	1	1	4	8	8	8	8	1	11.0		11	11	11	11	11	11	11
25-34	23	7.3	52	1	2	5	9	18	25	29	2	4.0	2	3	3	4	5	5	5	5
35-54	22	10.5	85	1	2	8	14	26	31	35	2	8.0	72	2	2	8	14	14	14	14
55-74	8	5.8	3	3	3	6	7	8	9	9	1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	91	12.0	171	1	2	8	16	29	42	89	7	7.9	32	2	2	5	13	16	16	16
B. FEMALE																				
0-12 YRS.	4	23.8	441	1	1	21	37	52	52	52										
13-17	23	21.6	436	1	2	13	34	58	62	65										
18-20	4	9.0	15	5	5	8	12	14	14	14	1	70.0		70	70	70	70	70	70	70
21-24	20	10.5	38	1	2	10	13	18	23	26	1	2.0		2	2	2	2	2	2	2
25-34	39	7.3	51	1	1	5	9	20	24	24	2	4.5	1	4	4	4	5	5	5	5
35-54	52	9.2	50	1	2	8	12	18	26	35	8	7.1	33	2	2	6	8	16	20	20
55-74	13	18.5	115	3	5	21	28	30	33	34	2	5.0		5	5	5	5	5	5	5
75 +	5	13.2	65	7	7	12	16	27	27	27										
ALL AGES	160	11.9	141	1	2	8	15	27	34	61	14	10.6	312	2	2	5	7	25	60	70
SUBTOTAL	**251**	**12.0**	**150**	**1**	**2**	**8**	**15**	**28**	**35**	**65**	**21**	**9.7**	**214**	**2**	**2**	**5**	**9**	**18**	**42**	**70**
GRAND TOTAL	**576**	**10.8**	**137**	**1**	**2**	**8**	**13**	**25**	**33**	**62**	**74**	**6.4**	**97**	**1**	**1**	**4**	**5**	**16**	**27**	**60**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	22.5	13	20	20	22	25	25	25	25										
13-17	6	21.8	533	1	1	17	28	60	64	64										
18-20	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	18.7	346	1	2	17	25	46	64	64	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	13	9.7	114	1	1	9	11	28	35	37	1	13.0		13	13	13	13	13	13	13
18-20	2	3.0	8	1	1	3	5	5	5	5										
21-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	18	8.8	99	1	1	4	11	24	33	37	2	7.5	61	2	2	7	13	13	13	13
SUBTOTAL	**28**	**12.3**	**202**	**1**	**1**	**8**	**20**	**27**	**40**	**64**	**3**	**6.0**	**37**	**2**	**2**	**3**	**10**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	37.3	788	5	5	53	54	54	54	54										
13-17	5	24.6	89	8	8	29	30	30	30	30										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74																				
75 +																				
ALL AGES	13	20.5	323	4	5	9	30	53	54	54										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	2	8.0	8	6	6	8	10	10	10	10										
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	2	11.0	32	7	7	11	15	15	15	15										
ALL AGES	7	10.4	95	1	1	7	14	27	30	30										
SUBTOTAL	**20**	**17.0**	**257**	**2**	**4**	**8**	**29**	**42**	**53**	**54**										
GRAND TOTAL	**48**	**14.3**	**224**	**1**	**1**	**8**	**23**	**30**	**53**	**64**	**3**	**6.0**	**37**	**2**	**2**	**3**	**10**	**13**	**13**	**13**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	19.3	674	1	1	8	39	49	49	49										
13-17	39	25.5	453	1	2	21	36	56	73	87										
18-20	5	8.0	83	1	1	4	13	23	23	23	1	2.0		2	2	2	2	2	2	2
21-24	2	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
25-34	13	4.4	18	1	1	3	5	11	15	16	2	2.0	2	1	1	1	3	3	3	3
35-54	10	8.8	85	1	1	5	12	25	28	28										
55-74																				
75 +	2	6.5	13	4	4	6	9	9	9	9										
ALL AGES	74	16.9	365	1	1	10	23	43	60	84	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	10.3	38	5	5	9	15	17	17	17	2	2.0		2	2	2	2	2	2	2
13-17	81	26.5	454	2	3	22	37	57	69	90										
18-20	7	8.7	111	1	1	5	13	27	30	30										
21-24	9	6.7	32	1	1	6	8	16	20	20	1	1.0		1	1	1	1	1	1	1
25-34	19	8.7	159	1	1	3	12	22	40	52	3	5.0	19	2	2	3	8	10	10	10
35-54	7	10.4	30	3	4	10	14	18	19	19	2	3.0	2	2	2	3	4	4	4	4
55-74	3	10.7	24	6	6	10	14	16	16	16										
75 +																				
ALL AGES	129	19.9	390	1	2	14	29	52	63	83	8	3.3	8	1	1	2	3	8	10	10
SUBTOTAL	**203**	**18.8**	**382**	**1**	**2**	**12**	**28**	**47**	**63**	**83**	**12**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	17.4	126	2	4	15	22	35	38	38										
13-17	16	19.7	198	3	8	16	26	31	53	62										
18-20	5	15.4	56	6	6	18	22	22	22	22										
21-24	9	8.1	113	1	1	2	14	26	27	27										
25-34	21	9.5	78	1	1	6	15	20	27	35	1	7.0		7	7	7	7	7	7	7
35-54	8	9.6	68	1	2	8	13	22	26	26										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	3	13.0	61	4	4	17	18	18	18	18										
ALL AGES	70	13.0	123	1	1	11	19	26	31	57	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	2	12.5	5	11	11	12	14	14	14	14										
13-17	23	26.3	572	2	3	18	37	55	86	94										
18-20	5	10.4	69	1	1	15	16	19	19	19	1	1.0		1	1	1	1	1	1	1
21-24	9	5.7	24	2	2	3	7	14	18	18	3	8.3	25	5	5	6	12	14	14	14
25-34	15	11.8	391	1	3	7	10	16	65	82	2	10.5	113	3	3	10	18	18	18	18
35-54	8	8.0	37	1	1	7	12	17	18	18										
55-74	7	20.7	300	5	6	11	29	48	53	53										
75 +	2	8.0	8	6	6	8	10	10	10	10										
ALL AGES	71	16.0	360	1	2	10	18	41	53	91	6	7.8	45	1	1	5	14	18	18	18
SUBTOTAL	**141**	**14.5**	**243**	**1**	**2**	**10**	**18**	**29**	**46**	**83**	**7**	**7.7**	**37**	**1**	**1**	**6**	**12**	**17**	**18**	**18**
GRAND TOTAL	**344**	**17.0**	**330**	**1**	**2**	**11**	**23**	**42**	**54**	**82**	**19**	**4.6**	**22**	**1**	**1**	**3**	**6**	**12**	**16**	**18**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	7.7	66	2	2	4	14	17	17	17										
13-17	2	5.5	41	1	1	5	10	10	10	10										
18-20	4	2.8	4	1	1	3	4	5	5	5										
21-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	2	4.0	8	2	2	4	6	6	6	6	2	4.0	2	3	3	4	5	5	5	5
35-54	4	19.3	412	3	3	12	31	49	49	49	1	5.0		5	5	5	5	5	5	5
55-74	2	13.5	41	9	9	13	18	18	18	18										
75 +																				
ALL AGES	19	8.5	126	1	1	4	11	18	35	49	3	4.3	2	3	3	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	8.3	96	1	1	5	10	25	31	31										
18-20																				
21-24	1	38.0		38	38	38	38	38	38	38										
25-34	8	20.4	279	9	10	14	22	49	60	60										
35-54	10	8.5	53	1	1	7	18	51	96	99 +	2	5.5	25	2	2	5	9	9	9	9
55-74																				
75 +																				
ALL AGES	28	12.6	175	1	1	11	19	35	62	99 +	2	5.5	25	2	2	5	9	9	9	9
SUBTOTAL	**47**	**11.0**	**154**	**1**	**1**	**8**	**14**	**29**	**50**	**99 +**	**5**	**4.8**	**7**	**2**	**2**	**5**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	5	16.8	137	6	6	10	29	30	30	30										
18-20																				
21-24											3	2.7	1	2	2	2	4	4	4	4
25-34	8	14.6	410	1	2	6	15	50	62	62	1	2.0		2	2	2	2	2	2	2
35-54	19	13.3	148	1	1	11	17	33	38	40										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	33	14.0	193	1	1	9	19	32	39	62	5	2.2	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	4	16.0	195	4	4	12	25	36	36	36										
13-17	4	34.3	1314	5	5	25	63	81	81	81										
18-20	2	56.0	2312	22	22	56	90	90	90	90	2	4.0	8	2	2	4	6	6	6	6
21-24	3	8.7	36	2	2	10	13	14	14	14										
25-34	5	28.4	244	7	7	29	37	50	50	50										
35-54	10	14.3	83	2	3	14	24	26	27	27										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	28	22.3	482	2	4	16	28	48	82	90	3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL	**61**	**17.8**	**338**	**1**	**2**	**11**	**25**	**38**	**55**	**89**	**8**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**108**	**14.8**	**268**	**1**	**1**	**10**	**20**	**36**	**50**	**94**	**13**	**3.4**	**5**	**1**	**1**	**2**	**5**	**7**	**9**	**9**

ADJUSTMENT REACTION NOS (309.9)

	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	5	17.6	529	2	2	8	25	58	58	58	2	4.0	8	2	2	4	6	6	6	6
13-17	34	15.2	261	1	1	11	28	34	62	99 +	4	3.5	4	1	1	3	5	6	6	6
18-20	10	3.4	11	1	1	2	3	9	12	12	3	1.3		1	1	1	2	2	2	2
21-24	5	2.6	4	1	1	2	4	6	6	6	1	4.0		4	4	4	4	4	4	4
25-34	11	6.3	60	1	1	3	9	17	26	27	2	3.0	2	2	2	3	4	4	4	4
35-54	13	4.7	8	1	2	4	7	9	10	10	1	2.0		2	2	2	2	2	2	2
55-74	3	3.0	3	1	1	4	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	82	9.7	175	1	1	4	12	29	42	88	15	2.9	2	1	1	2	4	6	6	6
B. FEMALE																						
0-12 YRS.	4	18.8	286	7	7	12	28	44	44	44										
13-17	33	12.4	127	1	1	9	18	30	35	39	9	4.3	27	1	1	2	4	13	17	17
18-20	8	9.9	190	1	1	3	14	34	41	41	1	2.0		2	2	2	2	2	2	2
21-24	11	6.2	23	1	1	5	8	13	18	18	3	2.7	4	1	1	2	4	5	5	5
25-34	20	6.1	25	1	1	6	9	12	16	19	7	4.3	15	1	1	3	7	10	11	11
35-54	27	5.8	22	1	1	4	8	14	15	17	7	1.6	1	1	1	1	2	3	3	3
55-74	5	7.2	65	1	1	5	10	21	21	21	2	4.0		4	4	4	4	4	4	4
75 +	2	4.0		4	4	4	4	4	4	4										
ALL AGES	110	8.7	84	1	1	6	11	19	30	42	29	3.4	13	1	1	2	4	8	11	17
SUBTOTAL	**192**	**9.1**	**123**	**1**	**1**	**5**	**11**	**27**	**32**	**61**	**44**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	5	10.0	42	2	2	11	14	19	19	19	1	2.0		2	2	2	2	2	2	2
13-17	30	23.2	250	1	4	27	31	43	53	58	2	1.0		1	1	1	1	1	1	1
18-20	8	11.4	81	2	2	12	15	25	29	29	4	2.3	2	1	1	2	3	4	4	4
21-24	9	6.9	63	1	1	3	11	20	25	25										
25-34	14	6.1	52	1	1	3	7	18	23	24	2	1.5	1	1	1	1	2	2	2	2
35-54	16	10.5	84	1	2	8	17	25	28	29	1	4.0		4	4	4	4	4	4	4
55-74	5	10.2	55	4	4	8	12	23	23	23										
75 +	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
ALL AGES	88	13.7	173	1	1	9	23	30	40	56	11	2.4	3	1	1	2	4	5	6	6
B. FEMALE																						
0-12 YRS.	4	26.0	11	22	22	26	47	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
13-17	32	18.1	323	2	2	13	30	36	41	87	3	1.3		1	1	1	2	2	2	2
18-20	9	5.1	19	1	1	3	9	11	12	12										
21-24	8	8.3	42	1	2	6	13	18	19	19										
25-34	30	7.2	38	1	1	5	10	15	22	23										
35-54	31	7.1	46	1	2	5	8	19	21	28	12	3.6	12	1	1	3	4	8	13	14
55-74	13	7.4	24	2	3	6	10	15	17	17	2	3.0	2	2	2	3	4	4	4	4
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	129	10.3	136	1	2	6	14	29	30	90	18	3.0	9	1	1	2	4	5	10	14
SUBTOTAL	**217**	**11.7**	**153**	**1**	**2**	**7**	**17**	**30**	**35**	**67**	**29**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**14**
GRAND TOTAL	**409**	**10.5**	**139**	**1**	**1**	**6**	**14**	**29**	**34**	**61**	**73**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	8.3	18	5	5	7	11	13	13	13										
SUBTOTAL	**4**	**7.5**	**14**	**5**	**5**	**6**	**10**	**13**	**13**	**13**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	2	13.5	221	3	3	13	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**3**	**11.7**	**119**	**3**	**3**	**8**	**20**	**24**	**24**	**24**										
GRAND TOTAL	**7**	**9.3**	**52**	**3**	**3**	**7**	**12**	**22**	**24**	**24**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9	1	35.0		35	35	35	35	35	35	35
18-20	1	26.0		26	26	26	26	26	26	26										
21-24	2	9.5	113	2	2	9	17	17	17	17	1	34.0		34	34	34	34	34	34	34
25-34																				
35-54	5	19.0	197	5	5	13	29	40	40	40										
55-74	6	17.8	395	2	3	8	47	91	99 +	99 +	3	2.7	8	1	1	1	5	6	6	6
75 +	5	7.6	30	3	3	6	9	17	17	17	3	5.7	6	3	3	6	7	8	8	8
ALL AGES	20	14.7	190	2	3	9	26	45	74	99 +	8	11.8	202	1	1	6	21	35	35	35
B. FEMALE																				
0-12 YRS.	2	11.5	221	1	1	11	22	22	22	22										
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24	3	26.3	1707	2	2	3	56	74	74	74										
25-34	3	26.3	675	8	8	15	46	56	56	56	1	6.0		6	6	6	6	6	6	6
35-54	3	18.3	216	5	5	16	29	34	34	34	1	11.0		11	11	11	11	11	11	11
55-74	2	26.5	685	8	8	26	45	45	45	45										
75 +	6	9.8	81	2	2	6	19	23	23	23	1	2.0		2	2	2	2	2	2	2
ALL AGES	20	18.0	397	1	2	10	22	50	65	74	3	6.3	21	2	2	6	10	11	11	11
SUBTOTAL	**40**	**16.3**	**290**	**2**	**2**	**9**	**24**	**48**	**64**	**99 +**	**11**	**10.3**	**152**	**1**	**1**	**6**	**10**	**34**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	14.5	365	1	1	14	28	28	28	28
35-54	3	11.7	133	4	4	6	20	25	25	25	3	20.0	592	4	4	8	38	48	48	48
55-74											3	10.3	33	4	4	12	14	15	15	15
75 +	2	10.0	128	2	2	10	18	18	18	18	1	4.0		4	4	4	4	4	4	4
ALL AGES	5	11.0	100	2	2	6	20	25	25	25	9	13.8	232	1	1	8	18	40	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74											2	7.5	13	5	5	7	10	10	10	10
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	2	17.5	85	11	11	17	24	24	24	24	2	7.5	13	5	5	7	10	10	10	10
SUBTOTAL	**7**	**12.9**	**90**	**2**	**2**	**11**	**22**	**25**	**25**	**25**	**11**	**12.6**	**195**	**1**	**2**	**8**	**14**	**36**	**47**	**48**
GRAND TOTAL	**47**	**15.8**	**259**	**2**	**2**	**10**	**23**	**43**	**58**	**99 +**	**22**	**11.5**	**165**	**1**	**1**	**6**	**12**	**34**	**40**	**48**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	3.3	26	1	1	1	2	12	16	18	20	1.7	1	1	1	1	2	3	4	5
13-17	9	1.7		1	1	2	2	3	3	3	16	1.3		1	1	1	2	2	3	3
18-20	11	2.3	1	1	1	2	3	4	4	4	8	2.4	10	1	1	1	2	8	10	10
21-24	12	16.4	760	1	1	3	16	67	84	87	15	3.8	20	1	1	2	5	9	15	17
25-34	23	7.1	136	1	1	4	8	24	70	99 +	25	2.4	3	1	1	2	3	5	6	9
35-54	15	8.9	140	1	1	6	9	25	40	45	14	3.5	14	1	1	2	4	7	13	15
55-74	7	3.4	11	1	1	2	7	8	8	8	9	3.1	6	1	1	2	4	7	8	8
75 +	5	8.6	14	4	4	7	12	13	13	13	2	6.5	41	2	2	6	11	11	11	11
ALL AGES	97	6.7	164	1	1	2	7	14	37	94	109	2.6	7	1	1	2	3	6	9	16
B. FEMALE																				
0-12 YRS.	9	1.9	2	1	1	1	3	4	4	4	13	1.1		1	1	1	1	2	2	2
13-17	2	4.5	1	4	4	4	5	5	5	5	6	1.8	1	1	1	2	2	3	3	3
18-20	8	2.1	1	1	1	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
21-24	7	4.1	9	1	1	3	5	9	10	10	3	2.3	3	1	1	2	3	4	4	4
25-34	13	3.5	4	1	1	3	4	6	8	9	18	2.7	4	1	1	2	3	4	8	10
35-54	14	4.4	8	1	2	3	7	9	9	9	14	3.5	11	1	1	2	4	10	12	12
55-74	10	6.9	99	1	1	3	7	22	34	34	3	4.3	9	1	1	6	6	6	6	6
75 +	2	5.5	25	2	2	5	9	9	9	9	4	8.0	65	1	1	6	14	19	19	19
ALL AGES	65	4.0	20	1	1	3	4	9	9	30	64	2.8	10	1	1	2	3	6	10	18
SUBTOTAL	**162**	**5.6**	**108**	**1**	**1**	**3**	**6**	**10**	**21**	**83**	**173**	**2.6**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24																				
25-34	2	4.0	18	1	1	3	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	6	7.8	60	1	1	6	9	21	22	22	1	7.0		7	7	7	7	7	7	7
55-74	1	29.0		29	29	29	29	29	29	29										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	12	9.2	76	1	1	8	12	24	28	29	4	5.3	12	1	1	5	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.0		2	2	2	2	2	2	2
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	8.0		8	8	8	8	8	8	8	1	16.0		16	16	16	16	16	16	16
25-34																				
35-54	2	10.5	25	7	7	10	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	7.3	26	1	1	7	12	14	14	14	5	6.0	36	2	2	3	9	16	16	16
SUBTOTAL	**19**	**8.5**	**56**	**1**	**1**	**7**	**13**	**19**	**26**	**29**	**9**	**5.7**	**22**	**1**	**1**	**4**	**8**	**13**	**16**	**16**
GRAND TOTAL	**181**	**5.9**	**103**	**1**	**1**	**3**	**7**	**12**	**22**	**78**	**182**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	24.0		24	24	24	24	24	24	24										
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	5.0	8	3	3	5	7	7	7	7										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	5	10.4	76	3	3	7	16	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	74.0		74	74	74	74	74	74	74	1	8.0		8	8	8	8	8	8	8
35-54	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	30.0		30	30	30	30	30	30	30	1	22.0		22	22	22	22	22	22	22
ALL AGES	4	28.0	1091	4	4	17	52	74	74	74	3	12.3	72	7	7	8	18	22	22	22
SUBTOTAL	**9**	**18.2**	**534**	**3**	**3**	**7**	**25**	**56**	**74**	**74**	**3**	**12.3**	**72**	**7**	**7**	**8**	**18**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	45.0		45	45	45	45	45	45	45										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	17.0	588	3	3	3	35	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**4**	**14.5**	**417**	**3**	**3**	**5**	**26**	**45**	**45**	**45**										
GRAND TOTAL	**13**	**17.1**	**462**	**3**	**3**	**7**	**25**	**51**	**70**	**74**	**3**	**12.3**	**72**	**7**	**7**	**8**	**18**	**22**	**22**	**22**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.5	421	6	6	20	35	35	35	35										
18-20	2	2.5	5	1	1	2	4	4	4	4										
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	4	5.5	12	2	2	5	8	9	9	9										
35-54	11	11.2	122	1	2	5	16	28	37	38	2	8.0	2	7	7	8	9	9	9	9
55-74	50	9.6	46	2	3	7	12	20	23	35	22	6.5	23	1	1	5	10	14	16	17
75 +	47	9.4	75	3	3	7	10	22	31	43	68	8.1	80	2	2	7	10	14	17	63
ALL AGES	117	9.6	68	2	3	7	12	21	29	40	92	7.7	65	1	2	6	10	13	17	50
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	52	99 +	99 +	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-17	5	13.2	54	4	4	16	19	21	21	21										
18-20																				
21-24	2	4.0	18	1	1	4	7	7	7	7										
25-34	3	10.0	39	3	3	12	14	15	15	15										
35-54	11	6.7	20	1	1	7	10	12	14	14	6	3.0	2	2	2	3	3	6	6	6
55-74	39	12.1	151	1	2	8	16	23	29	72	36	5.8	11	2	3	5	7	9	10	20
75 +	108	12.6	134	3	3	9	16	29	39	99 +	133	9.4	147	1	2	6	10	19	33	66
ALL AGES	169	11.9	126	2	3	9	15	25	36	99 +	176	8.4	117	1	2	5	9	16	28	59
SUBTOTAL	**286**	**11.0**	**102**	**2**	**3**	**8**	**14**	**24**	**34**	**92**	**268**	**8.2**	**98**	**1**	**2**	**6**	**9**	**14**	**21**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0	8	4	4	6	8	8	8	8										
18-20	3	4.7	30	1	1	2	9	11	11	11										
21-24	3	4.0	7	2	2	3	6	7	7	7										
25-34	5	14.8	143	4	4	16	21	33	33	33										
35-54	9	11.0	151	2	2	5	17	31	40	40	2	2.0	2	1	1	2	3	3	3	3
55-74	25	12.0	117	2	2	10	14	21	34	54	11	5.9	16	3	3	5	7	11	17	17
75 +	29	10.3	80	2	4	8	12	19	26	48	15	11.5	61	3	4	9	18	23	27	28
ALL AGES	76	10.6	99	2	2	8	13	20	31	52	28	8.6	49	2	3	6	13	19	23	28
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	3	9.3	87	3	3	5	16	20	20	20										
18-20																				
21-24											1	6.0		6	6	6	6	6	6	6
25-34	3	4.7	8	3	3	3	7	8	8	8										
35-54	10	14.2	133	3	3	10	28	31	33	33										
55-74	41	15.6	178	3	5	11	19	26	45	74	14	12.4	221	2	2	8	12	40	50	53
75 +	42	13.2	189	1	2	9	15	38	59	99 +	23	7.3	14	3	3	7	8	12	15	20
ALL AGES	100	14.3	183	2	3	10	18	31	51	87	38	9.1	93	2	3	7	9	12	31	53
SUBTOTAL	**176**	**12.7**	**149**	**2**	**3**	**9**	**16**	**28**	**41**	**70**	**66**	**8.9**	**73**	**2**	**3**	**6**	**10**	**19**	**24**	**51**
GRAND TOTAL	**462**	**11.6**	**122**	**2**	**3**	**8**	**15**	**25**	**35**	**80**	**334**	**8.3**	**94**	**1**	**2**	**6**	**9**	**15**	**22**	**54**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES							
(1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	4	26.0	465	7	7	23	44	51	51	51											
13-17	18	11.3	179	1	1	5	18	34	43	46	3	2.3	3	1	1	2	3	4	4	4
18-20	7	7.4	19	3	3	7	11	13	14	14	4	5.0	9	2	2	5	7	8	8	8
21-24	17	5.7	35	1	1	5	7	10	21	26	2	1.5	1	1	1	1	2	2	2	2
25-34	42	9.6	137	1	1	4	14	24	43	99 +	22	6.3	41	1	1	4	8	14	22	28
35-54	96	9.7	114	1	2	6	12	23	29	60	42	5.7	17	1	2	5	7	11	15	20
55-74	51	9.6	81	2	2	6	11	23	33	38	33	6.6	24	2	3	5	7	13	19	22
75 +	22	9.1	107	2	2	6	9	17	34	50	13	7.8	43	1	1	5	14	19	19	19
ALL AGES	257	9.6	115	1	2	6	12	23	33	62	119	6.1	26	1	1	5	7	14	18	24
B. FEMALE																					
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	29.0		29	29	29	29	29	29	29
13-17	23	10.6	122	1	1	6	19	29	30	30	7	2.6		2	2	2	3	4	4	4
18-20	19	6.5	62	1	1	5	7	18	26	32	4	2.3		2	2	2	3	3	3	3
21-24	32	6.1	33	1	1	4	9	14	21	22	17	2.8	6	1	1	2	3	5	9	11
25-34	124	8.0	62	1	1	5	11	18	25	40	62	6.7	72	1	1	4	7	15	27	46
35-54	208	9.6	64	1	2	8	14	20	27	38	109	5.2	15	1	2	4	7	10	12	23
55-74	159	12.0	129	2	2	9	15	26	32	64	83	6.4	17	1	2	6	8	12	14	20
75 +	45	10.8	66	2	2	10	15	23	27	30	39	8.6	64	1	2	7	11	20	25	40
ALL AGES	611	9.7	84	1	2	7	14	21	28	39	322	6.1	34	1	2	4	7	11	17	28
SUBTOTAL	**868**	**9.7**	**93**	**1**	**2**	**7**	**13**	**22**	**29**	**46**	**441**	**6.1**	**32**	**1**	**2**	**5**	**7**	**12**	**18**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	2	27.5	613	10	10	27	45	45	45	45	1	4.0		4	4	4	4	4	4	4
13-17	7	13.1	69	3	4	11	19	26	27	27	1	1.0		1	1	1	1	1	1	1
18-20	7	7.6	71	1	1	4	10	22	25	25	3	4.7	10	1	1	6	7	7	7	7
21-24	18	7.7	86	1	1	5	10	25	31	32	6	5.3	19	1	1	4	7	12	13	13
25-34	56	8.3	61	1	1	6	11	21	26	34	15	6.6	64	1	1	3	6	22	26	28
35-54	87	9.2	67	1	2	7	12	21	28	37	27	6.1	45	1	1	3	8	16	25	26
55-74	40	12.9	84	1	2	13	17	28	31	33	20	7.5	37	2	3	6	9	12	21	30
75 +	9	18.7	365	3	4	10	33	50	57	57	7	11.7	63	3	3	8	20	21	21	21
ALL AGES	226	10.1	90	1	1	7	14	25	29	40	80	6.8	45	1	1	5	8	18	23	29
B. FEMALE																					
0-12 YRS.	4	15.5	444	3	3	6	27	47	47	47											
13-17	23	18.1	415	1	2	9	20	53	67	71	5	4.8	10	2	2	4	6	10	10	10
18-20	9	14.9	91	6	6	13	17	31	36	36	7	4.9	5	2	2	5	6	8	9	9
21-24	21	8.7	76	1	1	4	15	28	58	99 +	3	3.3	2	2	2	4	4	4	4	4
25-34	84	11.8	134	1	2	8	16	28	36	87	41	7.8	51	1	2	5	10	16	23	35
35-54	98	9.9	67	1	2	8	14	21	23	44	51	6.8	24	2	2	6	9	12	16	23
55-74	66	13.0	121	3	4	9	17	28	38	55	33	8.6	143	1	2	6	9	13	17	72
75 +	20	11.3	76	2	2	10	16	21	29	36	10	8.6	43	4	4	6	11	19	25	25
ALL AGES	325	11.8	128	1	2	9	15	25	37	66	150	7.4	56	2	2	6	9	13	18	35
SUBTOTAL	**551**	**11.1**	**113**	**1**	**2**	**8**	**14**	**25**	**33**	**58**	**230**	**7.2**	**52**	**1**	**2**	**5**	**9**	**13**	**21**	**31**
GRAND TOTAL	**1419**	**10.3**	**100**	**1**	**2**	**7**	**14**	**23**	**30**	**51**	**671**	**6.5**	**39**	**1**	**2**	**5**	**8**	**12**	**19**	**28**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	12.3	42	2	4	12	20	37	88	99 +										
13-17	42	20.6	343	1	1	15	36	58	78	99 +										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	3	6.3	35	2	2	4	11	13	13	13										
25-34	3	5.7	4	4	4	5	7	8	8	8										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	64	17.1	265	1	2	12	25	52	74	99 +										
B. FEMALE																				
0-12 YRS.	10	14.3	50	3	4	15	21	22	22	22										
13-17	19	23.5	534	1	1	15	49	66	86	99 +										
18-20																				
21-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	31	19.3	370	1	2	14	22	58	72	99 +										
SUBTOTAL	**95**	**17.8**	**297**	**1**	**2**	**13**	**24**	**57**	**71**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	25.3	515	2	8	21	35	91	99	99 +										
13-17	23	25.6	721	1	2	17	41	78	82	86	1	5.0		5	5	5	5	5	5	5
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	40	24.5	610	1	3	18	36	79	91	99 +	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	10	26.4	466	1	3	23	52	80	98	99 +										
13-17	10	42.0	852	2	11	52	82	99 +	99 +	99 +										
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	22	32.6	650	1	4	29	61	99 +	99 +	99 +	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**62**	**27.3**	**633**	**1**	**3**	**20**	**44**	**85**	**99 +**	**99 +**	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**
GRAND TOTAL	**157**	**21.6**	**446**	**1**	**2**	**16**	**33**	**66**	**98**	**99 +**	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	18.2	521	1	1	10	26	58	58	58										
13-17	4	7.5	23	1	1	8	11	12	12	12										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	11	13.2	241	1	1	10	13	32	56	58										
B. FEMALE																				
0-12 YRS.	3	8.3	23	3	3	10	11	12	12	12										
13-17	8	37.6	774	10	10	29	63	78	80	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	29.6	734	3	7	16	48	76	80	80										
SUBTOTAL	**22**	**21.4**	**535**	**1**	**2**	**11**	**25**	**62**	**76**	**80**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	12	37.4	1250	1	2	22	69	89	95	96										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	14	33.1	1181	1	3	14	62	87	94	96										
B. FEMALE																				
0-12 YRS.	2	15.5	1	15	15	15	16	16	16	16										
13-17	9	23.0	849	1	1	13	30	70	95	95										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	21.6	690	1	2	15	26	57	92	95										
SUBTOTAL	**25**	**28.1**	**958**	**1**	**2**	**15**	**37**	**86**	**95**	**96**										
GRAND TOTAL	**47**	**25.0**	**753**	**1**	**2**	**12**	**31**	**76**	**87**	**96**										

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	28.5	322	9	9	29	37	55	57	57	1	2.0		2	2	2	2	2	2	2
13-17	63	24.8	371	3	7	21	35	64	90	99 +										
18-20	3	24.3	383	5	5	24	39	44	44	44										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	74	24.9	354	3	6	22	35	60	81	99 +	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	10	14.2	64	2	4	14	19	25	29	29										
13-17	72	21.3	351	3	3	17	30	51	80	99 +	2	12.5	221	2	2	12	23	23	23	23
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	83	20.2	321	3	3	17	28	47	70	99 +	2	12.5	221	2	2	12	23	23	23	23
SUBTOTAL	**157**	**22.4**	**341**	**3**	**4**	**18**	**31**	**57**	**76**	**99 +**	**3**	**9.0**	**147**	**2**	**2**	**2**	**18**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	64	99 +	99 +	99 +	99 +										
13-17	49	28.8	468	3	7	24	44	60	73	86	2	6.0	18	3	3	6	9	9	9	9
18-20	5	19.2	168	8	8	14	30	38	38	38	1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	55	27.9	438	4	7	24	41	60	80	99	3	5.0	12	3	3	3	8	9	9	9
B. FEMALE																				
0-12 YRS.	10	25.0	202	6	7	26	34	45	52	52										
13-17	44	26.1	363	2	5	25	33	56	61	85	1	56.0		56	56	56	56	56	56	56
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	56	25.3	328	2	5	24	33	52	60	84	1	56.0		56	56	56	56	56	56	56
SUBTOTAL	**111**	**26.6**	**380**	**2**	**5**	**24**	**38**	**57**	**63**	**91**	**4**	**17.8**	**656**	**3**	**3**	**6**	**32**	**56**	**56**	**56**
GRAND TOTAL	**268**	**24.1**	**362**	**3**	**5**	**21**	**32**	**57**	**70**	**99 +**	**7**	**14.0**	**400**	**2**	**2**	**3**	**19**	**49**	**56**	**56**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.0	32	3	3	7	11	11	11	11										
13-17	5	8.2	8	5	5	9	10	12	12	12										
18-20	2	8.0	32	4	4	8	12	12	12	12										
21-24	4	4.3	6	3	3	3	6	8	8	8										
25-34	8	6.0	21	2	2	4	9	13	15	15										
35-54	3	4.0	19	1	1	2	7	9	9	9										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	26	5.9	16	1	2	4	9	12	13	15	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.0	50	12	12	17	22	22	22	22										
18-20																				
21-24																				
25-34	2	12.0	162	3	3	12	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.5	79	3	3	16	21	22	22	22										
SUBTOTAL	**30**	**7.1**	**30**	**1**	**2**	**5**	**9**	**14**	**21**	**22**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.6	37	1	1	8	13	15	15	15	1	2.0		2	2	2	2	2	2	2
18-20	2	17.5	421	3	3	17	32	32	32	32										
21-24	4	15.5	364	4	4	7	26	44	44	44										
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	4	10.8	82	3	3	8	16	24	24	24	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	17	11.2	139	1	2	8	13	30	40	44	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	4	17.0	65	7	7	17	23	26	26	26	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**21**	**12.3**	**127**	**1**	**2**	**8**	**16**	**28**	**37**	**44**	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**
GRAND TOTAL	**51**	**9.2**	**75**	**1**	**2**	**8**	**12**	**21**	**26**	**44**	**4**	**5.0**	**10**	**2**	**2**	**4**	**7**	**9**	**9**	**9**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17	6	16.2	98	7	7	14	22	31	32	32										
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	7	14.3	107	3	4	9	21	30	32	32										
SUBTOTAL	**8**	**13.1**	**103**	**3**	**4**	**8**	**20**	**29**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**9**	**13.0**	**90**	**3**	**4**	**9**	**20**	**28**	**32**	**32**										

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-17	1	30.0		30	30	30	30	30	30	30										
18-20																				
21-24	1	17.0		17	17	17	17	17	17	17										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	13.5	162	3	3	10	23	30	30	30										
B. FEMALE																				
0-12 YRS.	4	8.5	54	2	2	6	13	19	19	19										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	8.2	41	2	2	7	10	19	19	19										
SUBTOTAL	**9**	**10.6**	**88**	**2**	**2**	**7**	**17**	**26**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	50	4	4	9	14	14	14	14										
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	6.5	28	2	2	5	10	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17	4	13.8	108	1	1	14	22	25	25	25										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	13.8	108	1	1	14	22	25	25	25										
SUBTOTAL	**8**	**10.1**	**75**	**1**	**1**	**8**	**16**	**23**	**25**	**25**										
GRAND TOTAL	**17**	**10.4**	**76**	**1**	**2**	**7**	**17**	**24**	**28**	**30**										

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	19.7	387	1	2	13	39	48	48	48	2	3.0	8	1	1	3	5	5	5	5
13-17	9	23.8	781	1	1	10	40	69	83	83	2	2.0		2	2	2	2	2	2	2
18-20	3	6.7	30	1	1	7	11	12	12	12	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	8.0		8	8	8	8	8	8	8										
75 +	2	10.5	25	7	7	10	14	14	14	14										
ALL AGES	25	17.4	407	1	1	9	19	48	57	83	5	2.2	3	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.	5	4.6	29	1	1	3	6	14	14	14	3	1.7		1	1	2	2	2	2	2
13-17	14	19.9	665	1	1	9	50	80	95	99 +	1	1.0		1	1	1	1	1	1	1
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +	2	16.0	98	9	9	16	23	23	23	23										
ALL AGES	22	15.8	463	1	1	9	21	61	87	99 +	5	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**47**	**16.6**	**426**	**1**	**1**	**9**	**20**	**53**	**80**	**99 +**	**10**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	8.0	37	2	2	7	13	15	15	15	1	5.0		5	5	5	5	5	5	5
13-17	18	14.3	223	1	2	9	16	37	50	57										
18-20																				
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	23	12.8	186	1	2	7	15	35	45	57	2	5.5	1	5	5	5	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	37.0	512	21	21	37	53	53	53	53										
13-17	8	14.4	115	2	2	13	24	28	29	29										
18-20																				
21-24																				
25-34	2	12.5	61	7	7	12	18	18	18	18										
35-54	2	12.5	1	12	12	12	13	13	13	13										
55-74																				
75 +																				
ALL AGES	14	17.1	178	2	2	14	23	31	48	53										
SUBTOTAL	**37**	**14.4**	**183**	**2**	**2**	**12**	**18**	**33**	**48**	**57**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**84**	**15.7**	**315**	**1**	**2**	**10**	**18**	**48**	**56**	**94**	**12**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	6.0	18	3	3	6	9	9	9	9											
13-17	1	8.0		8	8	8	8	8	8	8											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	6.7	10	3	3	8	9	9	9	9											
B. FEMALE																					
0-12 YRS.	3	8.3	18	5	5	7	11	13	13	13											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	8.3	18	5	5	7	11	13	13	13											
SUBTOTAL	**6**	**7.5**	**12**	**3**	**3**	**7**	**9**	**13**	**13**	**13**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4											
13-17	1	45.0		45	45	45	45	45	45	45											
18-20	1	16.0		16	16	16	16	16	16	16											
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	21.7	442	4	4	16	38	45	45	45											
B. FEMALE																					
0-12 YRS.																					
13-17	1	25.0		25	25	25	25	25	25	25											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	25.0		25	25	25	25	25	25	25											
SUBTOTAL	**4**	**22.5**	**299**	**4**	**4**	**20**	**35**	**45**	**45**	**45**											
GRAND TOTAL	**10**	**13.5**	**166**	**3**	**3**	**8**	**16**	**35**	**45**	**45**											

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	**2**	**9.5**	**61**	**4**	**4**	**9**	**15**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**2**	**20.5**	**13**	**18**	**18**	**20**	**23**	**23**	**23**	**23**										
GRAND TOTAL	**4**	**15.0**	**65**	**4**	**4**	**16**	**20**	**23**	**23**	**23**										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	28.6	775	4	5	14	46	74	80	80										
13-17	14	39.1	536	2	9	41	53	72	73	73										
18-20																				
21-24	1	25.0		25	25	25	25	25	25	25										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	35.1	584	2	8	33	52	72	76	80										
B. FEMALE																				
0-12 YRS.	11	23.0	467	1	2	21	28	50	78	81										
13-17	29	28.5	474	4	6	22	40	58	62	98										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	40	27.0	466	3	5	22	30	57	71	98										
SUBTOTAL	**62**	**29.9**	**513**	**3**	**5**	**24**	**45**	**62**	**76**	**96**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	23.5	191	8	10	23	26	35	58	65										
13-17	14	40.7	441	5	8	43	49	67	79	83										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	32.1	381	7	9	26	45	62	67	83										
B. FEMALE																				
0-12 YRS.	13	22.3	34	11	13	21	26	34	43	45										
13-17	16	27.6	504	5	6	25	40	80	94	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	25.2	314	5	7	23	31	58	84	99 +										
SUBTOTAL	**57**	**28.6**	**352**	**6**	**8**	**25**	**37**	**62**	**76**	**99**										
GRAND TOTAL	**119**	**29.3**	**431**	**4**	**7**	**25**	**41**	**62**	**76**	**99**										

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.7	1295	1	1	9	52	67	67	67										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	19.5	1017	1	1	5	38	67	67	67										
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	5	6.4	26	3	3	4	9	15	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	6.4	26	3	3	4	9	15	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**12.2**	**443**	**1**	**1**	**4**	**10**	**46**	**67**	**67**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	4	3.8	7	1	1	3	6	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	3.8	7	1	1	3	6	7	7	7										
SUBTOTAL	**5**	**4.6**	**9**	**1**	**1**	**5**	**7**	**8**	**8**	**8**										
GRAND TOTAL	**14**	**9.5**	**289**	**1**	**1**	**4**	**8**	**20**	**57**	**67**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	45	11.2	248	1	1	4	11	41	47	66		4	3.8	2	2	2	4	5	5	5	5
13-17	8	17.5	263	4	4	11	25	45	51	51		1	2.0		2	2	2	2	2	2	2
18-20												1	2.0		2	2	2	2	2	2	2
21-24	1	2.0		2	2	2	2	2	2	2											
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	54	12.0	247	1	1	4	11	41	49	65		6	3.2	2	2	2	3	5	5	5	5
B. FEMALE																					
0-12 YRS.	19	23.3	292	2	5	21	30	50	61	64		2	1.5	1	1	1	1	2	2	2	2
13-17	3	24.0	28	20	20	22	28	30	30	30											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	22	23.4	253	3	6	22	30	45	60	64		2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**76**	**15.3**	**272**	**1**	**2**	**9**	**23**	**41**	**50**	**65**		**8**	**2.8**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	39	26.5	537	2	3	20	41	69	77	99 +		2	1.0		1	1	1	1	1	1	1
13-17	20	16.9	259	3	3	9	27	44	48	52											
18-20	1	9.0		9	9	9	9	9	9	9											
21-24																					
25-34																					
35-54	1	21.0		21	21	21	21	21	21	21											
55-74																					
75 +																					
ALL AGES	61	23.0	445	3	3	16	35	59	74	97		2	1.0		1	1	1	1	1	1	1
B. FEMALE																					
0-12 YRS.	26	25.7	144	6	11	24	29	45	50	52		3	2.0	3	1	1	1	3	4	4	4
13-17	2	8.5	25	5	5	8	12	12	12	12											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	28	24.5	154	5	8	23	29	44	50	52		3	2.0	3	1	1	1	3	4	4	4
SUBTOTAL	**89**	**23.5**	**349**	**3**	**3**	**20**	**33**	**52**	**65**	**92**		**5**	**1.6**	**2**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
GRAND TOTAL	**165**	**19.7**	**330**	**2**	**2**	**14**	**29**	**49**	**59**	**79**		**13**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	24.0		24	24	24	24	24	24	24										
GRAND TOTAL	1	24.0		24	24	24	24	24	24	24										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES											3	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**3**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	6.0	18	3	3	6	9	9	9	9										
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
SUBTOTAL	**3**	**8.0**	**21**	**3**	**3**	**9**	**11**	**12**	**12**	**12**										
GRAND TOTAL	**4**	**6.5**	**23**	**2**	**2**	**6**	**10**	**12**	**12**	**12**	**3**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	246	14.8	357	1	1	7	21	48	58	99 +	60	2.9	14	1	1	2	3	6	8	25
13-17	685	18.7	324	1	1	13	29	46	63	99 +	156	12.2	348	1	1	2	20	42	53	75
18-20	355	11.0	124	1	1	7	16	28	33	52	117	9.6	185	1	1	2	10	31	39	52
21-24	617	11.2	156	1	1	7	15	28	32	60	160	12.6	179	1	1	4	28	31	34	42
25-34	2169	11.0	113	1	1	7	15	28	31	51	685	11.9	169	1	1	4	27	30	35	45
35-54	3031	10.8	104	1	2	7	15	27	30	44	1233	11.4	141	1	2	5	21	28	34	43
55-74	1804	11.6	96	1	2	8	16	26	30	44	866	9.7	116	1	2	5	11	28	33	42
75 +	641	12.3	123	2	3	9	15	26	35	55	412	8.7	86	1	2	6	10	17	24	50
ALL AGES	9548	11.8	136	1	2	8	16	28	33	58	3689	10.7	146	1	1	5	16	29	35	45
B. FEMALE																				
0-12 YRS.	225	15.4	306	1	1	9	22	40	57	86	57	2.6	17	1	1	2	2	5	9	28
13-17	919	18.0	342	1	2	11	27	46	64	99 +	160	8.0	205	1	1	2	5	30	43	69
18-20	381	10.4	153	1	1	6	13	28	36	79	92	6.2	94	1	1	2	5	22	29	44
21-24	700	10.8	116	1	2	7	15	24	31	53	178	9.1	154	1	1	4	7	30	38	52
25-34	2606	11.4	109	1	2	8	15	25	31	52	697	9.0	129	1	1	4	9	28	31	49
35-54	4260	12.2	114	1	2	9	16	26	32	55	1243	7.4	75	1	1	4	8	18	28	39
55-74	3056	14.7	153	2	3	12	20	30	38	63	1079	8.4	80	1	2	5	10	19	28	47
75 +	1262	13.7	164	2	3	10	18	29	39	78	760	8.5	92	1	2	6	9	17	28	50
ALL AGES	13409	13.1	150	1	2	10	17	28	37	66	4266	8.1	97	1	1	5	9	21	30	47
SUBTOTAL	**22957**	**12.6**	**144**	**1**	**2**	**9**	**17**	**28**	**35**	**63**	**7955**	**9.3**	**121**	**1**	**1**	**5**	**10**	**28**	**32**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	148	22.2	386	2	3	16	33	55	70	99 +	11	3.6	19	1	1	2	4	9	15	16
13-17	573	23.5	389	2	3	20	35	56	74	99 +	81	20.6	381	1	1	18	42	47	53	90
18-20	253	14.7	196	1	2	9	24	36	42	56	68	14.2	261	1	1	5	27	39	44	68
21-24	498	13.2	128	1	2	9	21	30	34	45	117	14.5	186	1	1	7	28	31	39	45
25-34	1685	12.5	132	1	2	8	19	29	33	49	532	14.0	178	1	2	7	27	31	41	44
35-54	2290	10.8	97	1	2	7	15	27	30	46	813	9.8	125	1	2	4	11	29	31	43
55-74	1141	12.9	119	2	3	9	18	28	34	53	501	8.8	85	2	2	5	10	23	29	38
75 +	273	13.1	122	2	3	10	17	28	33	55	154	10.6	134	1	2	7	13	22	30	59
ALL AGES	6861	13.3	159	1	2	9	19	30	37	64	2277	11.4	151	1	2	5	19	30	36	47
B. FEMALE																				
0-12 YRS.	136	22.2	211	1	3	22	30	46	53	99 +	11	5.4	63	1	1	2	4	19	25	26
13-17	561	23.5	437	1	3	18	36	61	81	99 +	68	9.9	242	1	1	3	9	38	54	58
18-20	250	15.4	217	1	2	11	22	36	44	68	64	13.3	269	1	1	6	20	41	44	68
21-24	454	12.5	150	1	2	9	17	29	34	63	119	10.0	134	1	1	5	10	29	37	44
25-34	1666	13.8	159	2	2	10	20	30	38	63	427	10.0	117	1	2	5	13	29	31	42
35-54	2314	13.3	134	2	3	10	19	28	35	60	722	8.1	67	1	2	5	9	20	28	38
55-74	1528	15.6	167	2	3	12	21	31	40	70	535	9.1	79	2	2	6	11	21	29	43
75 +	509	15.0	182	2	3	10	20	33	44	68	261	9.1	55	2	3	7	11	18	22	38
ALL AGES	7418	15.0	184	2	3	11	21	32	43	75	2207	9.1	94	1	2	6	11	25	30	44
SUBTOTAL	**14279**	**14.1**	**175**	**2**	**2**	**10**	**20**	**30**	**40**	**71**	**4484**	**10.2**	**126**	**1**	**2**	**5**	**12**	**28**	**32**	**46**
GRAND TOTAL	**37236**	**13.2**	**156**	**1**	**2**	**9**	**18**	**29**	**37**	**66**	**12439**	**9.7**	**122**	**1**	**1**	**5**	**11**	**28**	**32**	**46**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

- **A.** Hospital-based psychiatric acute care
- **B.** Psychiatric acute care not available
- **C.** Psychiatric acute care provided by another hospital or provider
- **D.** Hospital-based pediatric psychiatric acute care
- **E.** Pediatric psychiatric acute care not available
- **F.** Pediatric psychiatric acute care provided by another hospital or provider
- **G.** Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texa
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 unspecified	
	1 subchronic	
	2 chronic	
	3 subchronic with acute exacerbation	
	4 chronic with acute exacerbation	
	5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe, without mention of psychotic behavior	
	4 severe, specified as with psychotic behavior	
	5 in partial or unspecified remission	
	6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72
300.89	Other	72
300.9	Unspecified neurotic disorder	73
301	**Personality disorders**	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other	82
301.9	Unspecified personality disorder	83
302	**Sexual deviations and disorders**	
302.2	Pedophilia	84
302.5	Trans-sexualism	85
302.50	With unspecified sexual history	85
302.51	With asexual history	85
302.52	With homosexual history	85
302.53	With heterosexual history	85
302.6	Disorders of psychosexual identity	86
302.7	Psychosexual dysfunction	87
302.70	Psychosexual dysfunction, unspecified	87
302.71	With inhibited sexual desire	87
302.72	With inhibited sexual excitement	87
302.73	With inhibited female orgasm	87
302.74	With inhibited male orgasm	87
302.75	With premature ejaculation	87
302.76	With functional dyspareunia	87
302.79	With other specified psychosexual dysfunctions	87
302.8	Other specified psychosexual disorders	88
302.81	Fetishism	88
302.82	Voyeurism	88
302.83	Sexual masochism	88
302.84	Sexual sadism	88
302.85	Gender identity disorder of adolescent or adult life	88
302.89	Other	88
302.9	Unspecified psychosexual disorder	89
303	**Alcohol dependence syndrome**	

Fifth-digit subclassification for use with 303:

0 unspecified
1 continuous
2 episodic
3 in remission

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303.0	Acute alcoholic intoxication	90
303.9	Other and unspecified alcohol dependence	91
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	92
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	93
304.2	Cocaine dependence	94
304.3	Cannabis dependence	95
304.4	Amphetamine and other psychostimulant dependence	96
304.5	Hallucinogen dependence	97
304.6	Other specified drug dependence	98
304.7	Combinations of opioid type drug with any other	99
304.8	Combinations of drug dependence excluding opioid type drug	100
304.9	Unspecified drug dependence	101
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	102
305.1	Tobacco use disorder	103
305.2	Cannabis abuse	104
305.3	Hallucinogen abuse	105
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	106
305.5	Opioid abuse	107
305.6	Cocaine abuse	108
305.7	Amphetamine or related acting sympathomimetic abuse	109
305.8	Antidepressant type abuse	110
305.9	Other, mixed, or unspecified drug abuse	111
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	112
306.1	Respiratory	113
306.2	Cardiovascular	114
306.3	Skin	115
306.4	Gastrointestinal	116
306.5	Genitourinary	117
306.50	Psychogenic genitourinary malfunction, unspecified	117
306.51	Psychogenic vaginismus	117
306.52	Psychogenic dysmenorrhea	117
306.53	Psychogenic dysuria	117
306.59	Other	117
306.6	Endocrine	118
306.8	Other specified psychophysiological malfunction	119
306.9	Unspecified psychophysiological malfunction	120
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	121
307.1	Anorexia nervosa	122
307.2	Tics	123

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.3	Stereotyped repetitive movements	124
307.4	Specific disorders of sleep of nonorganic origin	125
307.40	Nonorganic sleep disorder, unspecified	125
307.41	Transient disorder of initiating or maintaining sleep	125
307.42	Persistent disorder of initiating or maintaining sleep	125
307.43	Transient disorder of initiating or maintaining wakefulness	125
307.44	Persistent disorder of initiating or maintaining wakefulness	125
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	125
307.46	Somnambulism or night terrors	125
307.47	Other dysfunctions of sleep stages or arousal from sleep	125
307.48	Repetitive intrusions of sleep	125
307.49	Other	125
307.5	Other and unspecified disorders of eating	126
307.50	Eating disorder, unspecified	126
307.51	Bulimia	126
307.52	Pica	126
307.53	Psychogenic rumination	126
307.54	Psychogenic vomiting	126
307.59	Other	126
307.6	Enuresis	127
307.7	Encopresis	128
307.8	Psychalgia	129
307.80	Psychogenic pain, site unspecified	129
307.81	Tension headache	129
307.89	Other	129
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	130
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	131
308.1	Predominant disturbance of consciousness	132
308.2	Predominant psychomotor disturbance	133
308.3	Other acute reactions to stress	134
308.4	Mixed disorders as reaction to stress	135
308.9	Unspecified acute reaction to stress	136
309	**Adjustment reaction**	
309.0	Brief depressive reaction	137
309.1	Prolonged depressive reaction	138
309.2	With predominant disturbance of other emotions	139
309.21	Separation anxiety disorder	139
309.22	Emancipation disorder of adolescence and early adult life	139
309.23	Specific academic or work inhibition	139
309.24	Adjustment reaction with anxious mood	139
309.28	Adjustment reaction with mixed emotional features	139
309.29	Other	139
309.3	With predominant disturbance of conduct	140
309.4	With mixed disturbance of emotions and conduct	141
309.8	Other specified adjustment reactions	142
309.81	Prolonged posttraumatic stress disorder	142
309.82	Adjustment reaction with physical symptoms	142

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.83	Adjustment reaction with withdrawal	142
309.89	Other	142
309.9	Unspecified adjustment reaction	143
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	144
310.1	Organic personality syndrome	145
310.2	Postconcussion syndrome	146
310.8	Other specified nonpsychotic mental disorders following organic brain damage	147
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	148
311	**Depressive disorder, not elsewhere classified**	149
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	
312.0	Undersocialized conduct disorder, aggressive type	150
312.1	Undersocialized conduct disorder, unaggressive type	151
312.2	Socialized conduct disorder	152
312.3	Disorders of impulse control, not elsewhere classified	153
312.30	Impulse control disorder, unspecified	153
312.31	Pathological gambling	153
312.32	Kleptomania	153
312.33	Pyromania	153
312.34	Intermittent explosive disorder	153
312.35	Isolated explosive disorder	153
312.39	Other	153
312.4	Mixed disturbance of conduct and emotions	154
312.8	Other specified disturbances of conduct, not elsewhere classified	155
312.9	Unspecified disturbance of conduct	156
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	157
313.2	Sensitivity, shyness, and social withdrawal disorder	158
313.21	Shyness disorder of childhood	158
313.22	Introverted disorder of childhood	158
313.23	Elective mutism	158
313.3	Relationship problems	159
313.8	Other or mixed emotional disturbances of childhood or adolescence	160
313.81	Oppositional disorder	160
313.82	Identity disorder	160
313.83	Academic underachievement disorder	160
313.89	Other	160
313.9	Unspecified emotional disturbance of childhood or adolescence	161
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	162
314.00	Without mention of hyperactivity	162
314.01	With hyperactivity	162
314.1	Hyperkinesis with developmental delay	163
314.8	Other specified manifestations of hyperkinetic syndrome	164
314.9	Unspecified hyperkinetic syndrome	165
290-314.9	**All psychiatric diagnosis codes**	166

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	160
Acute alcoholic intoxication	303.0	90
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	139
Adjustment reaction with mixed emotional features	309.28	139
Adjustment reaction with physical symptoms	309.82	142
Adjustment reaction with withdrawal	309.83	142
Affective personality disorder	301.1	75
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	102
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	90-91
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	96
Amphetamine or related acting sympathomimetic abuse	305.7	109
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	110
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	162
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	82

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	93
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	106
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	82
Brief depressive reaction	309.0	137
Bulimia	307.51	126
Cannabis abuse	305.2	104
Cannabis dependence	304.3	95
Cardiovascular-Physiological malfunction arising from mental factors	306.2	114
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	108
Cocaine dependence	304.2	94
Combinations of drug dependence excluding opioid type drug	304.8	100
Combinations of opioid type drug with any other	304.7	99
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	80
Depressive disorder, not elsewhere classified	311	149
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	153
Disorders of psychosexual identity	302.6	86
Disorganized type-Schizophrenic disorders	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	312.0-312.2	150-152
Drug dependence Fifth-digit subclassification for use with 304: 0 unspecified 1 continuous 2 episodic 3 in remission	304.0-304.9	92-101
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	126
Elective mutism	313.23	158
Emancipation disorder of adolescence and early adult life	309.22	139
Encopresis	307.7	128
Endocrine-Physiological malfunction arising from mental factors	306.6	118
Enuresis	307.6	127
Excitative type psychosis	298.1	56
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	88
Frontal lobe syndrome	310.0	144
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	116
Gender identity disorder of adolescent or adult life	302.85	88
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	117
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	105
Hallucinogen dependence	304.5	97
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinesis with developmental delay	314.1	163
Hypochondriasis	300.7	71
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	160
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	153
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	153
Introverted disorder of childhood	313.22	158
Introverted personality	301.21	76
Isolated explosive disorder	312.35	153
Kleptomania	312.32	153
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Mixed disorders as reaction to stress	308.4	135
Mixed disturbance of conduct and emotions	312.4	154
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	112
Narcissistic personality	301.81	82
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Nondependent abuse of drugs	305.0-305.9	102-111

Fifth-digit subclassification for use with 305:

0 unspecified
1 continuous
2 episodic
3 in remission

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nonorganic sleep disorder, unspecified	307.40	125
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	107
Opioid type dependence	304.0	92
Oppositional disorder	313.81	160
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	145
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	117
Other-Specific disorders of sleep of nonorganic origin	307.49	125
Other-Other and unspecified disorders of eating	307.59	126
Other-Psychalgia	307.89	129
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	139
Other-Other specified adjustment reactions	309.89	142
Other-Disorders of impulse control not elsewhere classified	312.39	153
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	160
Other-Other specified drug induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and specified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	72
Other-Other personality disorders	301.89	82
Other-Other specified psychosexual disorders	302.89	88
Other acute reactions to stress	308.3	134
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	91
Other and unspecified disorders of eating	307.5	126
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	130
Other dysfunctions of sleep stages or arousal from sleep	307.47	125
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	111
Other neurotic disorders	300.8	72
Other or mixed emotional disturbances of childhood or adolescence	313.8	160
Other personality disorders	301.8	82
Other specified adjustment reactions	309.8	142
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	155
Other specified drug dependence	304.6	98
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome	314.8	164
Other specified nonpsychotic mental disorders following organic brain damage	310.8	147
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	119
Other specified psychosexual disorders	302.8	88
Other specified senile psychotic conditions	290.8	6

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	157
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	153
Pedophilia	302.2	84
Persistent disorder of initiating or maintaining wakefulness	307.44	125
Persistent disorder of initiating or maintaining sleep	307.42	125
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	125
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	126
Postconcussion syndrome	310.2	146
Predominant disturbance of consciousness	308.1	132
Predominant disturbance of emotions	308.0	131
Predominant psychomotor disturbance	308.2	133
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	138
Prolonged posttraumatic stress disorder	309.81	142
Psychalgia	307.8	129
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	117
Psychogenic dysuria	306.53	117
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	117
Psychogenic pain, site unspecified	307.80	129
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	126
Psychogenic vaginismus	306.51	117
Psychogenic vomiting	307.54	126
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		
Psychosexual dysfunction	302.7	87
Psychosexual dysfunction, unspecified	302.70	87
Pyromania	312.33	153
Reactive confusion	298.2	57
Relationship problems	313.3	159
Repetitive intrusions of sleep	307.48	125
Residual schizophrenia	295.6	35

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Respiratory-Physiological malfunction arising from mental factors	306.1	113
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	76
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	158
Separation anxiety disorder	309.21	139
Sexual masochism	302.83	88
Sexual sadism	302.84	88
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	158
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	115
Social phobia	300.23	67
Socialized conduct disorder	312.2	152
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	125
Specific academic or work inhibition	309.23	139
Specific disorders of sleep of nonorganic origin	307.4	125
Stammering and stuttering	307.0	121
Stereotyped repetitive movements	307.3	124
Subacute delirium	293.1	22
Tension headache	307.81	129
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	103
Trans-sexualism	302.5	85
Transient disorder of initiating or maintaining wakefulness	307.43	125
Transient disorder of initiating or maintaining sleep	307.41	125
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	150
Undersocialized conduct disorder, unaggressive type	312.1	151
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	136
Unspecified adjustment reaction	309.9	143
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	156
Unspecified drug dependence	304.9	101

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	161
Unspecified hyperkinetic syndrome	314.9	165
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	148
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	120
Unspecified psychosexual disorder	302.9	89
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	88
With asexual history-Trans-sexualism	302.51	85
With functional dyspareunia-Psychosexual dysfunction	302.76	87
With heterosexual history-Trans-sexualism	302.53	85
With homosexual history-Trans-sexualism	302.52	85
With hyperactivity-Attention deficit disorder	314.01	162
With inhibited female orgasm-Psychosexual dysfunction	302.73	87
With inhibited male orgasm-Psychosexual dysfunction	302.74	87
With inhibited sexual desire-Psychosexual dysfunction	302.71	87
With inhibited sexual excitement-Psychosexual dysfunction	302.72	87
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	141
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	87
With predominant disturbance of conduct-Adjustment reaction	309.3	140
With predominant disturbance of other emotions-Adjustment reaction	309.2	139
With premature ejaculation-Psychosexual dysfunction	302.75	87
With unspecified sexual history-Trans-sexualism	302.50	85
Without mention of hyperactivity-Attention deficit disorder	314.00	162

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

> A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
>
> A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.